



PATIENT PRESENTING CLINICAL SIGNS

Scal Swanson History: Grade III/VI systolic murmur. History hyperthyroidism diagnosed November, 2021, well-controlled. No clinical signs. On Methimazole transdermal.

SPECIES ELECTROCARDIOGRAPHIC FINDINGS *Note: Single lead ECGs are evaluated as a rhythm strip. Morphology/MEA cannot be definitively commented on.

Feline A single lead ECG is available; 25mm/s, 20mm/mV. The average heart rate is 150bpm with a largely regular rhythm. The rhythm is sinus in origin, with a p for every QRS complex and vice versa The QRS is inverted. Isolated VPCs throughout; 16 in a 2min tracing. Monomorphic, singles only. No supraventricular ectopic beats, pauses or other dysrhythmias observed.
ECG diagnosis: Normal sinus rhythm with isolated VPCs.

BREED

DSH

SEX

Male Neutered

AGE

11 years

WEIGHT

12lbs

INTERPRETED BY

Maggie Machen
Lamy, DVM
DACVIM (Cardiology)

ECHOCARDIOGRAM FINDINGS

2D, m-mode, color flow and Doppler imaging is available.
Left ventricle: The LV diameter is normal with adequate myocardial function. The LV wall thicknesses is asymmetrical with moderate to severe hypertrophy. False tendon. There is a diffusely hyperechoic endocardium consistent with mild fibrosis. The endocardium appears remodeled. The papillary muscles are hypertrophied.
Left atrium: The left atrium is moderately increased in dimension with a horizontal component. No smoke or thrombi visualized.
Mitral valve: The anterior leaflet of the mitral valve is normal. The tip of the mitral valve is visible in the LVOT during systole. Moderate eccentric mitral regurgitation is noted secondary to SAM.
Aortic valve/Aorta: The aortic valve is normal in morphology and mobility. Aortic outflow velocities are significantly elevated with a dynamic profile. Mild aortic insufficiency.
Right ventricle: Normal right ventricular diameter and morphology indicating no overt evidence of pulmonary arterial hypertension.
Right atrium: The right atrium is normal in dimension.
Tricuspid valve: The tricuspid valve appears normal with no tricuspid regurgitation.
Pulmonary valve/Pulmonary artery: The pulmonic valve is normal in morphology and mobility. No pulmonic insufficiency. Normal RVOT velocity.
Pericardium/other: No pericardial or pleural effusion noted. No obvious cardiac masses.

IMAGING PERFORMED BY

Pamela Harrigan,
RDCS

HOSPITAL NAME

East Boston Animal
Hospital

REFERRING VET

Dr. Chopra

INVOICE

24871

DATE

6/20/22

2-Dimensional Measurements

Ao diam (cm)	1.1
LA diam (cm)	1.6
LA:Ao (Swe)	1.5
IVS thickness (cm)	0.85
LVID diastole (cm)	1.5
PW thickness (cm)	0.95
LVID systole (cm)	0.7
FS (%)	53

Doppler Measurements

PV Vmax (m/s)	0.73
AoV Vmax (m/s)	>5
MR Vmax (m/s)	NA
TR Vmax (m/s)	NA
TR PG (mmHg)	NA

INTERPRETATION OF THE FINDINGS

The diagnosis and cause of the murmur is Hypertrophic Obstructive Cardiomyopathy (HOCM). This diagnosis is based upon an obstructive LVOT pattern, significant LV hypertrophy and secondary mitral regurgitation. Most importantly, there is moderate left



PATIENT
 Scal Swanson

atrial dilation indicating the risk for progression to spontaneous CHF and/or a thrombotic event is elevated going forward.

SPECIES
 Feline

Long term prognosis is guarded as patient is at risk for development of clinical signs. That being said, many cats will succumb to CHF within months to years while others will remain asymptomatic for some time. Close monitoring for progression of LA dilation in the future will help determine long term prognosis.

BREED
 DSH

While no medications have been shown to definitively alter long term outcome at this stage of disease, atenolol is often initiated to decrease the outflow obstruction. Given the degree of hypertrophy and LA dilation, highly recommend institution at this time if possible. Additionally, an anticoagulant could be argued with this degree of atrial dilation; however, this medication can be very difficult to administer.

SEX
 Male Neutered

AGE

11 years

The ECG does confirm relatively frequent isolated ventricular premature contractions (VPCs). VPCs can certainly be cardiac in origin with significant structural disease, which is likely the case here. No obvious indication for anti-arrhythmic therapy at this time; however, use of atenolol may also help decrease their frequency. Close monitoring for any associated clinical signs including collapse or significant lethargy is advised with immediate re-evaluation in these instances. Prognosis is guarded, as in any arrhythmic patient sudden death is certainly a possibility even on medications.

WEIGHT
 12lbs

RECOMMENDATIONS

- Administer titrating dose of atenolol: 25mg tablets; Give ¼ tab once daily. Recheck heart rate in 1-2 weeks with target stressed rate of 140-160bpm 12-24 hours post-administration. Increase as needed until target reached.
- If elected/possible, administer Clopidogrel (Plavix) 75mg tabs, give ¼ tab PO q24 h (NOTE: This medication is very bitter along the cut edge and may cause oral foaming).
- Elective anesthesia is not advised until response to atenolol is evaluated.
- Monitor for any clinical evidence of cardiac compromise, including respiratory changes and/or signs of a blood clot event (paralysis, neurologic changes, etc.).

INTERPRETED BY

Maggie Machen
 Lamy, DVM
 DACVIM (Cardiology)

PLAN

- Recommend recheck echocardiogram in six months to assess for progression, sooner if clinical signs arise in the interim.


IMAGING PERFORMED BY

Pamela Harrigan,
 RDMS

HOSPITAL NAME

East Boston Animal
 Hospital

IMAGES



REFERRING VET

Dr. Chopra

INVOICE

24871

DATE

6/20/22



PATIENT

Scal Swanson

SPECIES

Feline

BREED

DSH

SEX

Male Neutered

AGE

11 years

WEIGHT

12lbs

INTERPRETED BY

Maggie Machen
 Lamy, DVM
 DACVIM (Cardiology)

IMAGING PERFORMED BY

Pamela Harrigan,
 RDCS

HOSPITAL NAME

East Boston Animal
 Hospital

REFERRING VET


Dr. Chopra

INVOICE

24871

DATE

6/20/22



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. This report was generated using transcription software, and minor dictation errors may be present. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Maggie Machen Lamy, DVM
 Diplomate of the American College of Veterinary Internal Medicine (Cardiology)
 info@sonopath.com