PAUS
Pet Animal Ultrasound Service
4paus.com 781-635-5677



SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™
1-800-838-4268 info@sonopath.com SonoPath.com

PATIENT
Pookie Simeon

SPECIES
Feline

BREED
DSH

SEX
Male Neutered

AGE
1 year

WEIGHT
12.3Lbs

INTERPRETED BY
Maggie Machen Lamy, DVM DACVIM (Cardiology)

IMAGING PERFORMED BY
Pamela Harrigan, RDCS

HOSPITAL NAME
Norfolk County Veterinary Service

REFERRING VET
Dr. Ragon

INVOICE
24970

DATE
6/23/22

PRESENTING CLINICAL SIGNS

History: Referred for second opinion and evaluation of a grade II-III/VI systolic murmur. Doing well clinically. BP: 125-135mmHg.

ECHOCARDIOGRAM FINDINGS

2D, m-mode, color flow and Doppler imaging is available.
Left ventricle: The LV diameter is normal with adequate myocardial function. The LV wall thicknesses are asymmetric, with a normal IVS and mild PW thickening. There is a mildly hyperechoic endocardium consistent with mild fibrosis. The papillary muscles are normal.
Left atrium: The left atrium is normal in dimension. No obvious spontaneous contrast or thrombi seen.
Mitral valve: The mitral valve is normal in structure and mobility. No obvious systolic anterior motion is seen. Trace MR.
Aortic valve/aorta: The aortic valve is normal in morphology and mobility. Normal aortic outflow velocity; laminar flow. No aortic insufficiency.
Right ventricle: Normal right ventricular diameter and morphology indicating no overt evidence of pulmonary arterial hypertension.
Right atrium: The right atrium is normal in dimension.
Tricuspid valve: The tricuspid valve appears normal with no tricuspid regurgitation.
Pulmonic valve/pulmonary artery: The pulmonic valve is normal in morphology and mobility. No pulmonic insufficiency. Normal RVOT velocity; laminar flow.
Pericardium/other: No pericardial or pleural effusion noted. No obvious cardiac masses.
Heart rhythm: ECG reveals a sinus rhythm with an average HR of 220bpm.

2-Dimensional Measurements

Ao diam (cm)	1.0
LA diam (cm)	1.2
LA:Ao (Swe)	1.2
IVS thickness (cm)	0.50
LVID diastole (cm)	1.2
PW thickness (cm)	0.69
LVID systole (cm)	0.3
FS (%)	70

Doppler Measurements

PV Vmax (m/s)	0.7
AoV Vmax (m/s)	0.62
MR Vmax (m/s)	NA
TR Vmax (m/s)	NA
TR PG (mmHg)	NA

INTERPRETATION OF THE FINDINGS

HCM is a rule out diagnosis, once hypertension and hyperthyroid disease are ruled out. In a young cat with asymmetric thickening, primary disease is suspected. It is worth mentioning that a focal septal thickening may or may not reflect early cardiomyopathy and monitoring for progression is advised; a normal variant is also possible. No cause for the murmur is identified, making it likely physiologic in origin.

Prognosis is open, due to the highly variable rates of progression with subclinical feline cardiomyopathy.

RECOMMENDATIONS

- Given these findings, no medications are indicated.
- Monitor BP and T4 every 6-12 months.
- Anesthetic risk is considered mild, however judicious IV fluid rates are advised to avoid fluid overload. Additionally, drugs that stimulate heart rate should be avoided



PATIENT
Pookie Simeon

SPECIES
Feline

BREED
DSH

SEX
Male Neutered

AGE
1 year

WEIGHT
12.3Lbs

INTERPRETED BY
Maggie Machen Lamy, DVM DACVIM (Cardiology)

IMAGING PERFORMED BY
Pamela Harrigan, RDCS

HOSPITAL NAME
Norfolk County Veterinary Service

REFERRING VET
Dr. Ragon

INVOICE
24970

DATE
6/23/22

unless clinically necessary (glycopyrrolate, atropine). A reasonable protocol includes opioid/benzodiazepine premedication, propofol induction, isoflurane maintenance.
- Risk for complication with steroid use typically follows LA dilation, which in this case is low. That being said, any cat can experience unexpected signs of intolerance and monitoring of RR/RE is advised particularly in the initiation phase.
- Monitor for any clinical evidence of cardiac compromise, including respiratory changes and/or signs of a blood clot event (paralysis, neurologic changes, etc.).

PLAN
- Recommend recheck echocardiogram in 6-12 months to screen for progression, sooner if any clinical signs arise in the interim.

IMAGES


The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. This report was generated using transcription software, and minor dictation errors may be present. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Maggie Machen Lamy, DVM
Diplomate of the American College of Veterinary Internal Medicine (Cardiology)
info@sonopath.com