

PATIENT PRESENTING CLINICAL SIGNS

Emmy Schulze History: Vomiting, Diarrhea.
 Abnormal PE/Chem/CBC/UA Results: PCV = 54%

SPECIES

Canine

BREED

Mixed

SEX

Female Spayed

AGE

8 years 9 mos

WEIGHT

48.6 lbs

INTERPRETED BY

Andrea Nicastro DVM
 Diplomate ACVIM
 (Sm Animal Internal Med)

IMAGING PERFORMED BY

Dr. Ken Leal

HOSPITAL NAME

Newton VH

REFERRING VET

Dr Chan

INVOICE

22501

DATE

2-2-26

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder wall is normal in thickness. The mucosal surface is smooth. The bladder is moderately distended. Luminal contents are anechoic. No cystic calculi are observed. The region of the trigone and the proximal urethra, visible to a depth of 2 cm, are normal.

The left kidney is normal in size (6.14 cm in length) with a normal shape, architecture and smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with minimal loss of corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

The right kidney is normal in size (6.44 cm in length) with a normal shape, architecture and smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with normal corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

Adrenal Glands

The left adrenal gland is normal in size (0.57 cm at cranial pole) (0.64 cm at caudal pole) with a normal shape and homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

The right adrenal gland is normal in size (1.31 cm at cranial pole) (0.68 cm at caudal pole) with a normal shape and homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

Spleen

The spleen is normal in size (1.57 cm in width at the level of the hilus) with a normal capsular contour. There is appropriate echogenicity and echotexture. No focal lesions are observed. Splenic vasculature is normal.

Liver

The liver is subjectively normal in size with normal contours and structure. There is appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative, or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion.

The gallbladder lumen is moderately distended. The wall is thin and smooth. A small amount of gravity-dependent, hyperechoic debris is observed within the lumen. The cystic and common bile ducts are normal. The duodenal papilla is normal-in-size (0.24 cm in width).

Gastrointestinal

The stomach and intestine are free of stasis and exhibit normal peristaltic activity. The gastric lumen is not distended. The gastric wall and pylorus are normal in thickness with a normal layering pattern. The pyloric outflow tract is patent. The small intestinal lumen is segmentally gas-distended. The small intestinal wall thickness is normal. There is disruption in the normal 1:3 muscularis: mucosal ratio in most segments. Discreet masses are not identified. The ileocecal colonic wall is normal. There is no obvious evidence of an obstructive pattern.



PATIENT

Emmy Schulze

Pancreas

The region of the pancreas is isoechoic relative to surrounding omental fat. No obvious parenchymal abnormalities are observed. There is no evidence of regional inflammation or effusion.

SPECIES

Canine

Lymph Nodes

A few prominent mesenteric lymph nodes are visualized (one measuring 2.12 x 0.63 cm).

BREED

Mixed

Free Abdomen

There is no obvious evidence of free fluid.

SEX

Female Spayed

ULTRASONOGRAPHIC FINDINGS

Primary Findings

- The small intestinal wall changes could be consistent with an inflammatory process or may be a normal variant for this patient.
- The prominent abdominal lymph nodes are most consistent with reactive lymphadenitis or lymphoid hyperplasia. Neoplastic infiltration is considered less likely.

AGE

8 years 9 mos

WEIGHT

48.6 lbs

*An obvious cause for the patient's clinical signs is not definitively identified in this study. Considerations include dietary indiscretion, toxicity, infectious/parasitic disease, food allergy/intolerance, inflammatory bowel disease, underlying metabolic issue, other

INTERPRETED BY

Andrea Nicastro DVM
 Diplomate ACVIM
 (Sm Animal Internal Med)

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

- A fecal evaluation for ova and Giardia is recommended, along with prophylactic deworming with fenbendazole.
- A resting cortisol level to screen for hypoadrenocorticism. If resting cortisol level is < 2.0 mcg/dL, an ACTH stimulation test is recommended.
- Supportive care for acute gastroenteritis is recommended.
- If clinical signs persist despite medical management, further GI work-up (i.e., GI panel, limited antigen diet trial, +/- endoscopic or surgical GI biopsies) may be warranted.

IMAGING PERFORMED BY

Dr. Ken Leal

HOSPITAL NAME

Newton VH

REFERRING VET


Dr Chan

INVOICE

22501

DATE

2-2-26





PATIENT

Emmy Schulze

SPECIES

Canine

BREED

Mixed

SEX

Female Spayed

AGE

8 years 9 mos

WEIGHT

48.6 lbs

INTERPRETED BY

Andrea Nicastro DVM
 Diplomate ACVIM
 (Sm Animal Internal Med)

IMAGING PERFORMED BY

Dr. Ken Leal

HOSPITAL NAME

Newton VH

REFERRING VET


Dr Chan


INVOICE

22501

DATE

2-2-26





PATIENT

Emmy Schulze

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

BREED

Mixed

Andrea Nicastro, MPH, DVM, Diplomate DACVIM (Small Animal Internal Medicine)
info@SonoPath.com

SEX

Female Spayed

AGE

8 years 9 mos

WEIGHT

48.6 lbs

INTERPRETED BY

Andrea Nicastro DVM
Diplomate ACVIM
(Sm Animal Internal Med)

**IMAGING
PERFORMED BY**

Dr. Ken Leal

HOSPITAL NAME

Newton VH

REFERRING VET

Dr Chan

INVOICE

22501

DATE

2-2-26