

PATIENT

Princess Leia Trigo

SPECIES

Canine

BREED

Chihuahua

SEX

Female, spayed

AGE

6 Yrs.

WEIGHT

8.9 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

**IMAGING
PERFORMED BY**

Dr. Ferrer

HOSPITAL NAME

Paseos VC

REFERRING VET

Dr. Crescioni

INVOICE

13895

DATE

8/30/22

PRESENTING CLINICAL SIGNS

History: History: Presented for a recheck ultrasound after a mass was found coming from the uterus and was surgically removed. It was recommended to recheck the area every 3 months. The mass was an uterine papillary cystadenoma, but it was not completely excised and monitoring was recommended. The uterine mass (uterine cystadenoma) removed on 11/11/2021. This patient also has dystrophy almost agenesis of the right kidney diagnosed after CT scan.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder wall is normal in thickness and the mucosal surface is smooth. The bladder lumen is mildly to moderately distended with anechoic urine. No masses, inflammatory changes or calculi are observed. The region of the trigone and the visible portion of the proximal urethra are normal.

The left kidney is normal size (4.16 cm in length); normal shape and architecture with smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with minimal to mild loss of corticomedullary distinction. A hyperechoic medullary band is observed adjacent to the corticomedullary junction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter.

The right kidney is small in size (1.70 cm in length) with an irregular shape. The cortex is variably thickened and there is moderate loss of corticomedullary distinction. There is no evidence of pyelectasia, nephroliths or hydroureter.

Adrenal Glands

The left adrenal gland is normal size (0.46 cm at cranial pole) (0.47 cm at caudal pole) (1.41 cm in length); normal shape; homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

The right adrenal gland is normal size (0.30 cm at cranial pole) (0.40 cm at caudal pole) (1.47 cm in length); normal shape; homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.


Spleen

The spleen is normal in size (0.76 cm in width at the level of the hilus) with a normal capsular contour. There is appropriate echogenicity and echotexture. No focal lesions are observed. Splenic vasculature is normal.

Liver

The liver is subjectively normal in size with normal contours and structure. There is appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion. No pathological hepatic lymphadenopathy observed. The gall bladder lumen is moderately distended. The wall is thin and smooth. A moderate amount of echogenic debris is observed within the lumen, most of which is gravity-dependent and some of which is suspended. The cystic and common bile ducts are normal/not seen.

Gastrointestinal



PATIENT

Princess Leia Trigo

SPECIES

Canine

BREED

Chihuahua

SEX

Female, spayed

AGE

6 Yrs.

WEIGHT

8.9 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

IMAGING PERFORMED BY

Dr. Ferrer

HOSPITAL NAME

Paseos VC

REFERRING VET

Dr. Crescioni

INVOICE

13895

DATE

8/30/22

The stomach and intestine are free of stasis and exhibit normal peristaltic activity. The gastric lumen is not distended. The gastric wall and pylorus are normal in thickness with a normal layering pattern. The pyloric outflow tract is patent. The small intestinal lumen is not dilated. The small intestinal wall thickness is normal with a normal layering pattern and appropriate mural detail. Discreet masses are not identified. The colonic wall is normal. No obstructive disease is noted.

Pancreas

The region of the pancreas is isoechoic relative to surrounding omental fat. No obvious parenchymal abnormalities are observed. There is no evidence of regional inflammation or effusion.

Free Abdomen

The peritoneal cavity is normal. There is no evidence of inflammation or effusion. The abdominal lymph nodes are normal/not visible.

Other

A uterine stump is visible (0.41 cm in width). There is no obvious evidence of pathology.


ULTRASONOGRAPHIC FINDINGS


- Mild degenerative left renal changes with right renal changes consistent with dysplasia, bordering on agenesis. Changes are similar to the previous sonogram. Changes are similar to the previous sonogram.

*There is no obvious evidence of recurrence of the uterine mass.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Continued sonographic monitoring (every 3 months) of the abdomen is recommended to evaluate for recurrence of the uterine mass.





PATIENT

Princess Leia Trigo

SPECIES

Canine

BREED

Chihuahua

SEX

Female, spayed

AGE

6 Yrs.

WEIGHT

8.9 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

**IMAGING
PERFORMED BY**

Dr. Ferrer

HOSPITAL NAME

Paseos VC

REFERRING VET


Dr. Crescioni

INVOICE

13895

DATE

8/30/22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Andrea Nicastro, MPH, DVM, Diplomate DACVIM (Small Animal Internal Medicine)
info@SonoPath.com