

**DATE**

8/9/21

PRESENTING CLINICAL SIGNS

History: Hx of prostatic abscess. Has been neutered and put on antibiotics; recheck to assess response. Prev. ultrasound done by EVC.

PATIENT

Guero Perez

Current Medications: Not provided by the veterinarian.

Lab Results: Not provided by the veterinarian.

SPECIES

Canine

Radiographs: Not provided by the veterinarian.

Date of Previous IntraPet Ultrasound: EVC – Not provided by the veterinarian.

BREED

Labrador

Sedation: IV sedation utilized for UUS.

Stat Report: not requested

SEX

Neutered male

ULTRASONOGRAPHIC EXAMINATION OF THE URINARY SYSTEM

**This study was limited to the urinary system. There is a potential for pathology in organs that were not visualized.

AGE

3/2/19

Urinary System

The urinary bladder, trigone, and pelvic urethra are normal in thickness and the mucosal surface is smooth. The bladder lumen is moderately distended with anechoic urine. No masses, inflammatory changes or calculi are observed. Ureteral papillae and visualized portion of the proximal urethra, visible to a depth of 2 cm, are normal.

WEIGHT

87 lbs

The prostate is prominent in size (2.67 x 1.89 cm in width) with a normal shape and smooth peripheral contours. The parenchyma is heterogeneous in appearance with hyperechoic foci. The prostatic urethra is not overtly dilated. There is no evidence of cysts or abscessation.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

The left kidney is normal size (7.19 cm in length); normal shape and architecture with smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with normal corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

HOSPITAL NAME

Banfield Pet Hospital
of Columbia

The right kidney is normal size (5.99 cm in length); normal shape and architecture with smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with normal corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

REFERRING VET

Dr. Scherping

ULTRASONOGRAPHIC FINDINGS

- The prostate changes are consistent with recent neutering/benign prostatic hyperplasia +/- residual inflammatory tissue. There is no gross evidence of abscessation.

INVOICE

11601kk

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

- A 4-6 week course of antibiotics is recommended to treat the prostatic abscess.
- Further prostate imaging is not indicated unless the patient's clinical recur.



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Andrea Nicastro, DVM, Diplomate ACVIM (*Small Animal Internal Medicine*)
 Andrea.nicastro@sonopath.com