

PATIENT

Oliver Gash

SPECIES

Canine

BREED

Mini Schnauzer

SEX

Male, neutered

AGE

6 Yrs.

WEIGHT

16.8 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

IMAGING PERFORMED BY

Sara Hansen

HOSPITAL NAME

West Hills AH

REFERRING VET

Dr. Fogarty

DATE

1/18/2022

INVOICE

12870

PRESENTING CLINICAL SIGNS

History: acute onset vomiting two days ago and yesterday. 103.5 temp on admission today, 6-8% dehydrated, painful and tense on abdominal palpation. Otherwise BAR.

Abnormal PE/Chem/CBC/UA Results: Bloodwork shows liver enzyme elevations: GGT: 17, TBIL: 1.0, ALT:3454, cPL normal. Current Medications Cerenia, gabapentin

CBC WNL. Three-view abdominal radiographs WNL.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and pelvic urethra are normal in thickness and the mucosal surface is smooth. The bladder lumen is moderately distended with anechoic urine. No masses, inflammatory changes or calculi are observed. Ureteral papillae and visualized portion of the proximal urethra, visible to a depth of 2 cm, are normal.

The prostate is normal in size (0.89 cm in width) and shape. Parenchyma is homogenous. The prostatic urethra appears normal without evidence of dilation or obstruction.

The left kidney is normal size (4.22 cm in length); normal shape and architecture with smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with normal corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

The right kidney is normal size (4.35 cm in length); normal shape and architecture with smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with normal corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

Adrenal Glands

The left adrenal gland is normal size (0.34 cm at cranial pole) (0.46 cm at caudal pole) (1.67 cm in length); normal shape; homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

The right adrenal gland is normal size (0.86 cm at cranial pole) (0.35 cm at caudal pole) (2.00 cm in length); normal shape; homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

Spleen



PATIENT

Oliver Gash

The spleen is normal in size (1.19 cm in width at the level of the hilus) with a normal capsular contour. There is appropriate echogenicity and echotexture. No focal lesions are observed. Splenic vasculature is normal.

SPECIES

Canine

Liver

The liver is subjectively normal in size with slightly swollen peripheral contours. The parenchyma is isoechoic relative to the spleen and diffusely homogeneous in appearance. No distinct focal lesions are observed. Vascular and biliary tracts are of normal volume with no evidence of congestion. The gall bladder lumen is moderately distended. The wall is thin and smooth. A small amount of aggregated echogenic partially dependent debris is observed within the lumen. The cystic and common bile ducts are normal/not seen. The gall bladder lumen is moderately distended. The wall is thin and smooth. A scant amount of gravity-dependent echogenic debris is observed within the lumen. The cystic and common bile ducts are normal/not seen.

BREED

Mini Schnauzer

SEX

Male, neutered

Gastrointestinal

The stomach and intestine are free of stasis and exhibit normal peristaltic activity. The gastric lumen is not distended. The gastric wall and pylorus are normal in thickness with a normal layering pattern. The pyloric outflow tract is patent. The small intestinal lumen is not dilated. The small intestinal wall thickness is normal with a normal layering pattern and appropriate mural detail. Discreet masses are not identified. The colonic wall is normal. No obstructive disease is noted.

AGE

6 Yrs.

Pancreas

The region of the pancreas is isoechoic relative to surrounding omental fat. No obvious parenchymal abnormalities are observed. There is no evidence of regional inflammation or effusion.

WEIGHT

16.8 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

Free Abdomen

The peritoneal cavity is normal. There is no evidence of inflammation or effusion. The abdominal lymph nodes are normal/not visible.

IMAGING PERFORMED BY

Sara Hansen

Other

A brief echocardiogram reveals no evidence of pericardial effusion.

HOSPITAL NAME

West Hills AH

ULTRASONOGRAPHIC FINDINGS

- An obvious cause for the elevated liver enzymes is not identified in the study. However, a microscopic hepatopathy (i.e., bacterial cholangiohepatitis, Leptospirosis, chronic active hepatitis, copper-associated hepatotoxicity, infiltrative neoplasia (less likely)) should be considered. Given the fever, an infectious/inflammatory process is favored.

REFERRING VET

Dr. Fogarty


INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

DATE

1/18/2022

INVOICE

12870



PATIENT

Oliver Gash

SPECIES

Canine

BREED

Mini Schnauzer

SEX

Male, neutered

AGE

6 Yrs.

WEIGHT

16.8 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

IMAGING PERFORMED BY

Sara Hansen

HOSPITAL NAME

West Hills AH

REFERRING VET

Dr. Fogarty


DATE


1/18/2022

INVOICE

12870

- Leptospirosis testing (i.e., blood and urine PCR, serology) is strongly recommended.
- Also consider hepatic tissue sampling (i.e., fine needle aspirate or surgical biopsies. If surgical biopsies are pursued, aerobic and anaerobic bile cultures as well as additional hepatic tissue samples for potential copper quantitation are recommended.
- While awaiting test results, empirical treatment for bacterial cholangiohepatitis and Leptospirosis is recommended along with supportive care.
- Chest X-rays should also be considered, particularly if the patient is to undergo anesthesia.





PATIENT

Oliver Gash

SPECIES

Canine

BREED

Mini Schnauzer

SEX


Male, neutered

AGE

6 Yrs.

WEIGHT

16.8 lbs.



INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Andrea Nicastro, DVM, Diplomate ACVIM (Small Animal Internal Medicine)

andrea.nicastro@sonopath.com

IMAGING PERFORMED BY

Sara Hansen

HOSPITAL NAME

West Hills AH

REFERRING VET

Dr. Fogarty

DATE

1/18/2022

INVOICE

12870