



PATIENT

Lily Baker

SPECIES

Feline

BREED

Domestic shorthair

SEX

Female, spayed

AGE

17 Yrs. 9 months

WEIGHT

3.285 kg.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

**IMAGING
PERFORMED BY**

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

HOSPITAL NAME

VCA Palmetto

REFERRING VET

Dr. Buerkle

INVOICE

13392

DATE

1/14/26

PRESENTING CLINICAL SIGNS

Pt had an episode of collapse and is now somewhat ataxic. CBC chem WNL. Blood pressure 100 mmHg.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder wall is normal in thickness and the mucosal surface is smooth. The bladder is moderately distended. Luminal contents are anechoic. No cystic calculi are observed. The region of the trigone and the proximal urethra, visible to a depth of 2 cm, are normal.

The left kidney is normal in size (3.30 cm in length) with a normal shape, smooth peripheral margins and normal internal architecture. There is moderate loss of corticomedullary distinction. Several hyperechoic shadowing diverticular foci are observed. There is no evidence of pyelectasia, infarcts or hydronephrosis. Renal vasculature is normal.

The right kidney is normal in size (3.77 cm in length) with a normal shape, smooth peripheral margins and normal internal architecture. There is moderate loss of corticomedullary distinction. Several hyperechoic shadowing diverticular foci are observed. There is no evidence of pyelectasia, infarcts or hydronephrosis. Renal vasculature is normal.

Adrenal Glands

The left adrenal gland is normal size (0.33 cm width). Normal shape and glandular echogenicity. The phrenicoabdominal vein and surrounding vasculature are normal.

The right adrenal gland is normal size (0.40 cm width). Normal shape and glandular echogenicity. The phrenicoabdominal vein and surrounding vasculature are normal.

Spleen

The spleen is normal in size (0.80 cm in width at the level of the hilus) with a normal capsular contour. There is appropriate echogenicity and echotexture. No focal lesions are observed. Splenic vasculature is normal.

Liver

The liver is subjectively normal in size with normal curvilinear peripheral contours. The parenchyma is isoechoic relative to the spleen. A 1.12 cm multi-septated cystic nodule is observed mid to right liver. The remaining parenchyma is homogeneous. Vascular and biliary tracts are of normal volume with no evidence of congestion. The portal vein to caudal vena cava ratio is approximately 1:1.

The gall bladder lumen is moderately distended. The wall is thin and smooth. Luminal contents are mostly anechoic. The cystic and common bile ducts are normal.

Gastrointestinal

The gastric lumen is not distended. The gastric wall and pylorus are normal in thickness with a normal layering pattern. The pyloric outflow tract is patent. The small intestinal lumen is not dilated. The small intestinal wall is normal in thickness with a normal layering pattern and appropriate mural detail. Discreet masses are not identified. The ileocecolic junction and colonic wall are normal. There is no evidence of an obstructive pattern.

Pancreas

The left limb of the pancreas is visible with normal curvilinear peripheral contours. The parenchyma is slightly hypoechoic relative to surrounding omental fat and slightly mottled in appearance. The pancreatic duct is visible but not overtly dilated. There is no evidence of peripancreatic inflammation or



PATIENT

Lily Baker

SPECIES

Feline

BREED

Domestic shorthair

SEX

Female, spayed

AGE

17 Yrs. 9 months

WEIGHT

3.285 kg.

INTERPRETED BY

Andrea Nicastro, DVM,
 Diplomate ACVIM
 (Small Animal Internal
 Medicine)

IMAGING PERFORMED BY

Andrea Nicastro, DVM,
 Diplomate ACVIM
 (Small Animal Internal
 Medicine)

HOSPITAL NAME

VCA Palmetto

REFERRING VET

Dr. Buerkle

INVOICE

13392

DATE

1/14/26

effusion.

Lymph nodes

The abdominal lymph nodes are normal/not visible.

Free Abdomen

There is no obvious evidence of free fluid.

Other

A brief echocardiogram reveals no evidence of pericardial effusion or obvious right atrial/auricular mass. There is no obvious evidence of chamber enlargement in the available images.


ULTRASONOGRAPHIC FINDINGS

- Minor geriatric renal and pancreatic changes.
- The cystic hepatic nodule is most consistent with biliary cystadenoma or less likely, biliary cystadenocarcinoma.

*The remainder of the abdomen is unremarkable. An obvious cause for the patient's clinical signs is not identified in this study. Primary neurologic disease is of top consideration. Other considerations include hyperthyroidism, cardiac disease (less likely given the brief echocardiogram performed during today's study), other.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

A T4 +/- free T4 by equilibrium dialysis is recommended. Depending on results, consultation with a board-certified neurologist +/- brain MRI and CSF tap may be indicated.





PATIENT

Lily Baker

SPECIES

Feline

BREED

Domestic shorthair

SEX

Female, spayed

AGE

17 Yrs. 9 months

WEIGHT

3.285 kg.

INTERPRETED BY

Andrea Nicastro, DVM,
 Diplomate ACVIM
 (Small Animal Internal
 Medicine)

**IMAGING
 PERFORMED BY**

Andrea Nicastro, DVM,
 Diplomate ACVIM
 (Small Animal Internal
 Medicine)

HOSPITAL NAME

VCA Palmetto

REFERRING VET





Dr. Buerkle

INVOICE

13392

DATE

1/14/26





PATIENT

Lily Baker

SPECIES

Feline

BREED

Domestic shorthair

SEX

Female, spayed

AGE

17 Yrs. 9 months

WEIGHT

3.285 kg.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

**IMAGING
PERFORMED BY**

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

HOSPITAL NAME

VCA Palmetto

REFERRING VET


Dr. Buerkle

INVOICE

13392

DATE

1/14/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Andrea Nicastro, MPH, DVM, Diplomate DACVIM (Small Animal Internal Medicine)
info@SonoPath.com