

PATIENT

PRESENTING CLINICAL SIGNS

Parker James Woodard

History: Diarrhea/ abdominal pain. Meds: Cerenia, Metronidazole, Omeprazole, Gabapentin
Abnormal PE/Chem/CBC/UA Results: ANA positive

SPECIES

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Canine

Urinary System

BREED

The urinary bladder wall is normal in thickness and the mucosal surface is smooth. The bladder is moderately distended. Luminal contents are mostly anechoic. No cystic calculi are observed. The region of the trigone and the proximal urethra, visible to a depth of 3 cm, are normal.

Lab

SEX

The prostate is normal in size (0.98 cm in width) and shape. Parenchyma is homogenous. The prostatic urethra appears normal without evidence of dilation or obstruction.

Male, neutered

The left kidney is normal in size (7.27 cm in length) with a normal shape, architecture and smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with normal corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydronephrosis. Renal vasculature is normal.

AGE

12 Yrs.

The right kidney is normal in size (7.36 cm in length) with a normal shape, architecture and smooth peripheral margins. There is a normal 1:3 cortex to medulla ratio with minimal to mild loss of corticomedullary distinction. There is no evidence of pyelectasia, nephroliths, infarcts or hydronephrosis. Renal vasculature is normal.

WEIGHT

66.7 lbs.

INTERPRETED BY

Adrenal Glands

Andrea Nicastro, DVM,
Diplomate ACVIM
(Small Animal Internal
Medicine)

The left adrenal gland is normal in size (0.54 cm at cranial pole) (0.61 cm at caudal pole) with a normal shape and homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

The right adrenal gland is normal in size (1.39 cm at cranial pole) (0.60 cm at caudal pole) with a normal shape and homogenous parenchyma. The glandular echogenicity and detail are unremarkable. Capsule, cortex, and medullary definition are normal. The phrenicoabdominal vein and surrounding vasculature are normal.

IMAGING PERFORMED BY

Rebecca Hamilton

Spleen

The spleen is prominent in size (2.77 cm in width at the level of the hilus) with smooth peripheral contour. The parenchyma is subtly mottled in appearance. No focal lesions are observed. Splenic vasculature is normal.

HOSPITAL NAME

Kingston Animal
Hospital NY

Liver

The liver is subjectively normal in size with normal contours and structure. There is appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative, or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion.

REFERRING VET

Dr. Turner

INVOICE


The gallbladder is mildly distended. The wall is variably thickened (up to 0.32 cm) and hyperechoic. A small amount of gravity-dependent echogenic debris is observed within the lumen. The cystic and common bile ducts are normal/not seen.

13715

DATE

5/12/26

Gastrointestinal



PATIENT

Parker James Woodard

SPECIES

Canine

BREED

Lab

SEX

Male, neutered

AGE

12 Yrs.

WEIGHT

66.7 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(*Small Animal Internal
Medicine*)

**IMAGING
PERFORMED BY**

Rebecca Hamilton

HOSPITAL NAME

Kingston Animal
Hospital NY

REFERRING VET

Dr. Turner

INVOICE

13715

DATE

5/12/26

The gastric lumen is mildly distended with ingesta. The gastric wall is normal in thickness with a normal layering pattern. The small intestinal lumen is not dilated. The small intestinal wall thickness is normal with a normal layering pattern and appropriate mural detail. Discreet masses are not identified. The colonic wall is normal. There is no evidence of an obstructive pattern.

Pancreas

The region of the pancreas is isoechoic relative to surrounding omental fat. No obvious parenchymal abnormalities are observed. There is no evidence of regional inflammation or effusion.

Lymph nodes

The abdominal lymph nodes are normal/not visible.

Free Abdomen

The peritoneal cavity is normal. There is no evidence of inflammation or effusion.

ULTRASONOGRAPHIC FINDINGS


- The splenic parenchymal changes are most consistent with a benign process such as lymphoid hyperplasia, extramedullary hematopoiesis, splenitis or antigenic stimulation with a lower possibility of infiltrative neoplasia (i.e., lymphoma, mast cell neoplasia).
- Minor bilateral nonspecific, age-related renal changes
- The gallbladder wall changes may be artifactual due to lack of full repletion. Alternatively, benign hyperplasia or cholecystitis are considerations. Correlation with the patient's clinical history and lab work is recommended.

**An obvious cause for the patient's clinical signs is not definitively identified in this study. Considerations include a microscopic enteropathy (i.e., food allergy/intolerance, inflammatory bowel disease, infectious/parasitic disease), underlying metabolic issue, other.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The following diagnostics/treatment recommendations can be considered:

1. A minimum database including a CBC chemistry panel, urinalysis and T4 is recommended (if not already performed).
2. Texas GI panel including serum cobalamin, folate, PLI, TLI and resting cortisol level
3. Fecal evaluation for ova/Giardia
4. Prophylactic deworming with Fenbendazole.
5. 3-4 week hypoallergenic or hydrolyzed protein diet trial
6. Initiation of a probiotic with a high colony count +/- fiber supplement (i.e., psyllium).
7. Depending on the results of the above diagnostics/therapeutics, endoscopic or surgical gastrointestinal biopsies may be warranted. Three-view thoracic radiographs should be performed prior to any anesthetic event.



PATIENT

Parker James Woodard

SPECIES

Canine

BREED

Lab

SEX

Male, neutered

AGE

12 Yrs.

WEIGHT

66.7 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
 Diplomate ACVIM
 (Small Animal Internal
 Medicine)

**IMAGING
 PERFORMED BY**

Rebecca Hamilton

HOSPITAL NAME

Kingston Animal
 Hospital NY

REFERRING VET





Dr. Turner


INVOICE

13715

DATE

5/12/26





PATIENT

Parker James Woodard

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

BREED

Lab

Andrea Nicastro, MPH, DVM, Diplomate DACVIM (Small Animal Internal Medicine)
info@SonoPath.com

SEX

Male, neutered

AGE

12 Yrs.

WEIGHT

66.7 lbs.

INTERPRETED BY

Andrea Nicastro, DVM,
Diplomate ACVIM
(*Small Animal Internal
Medicine*)

**IMAGING
PERFORMED BY**

Rebecca Hamilton

HOSPITAL NAME

Kingston Animal
Hospital NY

REFERRING VET

Dr. Turner

INVOICE

13715

DATE

5/12/26