SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™



SonoPath.com
1-800-838-4268 info@sonopath.com

PATIENT

Isabella Trapanese

SPECIES

Canine

BREED

Old English Sheepdog

SEX

Spayed Female

AGE

11.5 Years

WEIGHT

83.6 Pounds

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Diane McFadden

HOSPITAL NAME

Wantage Vet Hospital

REFERRING VET

Dr. Bullock

INVOICE

46196

DATE

3/28/23

PRESENTING CLINICAL SIGNS

dx with low grade inflammatory hepatopathy by ultrasound 8/10/21. elevated liver enzymes. On levothyroxine 0.4mg bid, fluoxetine 40 mg sid

Abnormal PE/Chem/CBC/UA Results: elevated ALT, ALKP, cholesterol and triglycerides.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder is moderately distended with anechoic contents. No masses, inflammatory changes, echogenic sediment or cystoliths are observed. The urinary bladder, trigone and visible pelvic urethra are normal in thickness with a smooth mucosal surface.

The right kidney is normal in size (7.51 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

The left kidney is normal in size (6.82 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

Adrenal Glands

The right adrenal gland is normal in size (3.94 cm long x 2.32 cm at the cranial pole and 1.1 cm at the caudal pole), shape and contour. Corticomedullary structure is unremarkable. Visible surrounding vasculature appears normal.

The left adrenal gland is normal in size (3.17 cm long x 0.44 cm at the cranial pole and 0.67 cm at the caudal pole), shape and contour. Corticomedullary structure is unremarkable. Visible surrounding vasculature appears normal.

Spleen

Spleen is generally normal in size and shape with a smooth capsular contour. Parenchyma is diffusely nodular in appearance characterized by small discrete hypoechoic nodules. Splenic vasculature appears normal.

Liver

The liver is subjectively normal in size with normal smooth curvilinear peripheral contour. Parenchyma is appropriately hypoechoic to the spleen in echogenicity and appropriately mildly coarse and homogenous in echotexture. No focal lesions are observed. Visible vasculature and biliary tree appear normal without distension or congestion.

The gallbladder is non-distended in size. The wall is smooth without visible thickening. Luminal contents are primarily anechoic. There is no evidence of cystic or common bile duct dilation.

Gastrointestinal

The visible stomach wall is normal in thickness and layering. The lumen of the stomach is mildly distended with echogenic non-shadowing luminal contents and gas consistent with normal ingesta. There is no evidence of obstruction, foreign material or infiltrative disease. Pyloric outflow tract appears patent.



SonoPath.com™
1-800-838-4268 info@sonopath.com

PATIENT
Isabella Trapanese

SPECIES
Canine

BREED
Old English Sheepdog

SEX
Spayed Female

AGE
11.5 Years

WEIGHT
83.6 Pounds

INTERPRETED BY
Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY
Diane McFadden

HOSPITAL NAME
Wantage Vet Hospital

REFERRING VET
Dr. Bullock

INVOICE
46196

DATE
3/28/23

The visible small intestines are normal in wall thickness and layering (canine duodenum < 0.5 cm and feline duodenum < 0.4 cm; other < 0.3 cm). Small intestinal motility appears adequate (1-3 contractions per min). The lumen of the small intestine is empty with no evidence of obstruction, foreign material or infiltrative disease.

The visible colon is normal in wall thickness (< 0.2 cm) and layering. Contents are consistent with normal formed feces and gas.

Pancreas

The pancreatic parenchyma is appropriately isoechoic to surrounding tissue. Visible capsule is smooth and normal in contour. There is no visible pancreatic duct dilation. There is no evidence of active peripancreatic inflammation.

Free Abdomen

There is no evidence of free peritoneal effusion noted in these images.

There is no apparent lymphadenopathy noted in these images.

There is no evidence of heart base or pericardial pathology noted in these images at this time. If cardiac function evaluation is desired a full echocardiogram is recommended.

ULTRASONOGRAPHIC FINDINGS

- **Splenic micronodular hyperplasia pattern –** This nodular change is often associated with benign aging nodular hyperplasia. Infiltrative neoplasia, however, including both early hemangiosarcoma as well as round cell neoplasia cannot be ruled out.

- Otherwise, this is an unremarkable/normal abdomen

- An obvious cause for the reported increased liver enzymes is not identified in these images. Microscopic disease such as Leptospirosis, bacterial cholangiohepatitis, chronic active hepatitis, copper-associated hepatotoxicity, other hepatotoxicity, infiltrative neoplasia (considered unlikely), etc. cannot be definitively ruled out.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Recommendations for this patient depend primarily on whether the increased liver enzymes demonstrate more of a cholestatic pattern versus a hepatocellular injury pattern, with differentials and next steps being different depending. However, given the history of a low-grade inflammatory hepatopathy with reportedly progressively increasing liver enzymes, liver sampling may be warranted, beginning with a fine needle aspirate of the liver to assess inflammatory cell type, rule in/out round cell neoplasia, etc. if patient's coagulation status is appropriate. Or, if round cell neoplasia is not diagnosed, a liver biopsy including copper level assessment may be required to definitively diagnose the underlying hepatopathy. In the meantime, if not recently evaluated, testing for Leptospirosis is recommended.



SonoPath.com™
1-800-838-4268 info@sonopath.com

PATIENT

Isabella Trapanese

SPECIES

Canine

BREED

Old English Sheepdog

SEX

Spayed Female

AGE

11.5 Years

WEIGHT

83.6 Pounds

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Diane McFadden

HOSPITAL NAME

Wantage Vet Hospital

REFERRING VET

Dr. Bullock

INVOICE

46196

DATE

3/28/23



SonoPath.com™
1-800-838-4268 info@sonopath.com

PATIENT

Isabella Trapanese

SPECIES

Canine

BREED

Old English Sheepdog

SEX

Spayed Female

AGE

11.5 Years

WEIGHT

83.6 Pounds

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Diane McFadden

HOSPITAL NAME

Wantage Vet Hospital

REFERRING VET

Dr. Bullock

INVOICE

46196

DATE

3/28/23



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Beth Johnson, DVM, DACVIM
Beth.Johnson@sonopath.com