



## PATIENT

Abigail Pickles

## SPECIES

Feline

## BREED

DSH

## SEX

Spayed Female

## AGE

5 Years

## WEIGHT

3.16 kg

## INTERPRETED BY

Beth Johnson, DVM  
DACVIM

## IMAGING PERFORMED BY

Michelle DeMelo, RVT

## HOSPITAL NAME

Woodstock Veterinary  
Hospital

## REFERRING VET

Dr. Jessica Norris

## INVOICE

74752

## DATE

4/23/26

## PRESENTING CLINICAL SIGNS

5 yo FS indoor DSH. Recently diagnosed with diabetes after 5-6 week history of ADR, and weight loss. Possible PU/PD but multi-cat household so not definitively noted. On PE, initially had slight discomfort in cranial abdomen, and intestinal loops felt thickened. Despite starting insulin, continues to not eat well and lose weight. Not eating well enough to receive insulin injections regularly. Recently had two episodes of vomiting, one episode of diarrhea, and developed a UTI since initial diagnosis 1 week ago. Spec fPL 1.3 (0-4.4); BHB level 1.9 mmol/L.

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### *Urinary System*

The urinary bladder is adequately distended with anechoic contents. No masses, inflammatory changes, echogenic sediment or cystoliths are observed. The urinary bladder, trigone and visible pelvic urethra are normal in thickness with a smooth mucosal surface.

The right kidney is normal in size (3.8 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

The left kidney is normal in size (3.5 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

### *Adrenal Glands*

The right adrenal gland is normal in size (0.33 cm), shape and overall architecture, echogenicity and echotexture. Visible surrounding vasculature appears normal.

The left adrenal gland is normal in size (0.38 cm), shape and overall architecture, echogenicity and echotexture. Visible surrounding vasculature appears normal.

### *Spleen*

The spleen is subjectively normal in size with a normal smooth capsular contour. Parenchyma is appropriately finely textured and homogenous with normal echogenicity relative to surrounding tissue (hyperechoic to liver). No focal nodules or masses are observed. Splenic vasculature appears normal.

### *Liver*

Liver is subjectively enlarged (swollen contour) without disruption of architecture. It has a normal homogenous echotexture. Parenchyma is diffusely hyperechoic characterized by less prominent than normal portal vein walls and increased echogenicity relative to the spleen and falciform fat. No focal lesions are observed. Visible vasculature and biliary tree appear normal without distension or congestion.

The gallbladder is non-distended in size. The wall is smooth without visible thickening. Luminal contents are primarily anechoic. There is no evidence of cystic or common bile duct dilation.

### *Gastrointestinal*

The visible stomach wall is normal in thickness and layering. The lumen of the stomach is mildly distended with a small to moderate amount of echogenic non-shadowing luminal contents and gas



## PATIENT

Abigail Pickles

## SPECIES

Feline

## BREED

DSH

## SEX

Spayed Female

## AGE

5 Years

## WEIGHT

3.16 kg

## INTERPRETED BY

Beth Johnson, DVM  
DACVIM

## IMAGING PERFORMED BY

Michelle DeMelo, RVT

## HOSPITAL NAME

Woodstock Veterinary  
Hospital

## REFERRING VET

Dr. Jessica Norris

## INVOICE

74752

## DATE

4/23/26

consistent with normal ingesta. There is no evidence of obstruction, foreign material or infiltrative disease. Pyloric outflow tract appears patent.

The visible small intestine demonstrates areas of mildly to moderately thick muscularis layer relative to mucosa (disruption of the normal 1:3 muscularis:mucosa ratio). Small intestinal submucosa is slightly irregular, thick and hyperechoic, without evident loss of layering appreciated. The lumen is mildly distended with echogenic non-shadowing luminal contents and gas consistent with normal ingesta/chyme. There is no evidence of obstruction, foreign material or infiltrative disease.

The visible colon is normal in wall thickness (< 0.2 cm) and layering. Contents are consistent with normal formed feces and gas.

### *Pancreas*

The pancreas that is observed appears appropriately isoechoic to surrounding omental fat. Visible capsule is smooth and normal in contour. Visible pancreatic parenchyma is homogenous and unremarkable. There is no visible pancreatic duct dilation. There is no evidence of active peripancreatic inflammation.

### *Free Abdomen*

There is no visible free peritoneal effusion noted in these images.

There is no apparent pathologic lymphadenopathy noted in these images.

## ULTRASONOGRAPHIC FINDINGS

- Mild to moderate inflammatory bowel disease (IBD) pattern – Thick muscularis has been reported with infiltrative bowel disease including both benign inflammatory disease as well as infiltrative neoplasia such as lymphoma. No loss of layering or distinct characteristics of malignancy are present. Therefore, differentials cannot be further ranked without tissue sampling.
- Hyperechoic hepatomegaly – This appearance is most consistent with benign hepatic lipidosis or endocrine/DM hepatopathy. Infiltrative disease such as amyloidosis or round cell neoplasia, such as mast cell tumor or less likely, lymphoma, is also possible.

## INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

A gastrointestinal malabsorption panel (including cobalamin, folate, TLI and PLI) to Texas A&M GI Laboratory is recommended for further evaluation of GI and pancreatic function.

A fecal enteropathogen PCR panel to Texas A&M GI Laboratory could be considered for further evaluation of possible infectious disease. Contact lab for recommendations on how long to discontinue antibiotics (if indicated) prior to obtaining a stool sample for submission.

While concurrent underlying bowel disease could be contributing to the difficulty regulating diabetes mellitus, regulation of the diabetes will be a challenge with an inconsistent appetite and inability to consistently give insulin. Therefore, addressing the reported urinary tract infection, addressing the appetite if possible, etc. may help determine whether the ongoing weight loss, etc. are secondary to poorly regulated diabetes versus concurrent bowel disease, etc.



**PATIENT**

Abigail Pickles

Given the complex nature of the problems combined with the possibility that steroids could be indicated if bowel disease is the primary problem, etc., full consultation with and/or referral to a veterinary internist may be helpful.

**SPECIES**

Feline

For an additional charge an internal medicine consult can be utilized through [Sonopath.com](http://sonopath.com). You can select the internal medicine drop down at <http://spa.sonopath.com/>.

**BREED**

DSH

One of the world's top internists & SonoPath associate Dr. Remo Lobetti BVSc, MMedVet, PhD, DECVIM can evaluate your case through SonoPath. <https://sonopath.com/resources/sonopath-services/internal-medicine-teleconsultation-services>

**SEX**

Spayed Female

**AGE**

5 Years

**WEIGHT**

3.16 kg

**INTERPRETED BY**

Beth Johnson, DVM  
DACVIM

**IMAGING PERFORMED BY**

Michelle DeMelo, RVT

**HOSPITAL NAME**

Woodstock Veterinary  
Hospital

**REFERRING VET**


Dr. Jessica Norris

**INVOICE**

74752

**DATE**

4/23/26





## PATIENT

Abigail Pickles

## SPECIES

Feline

## BREED

DSH

## SEX

Spayed Female

## AGE

5 Years

## WEIGHT

3.16 kg

## INTERPRETED BY

Beth Johnson, DVM  
DACVIM

## IMAGING PERFORMED BY

Michelle DeMelo, RVT

## HOSPITAL NAME

Woodstock Veterinary  
Hospital

## REFERRING VET

Dr. Jessica Norris

## INVOICE

74752

## DATE

4/23/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Beth Johnson, DVM, DACVIM**  
[info@sonopath.com](mailto:info@sonopath.com)