



## PATIENT

Olive Lang

## SPECIES

Feline

## BREED

DSH

## SEX

Spayed Female

## AGE

10 Years

## WEIGHT

10 lbs

## INTERPRETED BY

Beth Johnson, DVM  
DACVIM

## IMAGING PERFORMED BY

Jessy Butcher

## HOSPITAL NAME

VEG

## REFERRING VET

Dr. Sullivan

## INVOICE

75129

## DATE

5/14/26

## PRESENTING CLINICAL SIGNS

Presenting due to inappetence for the last several days (but did eat last night) and urine showed elevated bilirubin with trace glucose. Newly diagnosed hyperthyroidism and concern for kidney and liver disease on bloodwork, but awaiting bloodwork results.

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### Urinary System

The urinary bladder is adequately distended with anechoic contents. No masses, inflammatory changes, echogenic sediment or cystoliths are observed. The urinary bladder, trigone and visible pelvic urethra are normal in thickness with a smooth mucosal surface.

Kidneys are bilaterally irregular and diffusely echogenic with decreased corticomedullary distinction and poor visualization of internal architecture. There is no pyelectasia noted. Pinpoint to punctate non-obstructive mineral densities are noted bilaterally. The left kidney is small, measuring 3.2 cm. The right kidney is normal in size, measuring 4.0 cm.

### Adrenal Glands

The adrenal glands are unable to be visualized in these images.

### Spleen

The spleen is subjectively normal in size with a normal smooth capsular contour. Parenchyma is appropriately finely textured and homogenous with normal echogenicity relative to surrounding tissue (hyperechoic to liver). No focal nodules or masses are observed. Splenic vasculature appears normal.

### Liver

Liver is subjectively enlarged (swollen contour). Mild parenchymal remodeling with diffusely mildly coarse architecture and increased portal markings is present. No focal nodules or masses are observed. Visible vasculature and biliary tree appear normal without distension or congestion.

The gallbladder is non-distended in size. The wall is smooth without visible thickening. Luminal contents are primarily anechoic. There is no evidence of cystic or common bile duct dilation.

### Gastrointestinal

The visible stomach wall is normal in thickness and layering. The lumen of the stomach is mildly distended with a small to moderate amount of echogenic non-shadowing luminal contents and gas consistent with normal ingesta. There is no evidence of obstruction, foreign material or infiltrative disease. Pyloric outflow tract appears patent.

The visible small intestine demonstrates areas of mildly to moderately thick muscularis layer relative to mucosa (disruption of the normal 1:3 muscularis:mucosa ratio). Small intestinal submucosa is slightly irregular, thick and hyperechoic, without evident loss of layering appreciated. The lumen of the small intestine is empty with no evidence of obstruction or foreign material.

The visible colon is normal in wall thickness (< 0.2 cm) and layering. Contents are consistent with normal formed feces and gas.



## PATIENT

Olive Lang

## SPECIES

Feline

## BREED

DSH

## SEX

Spayed Female

## AGE

10 Years

## WEIGHT

10 lbs

## INTERPRETED BY

Beth Johnson, DVM  
DACVIM

## IMAGING PERFORMED BY

Jessy Butcher

## HOSPITAL NAME

VEG

## REFERRING VET

Dr. Sullivan

## INVOICE

75129

## DATE

5/14/26

## ***Pancreas***

The pancreas that is observed appears appropriately isoechoic to surrounding omental fat. Visible capsule is smooth and normal in contour. Visible pancreatic parenchyma is homogenous and unremarkable. There is no visible pancreatic duct dilation. There is no evidence of active peripancreatic inflammation.

## ***Free Abdomen***

There is no visible free peritoneal effusion noted in these images.

There is no apparent pathologic lymphadenopathy noted in these images.

## **ULTRASONOGRAPHIC FINDINGS**

- Mild bilateral chronic kidney disease changes, most visibly significant in the left kidney, with bilateral punctate non-obstructive nephroliths.
- Hypoechoic hepatomegaly – This appearance is consistent with an acute hepatopathy or acute cholangiohepatitis. Infiltrative neoplasia (round cell neoplasia) is also a differential.
- Mild to moderate inflammatory bowel disease (IBD) pattern – Thick muscularis has been reported with infiltrative bowel disease including both benign inflammatory disease as well as infiltrative neoplasia such as lymphoma. No loss of layering or distinct characteristics of malignancy are present. Therefore, differentials cannot be further ranked without tissue sampling.

## **INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

As is reportedly already pending, a full general metabolic health screen is recommended to include CBC/Chem panel, electrolytes, a urinalysis and, if indicated based on urinalysis results, urine culture is recommended. If protein is present in an otherwise quiet sediment, protein quantification with a urine protein to creatinine ratio is recommended.

A gastrointestinal malabsorption panel (including cobalamin, folate, TLI and PLI) to Texas A&M GI Laboratory is recommended for further evaluation of GI and pancreatic function.

Fine needle aspirates of the liver could be considered if patient's coagulation status is appropriate.

Further recommendations, both therapeutic and diagnostic, are largely dependent on results of above, but could ultimately be biopsies of the GI tract, being sure to include ileum if possible for definitive diagnosis and to further guide medical management of possible suspected bowel disease, if necessary.



## PATIENT

Olive Lang

## SPECIES

Feline

## BREED

DSH

## SEX

Spayed Female

## AGE

10 Years

## WEIGHT

10 lbs

## INTERPRETED BY

Beth Johnson, DVM  
DACVIM

## IMAGING PERFORMED BY

Jessy Butcher

## HOSPITAL NAME

VEG

## REFERRING VET


Dr. Sullivan

## INVOICE

75129

## DATE

5/14/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Beth Johnson, DVM, DACVIM**  
info@sonopath.com