



<b>PATIENT</b>	<b>PRESENTING CLINICAL SIGNS</b>
Hudson O'Connell	History: Presented on 7/27 for lethargy, not eating, and red eyes/squinting. Found to be febrile (103.8F) and have acute uveitis with low IOP, scleral infection, and miosis with absent PLRs. P started on 10mg/kg doxycycline q24h and dexamethasone ophthalmic, seems to be improving but still lethargic.
<b>SPECIES</b>	
Canine	Abnormal PE/Chem/CBC/UA Results: CBC/Chem/4Dx/UA/resting cortisol/Chest x-rays unremarkable (attached) Uveitis PCR panel pending
<b>BREED</b>	<b>ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN</b>
Labradoodle	<b>Urinary System</b>
<b>SEX</b>	Urinary bladder is adequately distended with anechoic contents. No masses, inflammatory changes, echogenic sediment or cystoliths are observed. The urinary bladder, trigone and visible pelvic urethra are normal in thickness with a smooth mucosal surface.
Neutered Male	The area of the prostate is examined without evident pathology.
<b>AGE</b>	Left kidney is normal is size (6.0 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.
2 Years	Right kidney is normal is size (6.3 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.
<b>WEIGHT</b>	
25 kg	<b>Adrenal Glands</b>
<b>INTERPRETED BY</b>	Left adrenal gland is normal in size (0.57 cm thick), shape and overall architecture, echogenicity and echotexture. Visible surrounding vasculature appears normal.
Beth Johnson, DVM DACVIM	Right adrenal gland is normal in size (0.51cm thick), shape and overall architecture, echogenicity and echotexture. Visible surrounding vasculature appears normal.
<b>IMAGING PERFORMED BY</b>	<b>Spleen</b>
Matthew Olcha	Spleen is subjectively normal in size with a normal smooth capsular contour. Parenchyma is appropriately finely textured and homogenous with normal echogenicity relative to surrounding tissue (hyperechoic to liver). No focal nodules or masses are observed. Splenic vasculature appears normal.
<b>HOSPITAL NAME</b>	<b>Liver</b>
East Meadow VC	Liver is subjectively normal in size with normal smooth curvilinear peripheral contour. Parenchyma is appropriately hypoechoic to the spleen in echogenicity and appropriately mildly coarse and homogenous in echotexture. No focal lesions are observed. Visible vasculature and biliary tree appear normal without distension or congestion.
<b>REFERRING VET</b>	
Matthew Olcha	Gallbladder is non-distended in size. The wall is smooth without visible thickening. Luminal contents are primarily anechoic. There is no evidence of cystic or common bile duct dilation.
<b>INVOICE</b>	<b>Gastrointestinal</b>
16619	The visible stomach wall is normal in thickness and layering. The lumen of the stomach is empty with no evidence of obstruction, foreign material or infiltrative disease. Pyloric outflow tract appears patent.
<b>DATE</b>	
7/30/22	



**PATIENT**

Hudson O'Connell

The visible small intestines are normal in wall thickness and layering. Small intestinal motility appears adequate (1-3 contractions per min). The lumen of the small intestine is with no evidence of obstruction, foreign material or infiltrative disease.

**SPECIES**

Canine

The visible colon is normal in wall thickness and layering. Contents are consistent with normal formed feces and gas.

**Pancreas**

**BREED**

Labradoodle

The observed pancreas appears appropriately isoechoic to surrounding omental fat. Visible capsule is smooth and normal in contour. Visible pancreatic parenchyma is homogenous and unremarkable. There is no visible pancreatic duct dilation. There is no evidence of active peripancreatic inflammation.

**Free Abdomen**

**SEX**

Neutered Male

There is no evidence of peritoneal effusion. There is no apparent lymphadenopathy.

**ULTRASONOGRAPHIC FINDINGS**

- Unremarkable/normal abdomen

**AGE**

2 Years

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

There are no ultrasonographically visible reasons in these images to explain the patients reported uveitis. Comprehensive infectious disease testing is recommended, as is reportedly already pending.

**WEIGHT**

25 kg

**INTERPRETED BY**

Beth Johnson, DVM  
DACVIM



**IMAGING PERFORMED BY**

Matthew Olcha

**HOSPITAL NAME**

East Meadow VC



**REFERRING VET**

Matthew Olcha

**INVOICE**

16619

**DATE**

7/30/22

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.



**PATIENT**

Hudson O'Connell

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**SPECIES**

Canine

**Beth Johnson, DVM DACVIM**

Beth.Johnson@SonoPath.com

**BREED**

Labradoodle

**SEX**

Neutered Male

**AGE**

2 Years

**WEIGHT**

25 kg

**INTERPRETED BY**

Beth Johnson, DVM  
DACVIM

**IMAGING  
PERFORMED BY**

Matthew Olcha

**HOSPITAL NAME**

East Meadow VC

**REFERRING VET**

Matthew Olcha

**INVOICE**

16619

**DATE**

7/30/22