



PATIENT

Louie Maddox

SPECIES

Canine

BREED

Mix

SEX

Neutered Male

AGE

11

WEIGHT

82

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Isabel Plourde

HOSPITAL NAME

TotalBond VH

REFERRING VET

Jamie Uren

INVOICE

23738

DATE

7/31/23

PRESENTING CLINICAL SIGNS

Pt presented for an approx 6.5 x 7.5 x 7.5 cm round, semi-firm perianal mass associated w/ R anal gland - unable to express material from mass. On FNA, the mass was interpreted as Apocrine adenocarcinoma. Ultrasound for staging for AGASACA. The mass was very recently noticed by owners. Main bloodwork findings: ALT 167 high, ALP 4508 high, Calcium 10.3 wnl.

Abnormal PE/Chem/CBC/UA Results: Main bloodwork findings: ALT 167 high, ALP 4508 high, Calcium 10.3 wnl

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

Urinary bladder is adequately distended with anechoic contents. No masses, inflammatory changes, echogenic sediment or cystoliths are observed. The urinary bladder, trigone and visible pelvic urethra are normal in thickness with a smooth mucosal surface.

The area of the prostate is examined without evident prostatic pathology.

Left kidney is normal in size (7.36 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

Right kidney is normal in size (7.26 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

Adrenal Glands

The area of the adrenal glands is examined without evident adrenal gland pathology.

Spleen

Spleen is subjectively normal in size with a normal smooth capsular contour. Parenchyma is appropriately finely textured and homogenous with normal echogenicity relative to surrounding tissue (hyperechoic to liver). Multifocal well-demarcated hyperechoic homogenous nodules are noted. Splenic vasculature appears normal.

Liver

Liver is subjectively normal in size with normal smooth curvilinear peripheral contour. Parenchyma is appropriately hypoechoic to the spleen in echogenicity and appropriately mildly coarse and homogenous in echotexture. An approximately 1.0 cm discrete hyperechoic nodule is noted in the caudal left liver. Visible vasculature and biliary tree appear normal without distension or congestion.

Gallbladder is moderately distended with anechoic bile as well as suspended and gravity dependent echogenic debris. The wall is smooth without visible thickening. There is no evidence of cystic or CBD dilation. There is no evidence of effusion or inflammation.

Gastrointestinal

The visible stomach wall is normal in thickness and layering. The lumen of the stomach is empty with no evidence of obstruction, foreign material or infiltrative disease. Pyloric outflow tract appears patent.



PATIENT

Louie Maddox

The visible small intestines are normal in wall thickness and layering. Small intestinal motility appears adequate (1-3 contractions per min). The lumen of the small intestine is empty with no evidence of obstruction, foreign material or infiltrative disease.

SPECIES

Canine

The visible colon is normal in wall thickness and layering. Contents are consistent with normal formed feces and gas.

Pancreas

BREED

Mix

Pancreas is prominent in size with swollen irregular contour. Parenchyma is heterogenous characterized by hyperechoic tissue remodeling intermixed with ill-defined hypoechoic nodules. There is no visible pancreatic duct dilation. There is no evidence of active peripancreatic inflammation.

Free Abdomen

SEX

Neutered Male

There is no evidence of peritoneal effusion. There is no apparent lymphadenopathy.

ULTRASONOGRAPHIC FINDINGS

AGE

11

- Liver nodule – Liver nodule- Differentials for a discrete liver nodule include primarily benign changes such as nodular hyperplasia, fibrosis of an old hematoma, granuloma, myelolipoma, etc.; however, while considered less likely, primary hepatic neoplasia, infiltrative round cell neoplasia and metastatic disease can mimic benign lesions and cannot be definitively ruled out.

WEIGHT

82

- Moderate gallbladder debris - Cholecystic debris is of unknown clinical significance. It can be seen with biliary stasis from fasting or illness. Cholecystic debris is not necessarily related to hepatobiliary disease. Echogenic bile is most commonly an incidental finding in dogs and should be interpreted in combination with clinical signs such as nausea, inappetence, cranial abdominal discomfort and/or laboratory changes such as increased ALP and/or increased Tbili.

INTERPRETED BY

Beth Johnson, DVM
DACVIM

- Pancreatic nodular hyperplasia – Infiltrative neoplasia cannot be ruled out but is considered less likely.

IMAGING PERFORMED BY

Isabel Plourde

- Hyperechoic splenic nodules – most consistent with benign myelolipomas. Other differentials such as fibrosis or calcification caused by old hematomas or infarcts, chronic inflammation, granulomatous disease or metastatic disease cannot be ruled out, but are considered less likely.

HOSPITAL NAME

TotalBond VH

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

REFERRING VET

Jamie Uren

The appearance of the pathology described above all trends in appearance toward benign. Having said that, fine needle aspirates of the pancreas, as well as the liver could be considered, if patients coagulation status is appropriate.

INVOICE

23738

Additionally, if not recently evaluated, three view thoracic radiographs are recommended for further assessment of cardio-pulmonary status as well as to further evaluate for any evidence of metastatic disease, if not recently evaluated.

DATE

7/31/23

Ultimately, given the lack of suspicion for any metastatic disease visible in these images at this time, surgical excision of the mass, followed by consultation with a veterinary oncologist is recommended.



PATIENT

Louie Maddox

SPECIES

Canine

BREED

Mix

SEX

Neutered Male

AGE

11

WEIGHT

82

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Isabel Plourde

HOSPITAL NAME

TotalBond VH

REFERRING VET


Jamie Uren

INVOICE

23738

DATE

7/31/23





PATIENT

Louie Maddox

SPECIES

Canine

BREED

Mix

SEX


Neutered Male

AGE

11

WEIGHT

82



INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Isabel Plourde

HOSPITAL NAME

TotalBond VH

REFERRING VET

Jamie Uren

INVOICE

23738

DATE

7/31/23

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Beth Johnson, DVM DACVIM

info@sonopath.com