



PATIENT

Grace Kennedy

SPECIES

Canine

BREED

Pit Bull x

SEX

Spayed Female

AGE

12 Years

WEIGHT

65

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Nicole Gotfredson

HOSPITAL NAME

Buffalo Vet Center

REFERRING VET

Dr. Garry Gotfredson

INVOICE

44545

DATE

8/8/23

PRESENTING CLINICAL SIGNS

Patient has gotten potbellied over the past month. No increase in water intake according to the owner. Normal appetite.

Abnormal PE/Chem/CBC/UA Results: 12/22 ALT=133

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder is moderately distended with anechoic contents. No masses, inflammatory changes, echogenic sediment or cystoliths are observed. The urinary bladder, trigone and visible pelvic urethra are normal in thickness with a smooth mucosal surface.

The right kidney is normal in size (7.43 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

The left kidney is normal in size (7.31 cm), shape and echogenicity. It has smooth peripheral margination. There is a normal 1:3 cortex to medulla ratio with appropriate corticomedullary distinction. There is no evidence of pyelectasia, mineral or infarcts observed.

Adrenal Glands

The right adrenal gland is unable to be well visualized in these images.

The left adrenal gland is mildly enlarged/plump at the caudal pole (0.93 cm). Corticomedullary structure is unremarkable. Visible surrounding vasculature appears normal. The cranial pole is unable to be well visualized in these images.

Spleen

The spleen is subjectively normal in size with a normal smooth capsular contour. Parenchyma is appropriately finely textured and homogenous with normal echogenicity relative to surrounding tissue (hyperechoic to liver). No focal nodules or masses are observed. Splenic vasculature appears normal.

Liver

Liver is subjectively enlarged with mildly irregular margins. Parenchyma is heterogenous characterized by multiple poorly defined hypoechoic nodules within otherwise hyperechoic liver parenchyma. Visible vasculature and biliary tree appear normal without distension or congestion.

The gallbladder is non-distended in size. The wall is smooth without visible thickening. Luminal contents are primarily anechoic. There is no evidence of cystic or common bile duct dilation.

Gastrointestinal

The visible stomach wall is normal in thickness and layering. The lumen of the stomach is mildly distended with echogenic non-shadowing luminal contents and gas consistent with normal ingesta. There is no evidence of obstruction, foreign material or infiltrative disease. Pyloric outflow tract appears patent.



PATIENT

Grace Kennedy

The visible small intestines are normal in wall thickness and layering. Small intestinal motility appears adequate (1-3 contractions per min). The lumen of the small intestine is mildly distended with echogenic non-shadowing luminal contents and gas consistent with normal ingesta. There is no evidence of obstruction, foreign material or infiltrative disease.

SPECIES

Canine

The visible colon is normal in wall thickness (< 0.2 cm) and layering. Contents are consistent with normal formed feces and gas.

BREED

Pit Bull x

Pancreas

The pancreatic parenchyma is appropriately isoechoic to surrounding tissue. Visible capsule is smooth and normal in contour. There is no visible pancreatic duct dilation. There is no evidence of active peripancreatic inflammation.

SEX

Spayed Female

Free Abdomen

There is no evidence of free peritoneal effusion noted in these images.

AGE

12 Years

There is no apparent lymphadenopathy noted in these images.

ULTRASONOGRAPHIC FINDINGS

WEIGHT

65

- Mild adrenomegaly may be present, given the mildly plump appearance of the caudal pole of the left adrenal gland. However, the cranial pole and right adrenal gland are difficult to fully visualize, making interpretation difficult.

INTERPRETED BY

Beth Johnson, DVM
DACVIM

- Heterogenous Liver – These changes are most consistent with benign processes such as nodular hyperplasia, steroid (vacuolar) hepatopathy, extramedullary hematopoiesis or possibly chronic inflammatory disease and less commonly infiltrative round cell or metastatic neoplasia.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

IMAGING PERFORMED BY

Nicole Gotfredson

There is not a definitive ultrasonographic explanation for this patient’s reported “pot belly” appearance, except for mild hepatomegaly. Hyperadrenocorticism could be contributing. However, given the lack of clinical signs, further evaluation of hyperadrenocorticism typically is not recommended until when/if clinical signs develop.

HOSPITAL NAME

Buffalo Vet Center

In the meantime, given the mildly increased ALT, recommendations include an “antigen search” for sources of reactive hepatopathy (including testing for Leptospirosis), followed by a course of empirical antibiotics and hepatic nutraceuticals, with monitoring of ALT for improvement. If improvement is noted, antibiotics should be continued until liver enzymes either normalize or plateau (recheck every 2-3 weeks); however, if improvement is not noted and/or enzyme increase progresses, antibiotics should not be continued long term and sampling, beginning with a FNA of the liver if patient’s coagulation status is appropriate or progressing to a liver biopsy (including copper level assessment) may ultimately be warranted.

REFERRING VET

Dr. Garry Gotfredson

INVOICE

44545

If patient is gaining weight and/or has other clinical signs that support hypothyroidism, this could also be considered a possible differential.

DATE

8/8/23



PATIENT

Grace Kennedy

SPECIES

Canine

BREED

Pit Bull x

SEX

Spayed Female

AGE

12 Years

WEIGHT

65

INTERPRETED BY

Beth Johnson, DVM
DACVIM

IMAGING PERFORMED BY

Nicole Gotfredson

HOSPITAL NAME

Buffalo Vet Center

REFERRING VET


Dr. Garry Gotfredson

INVOICE

44545

DATE

8/8/23



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Beth Johnson, DVM, DACVIM
info@sonopath.com