



PATIENT

Miko Dziezdic

SPECIES

Canine

BREED

Shiba Inu

SEX

Neutered Male

AGE

14 Years

WEIGHT

11.1 kg

INTERPRETED BY

Dr Brittany Sinclair,
 BVSc(hons),
 DACVECC

IMAGING PERFORMED BY

Kelly Reschny

HOSPITAL NAME

Westoak Animal
 Hospital

REFERRING VET

Dr. Kohlmaier

INVOICE

72059

DATE

1/8/26

PRESENTING CLINICAL SIGNS

Possible pancreatitis after Christmas, diarrhea and lethargy - improved since - cough since mid December - seen for lethargy and blood in urine over weekend - did radiographs, possible mass effect seen in abdomen Current Medications Codeine Phosphate 15mg BID

Abnormal PE/Chem/CBC/UA Results: Labs and rads attached

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and visible pelvic urethra were of normal thickness. The ureters were not visible which is normal. There was normal wall layering with no masses, uroliths or abnormal thickening visualized. Urine was anechoic. No evidence of inflammatory or neoplastic changes were noted.

The prostate is not visible.

Visualization and resolution of both kidneys are limited. The kidneys appear to be in normal position with generally normal size, shape, and structure. Left kidney measures 5.12 cm. Right kidney measures 5.61 cm.

Adrenal Glands

The adrenal glands are not visualized.

Spleen

There are visible portions of spleen that are normal in size, structure and echogenicity. Near the spleen there is a slightly irregular, roughly spherical mass measuring 5.0 cm x 4.2 cm, which in some views appears to possibly be arising from the spleen. This cannot be definitely confirmed.

Liver

The liver is subjectively normal in size with normal contours and structure. There is age appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion.

Gall bladder is moderately distended with normal wall thickness and anechoic contents. Common bile duct is non-distended and tapers normally.

Gastrointestinal

The stomach is not distinctly visualized.

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with ingesta throughout. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering maintaining the typical 1:3 muscularis:mucosa layer ratio. There were no focal lesions consistent with obstruction or a mass effect observed.

Sections of colon are visualized with gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.



PATIENT

Miko Dzedzic

SPECIES

Canine

BREED

Shiba Inu

SEX

Neutered Male

AGE

14 Years

WEIGHT

11.1 kg

INTERPRETED BY

Dr Brittany Sinclair,
 BVSc(hons),
 DACVECC

IMAGING PERFORMED BY

Kelly Reschny

HOSPITAL NAME

Westoak Animal
 Hospital

REFERRING VET

Dr. Kohlmaier

INVOICE

72059

DATE

1/8/26

Pancreas

The pancreas is not distinctly visualized.

Free Abdomen


No free fluid noted.

ULTRASONOGRAPHIC FINDINGS

- Mid abdominal mass, possibly splenic in origin.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

A mass is identified in the mid abdomen. A definitive organ attachment is not identified. It may be associated with the spleen based on location and appearance in some views. FNA of the mass is recommended to further define the organ of origin. Ultimately, abdominal explore may be both diagnostic and curative and should be considered pending FNA results.



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Dr Brittany Sinclair, BVSc(hons), DACVECC info@SonoPath.com