



PATIENT

Kimie Hunt

SPECIES

Canine

BREED

Border Collie

SEX

Spayed Female

AGE

9 Years

WEIGHT

28.3 kg

INTERPRETED BY

Dr Brittany Sinclair,
 BVSc(hons),
 DACVECC

IMAGING PERFORMED BY

Amanda Stewart

HOSPITAL NAME

Waterloo West

REFERRING VET

Dr. Ong

INVOICE

73653

DATE

3/13/26

PRESENTING CLINICAL SIGNS

Vomit, abdominal discomfort upon palpation.

Current Medications: Otizole topical and otic.

Abnormal PE/Chem/CBC/UA Results: Marked elevated ALT, mild elevated ALP Radiographic Findings No radiographs acquired recently Primary Question to Be Answered in This Exam Hepatopathy, infectious, neoplasia, inflammatory

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and visible pelvic urethra were of normal thickness. The ureters were not visible which is normal. There was normal wall layering with no masses, uroliths or abnormal thickening visualized. Urine was anechoic. No evidence of inflammatory or neoplastic changes were noted.

The kidneys were both normal size and structure, with smooth capsule and normal corticomedullary definition and ratio. Medullary structure differed distinctly from that of the cortex. No evidence of pelvic dilation was present. Hyperechoic, shadowing foci present in renal parenchyma and calyces consistent with nephrocalcinosis. Left kidney measures 6.0 cm. Right kidney measures 6.33 cm.

Adrenal Glands

Both adrenal glands were visualized and recognized as having normal shape, size, position and echogenicity for this breed and age. The visible phrenic vasculature was unremarkable. Left measures 2.2 cm in length x 0.54 cm at the caudal pole and 0.45 cm at the cranial pole. Right measures 2.41 cm in length x 0.60 cm at the caudal pole and 0.68 cm at the cranial pole.

Spleen

The spleen was normal with age appropriate homogeneous parenchyma and a smooth capsule with normal splenic vasculature with no signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarct changes were noted.

Liver

The liver is subjectively normal in size with normal contours and structure. There is age appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion.

Gall bladder is moderately distended with normal wall thickness and anechoic contents. Common bile duct is non-distended and tapers normally.

Gastrointestinal

The stomach contains minimal luminal contents. It measures at a normal thickness of with some variability due to the presence of rugal folds. The distinction of the gastric wall layers is adequate. No masses or focal lesions were observed.

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with minimal fluid distension. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall



PATIENT	layering maintaining the typical 1:3 muscularis:mucosa layer ratio. There were no focal lesions consistent with obstruction or a mass effect observed.
Kimie Hunt	
SPECIES	Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.
Canine	<i>Pancreas</i>
BREED	The area of the pancreas was isoechoic to surrounding tissue with no overt inflammation. Pancreatic tissue was not distinctly visualized which is common.
Border Collie	<i>Free Abdomen</i>
SEX	No clinically significant lymphadenopathy or abnormalities noted. No free fluid noted.
Spayed Female	ULTRASONOGRAPHIC FINDINGS
AGE	<ul style="list-style-type: none"> • Mild nephrocalcinosis. • Normal liver and otherwise normal abdomen.
9 Years	<u>INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS</u>
WEIGHT	There is no ultrasonographically evident cause of reported GI signs in this abdominal study. Pancreas and GI tract are within normal limits. Consideration for dietary indiscretion, infectious etiologies (bacterial, viral, parasitic), food sensitivity/allergy or mild inflammatory bowel disease is reasonable. While not sonographically evident, pancreatitis cannot be completely ruled out. Given the reportedly significantly elevated ALT, acute hepatitis, which may not be ultrasonographically apparent, remains a differential. Liver FNA is recommended to further define. Bile acid profile should be considered. Empiric treatment for GI signs including anti-nausea, appetite stimulant and fluid support as clinically indicated is warranted. A diet trial with hydrolyzed protein or select protein diet could be considered if food sensitivity is suspected clinically. If signs are persistent or recurrent, additional diagnostics to be considered include baseline cortisol +/- ACTH stimulation test, GI panel (TLI/PLI/cobalamin/folate), fecal pathogen panel, thyroid testing, bile acid profile, and thoracic radiographs to rule out occult neoplasia, cardiac disease and esophageal disease as potential causes. Ultimately GI biopsy may be required for more definitive diagnosis if the patient is not responsive to medical treatment.
28.3 kg	
INTERPRETED BY	
Dr Brittany Sinclair, BVSc(hons), DACVECC	
IMAGING PERFORMED BY	
Amanda Stewart	
HOSPITAL NAME	Empiric antibiotic therapy is not unreasonable given severity of reported elevations and antibiotics that are effective against gram-negative, aerobic, enteric bacteria and excreted into the bile are recommended. Amoxicillin, amoxicillin-clavulanic acid, cephalosporins, and fluoroquinolones are suggested first choices. Metronidazole (7.5 mg/kg PO, IV q 12 hrs) may be added for extra anaerobe coverage.
Waterloo West	
REFERRING VET	
Dr. Ong	
INVOICE	
73653	
DATE	
3/13/26	



PATIENT

Kimie Hunt

SPECIES

Canine

BREED

Border Collie

SEX

Spayed Female

AGE

9 Years

WEIGHT

28.3 kg

INTERPRETED BY

Dr Brittany Sinclair,
 BVSc(hons),
 DACVECC

IMAGING PERFORMED BY

Amanda Stewart

HOSPITAL NAME

Waterloo West

REFERRING VET


Dr. Ong

INVOICE

73653

DATE

3/13/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Dr Brittany Sinclair, BVSc(hons), DACVECC

info@SonoPath.com