



PATIENT

Nike Ponce De Leon-Barracoso

SPECIES

Cnaine

BREED

Husky

SEX

MN

AGE

10.5 years

WEIGHT

32.1 kg

INTERPRETED BY

Dr Brittany Sinclair,
 BVSc(hons),
 DACVECC

IMAGING PERFORMED BY

Crystal Hill

HOSPITAL NAME

Beatties PH Stoney
 Creek

REFERRING VET

Dr. Codrington

INVOICE

11478

DATE

3/13/2026

PRESENTING CLINICAL SIGNS

- Presented Mar 11 for constipation and pain for 3 days. Had not eaten for 3 days. Owner noted large scrotum. Seen at RDVM but no improvement.
- Uncomfortable, hunched over and panting on presentation, abdomen tense on palpation, Left testicle 3X larger than the right. Marked firmness and turgidity - diagnosed testicular torsion.
- Performed emerg neuter and sent L testicle for Histo(results pending.)
- Very vocal on recovery, still sedate in the AM and no interest in food. Concerns for underlying pathology.
- Has been on Maropitant, Cefazolinm and Pantoprazole.

Abnormal PE/Chem/CBC/UA Results: N/A - histo pending.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and visible pelvic urethra were of normal thickness. The ureters were not visible which is normal. There was normal wall layering with no masses, uroliths or abnormal thickening visualized. Urine was anechoic. No evidence of inflammatory or neoplastic changes were noted.

Visible prostate is normal in size has uniform echotexture with no fluid accumulations, masses or other abnormalities

The kidneys were both normal size and structure, with smooth capsule and normal corticomedullary definition and ratio. Medullary structure differed distinctly from that of the cortex. No evidence of pelvic dilation was present.

Left kidney measures 6.03 cm in length, and the right kidney measures 6.7 cm in length.

Adrenal Glands

Adrenal glands were visualized on still images only. They appear to have normal shape, size, position and echogenicity for this breed and age though this could not be confirmed on cine loops.

Left adrenal measures 2.43 cm in length, 0.58 cm at the caudal pole and 0.68 cm at the cranial pole.

Right adrenal measures 2.73 cm in length, 0.41 cm at the caudal pole and 0.93 cm at the cranial pole.

Spleen

The spleen was normal with age appropriate homogeneous parenchyma and a smooth capsule with normal splenic vasculature with no signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarct changes were noted.

Liver

The liver is subjectively normal in size with normal contours and structure. There is age appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion.



PATIENT

Nike Ponce De Leon-Barracoso

SPECIES

Cnaine

BREED

Husky

SEX

MN

AGE

10.5 years

WEIGHT

32.1 kg

INTERPRETED BY

Dr Brittany Sinclair, BVSc(hons), DACVECC

IMAGING PERFORMED BY

Crystal Hill

HOSPITAL NAME

Beatties PH Stoney Creek

REFERRING VET

Dr. Codrington

INVOICE

11478

DATE

3/13/2026

Gall bladder is moderately distended with normal wall thickness and anechoic contents. Common bile duct is non-distended and tapers normally.

Gastrointestinal

The stomach is not well visualized.

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with minimal fluid distension. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering maintaining the typical 1:3 muscularis:mucosa layer ratio. There were no focal lesions consistent with obstruction or a mass effect observed.

Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.

Pancreas


The pancreas is not well visualized.

ULTRASONOGRAPHIC FINDINGS

- Unremarkable abdomen.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

There are no significant intraabdominal abnormalities noted images provided. An underlying cause for sedation and inappetence post-emergency neuter is not identified on ultrasound. Post-operative pain and inflammation are reasonable differentials. Continued supportive care with adequate pain management along with full bloodwork and serial bloodwork if indicated is reasonable.





PATIENT

Nike Ponce De Leon-Barracoso

SPECIES

Cnaïne

BREED

Husky

SEX

MN

AGE

10.5 years

WEIGHT

32.1 kg

INTERPRETED BY

Dr Brittany Sinclair, BVSc(hons), DACVECC

IMAGING PERFORMED BY

Crystal Hill

HOSPITAL NAME

Beatties PH Stoney Creek

REFERRING VET


Dr. Codrington

INVOICE

11478

DATE

3/13/2026



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Dr Brittany Sinclair, BVSc(hons), DACVECC
 info@SonoPath.com