

PATIENT

Mya Hayward

PRESENTING CLINICAL SIGNS

History: losing weight, reduced appetite meds: gabapentin
Abnormal PE/Chem/CBC/UA Results: low urea, high lipase

SPECIES

Feline

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and visible pelvic urethra were of normal thickness. The ureters were not visible which is normal. There was normal wall layering with no masses, uroliths or abnormal thickening visualized. Urine was anechoic. No evidence of inflammatory or neoplastic changes were noted.

BREED

Domestic Longhair

SEX

Spayed female

The kidneys have a smooth capsule and with hazing of corticomedullary definition to the point of inability to determine cortical/medullary ratio. No evidence of pelvic dilation was present. The left kidney measured 3.44 cm and the right kidney measures 4.09 cm.

AGE

9 years

Adrenal Glands

Both adrenal glands were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.45 cm in length and 0.18 cm at the caudal pole. The right adrenal gland measured 0.55 cm at the cranial pole and 0.47 cm at the caudal pole.

WEIGHT

7.7 lbs

INTERPRETED BY

Dr Brittany Sinclair,
BVSc(hons), DACVECC

Spleen

The spleen was normal with a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma and smooth capsule, with normal splenic vasculature with no signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarct changes were noted.

IMAGING PERFORMED BY

Kelly Reshny, RVT

HOSPITAL NAME

Dog and Cat Clinic of
Niagara

Liver

The liver is subjectively normal in size with normal contours and structure. There is appropriate echogenicity and echotexture. No overt structural evidence of inflammatory, infiltrative or regenerative pathology is evident. Vascular and biliary tracts are of normal volume with no evidence of congestion. No pathological hepatic lymphadenopathy observed. Gallbladder is moderately distended with normal wall thickness and anechoic contents. Common bile duct is non-distended and tapers normally

REFERRING VET

Dr. Aziz

INVOICE

43358


Gastrointestinal

The stomach contains ingesta and gas. It measures at a normal thickness of with some variability due to the presence of rugal folds. The distinction of the gastric wall layers is adequate and there is no impression of reduced peristaltic activity. No masses or focal lesions were observed.

DATE

3/20/23

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with ingesta throughout. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering.



PATIENT

Mya Hayward

Comparison of wall layer thickness is limited by distension of small intestines with ingesta but there is no impression of thickened intestines or thickening of any specific layer. Visualized peristalsis appears appropriate. There were no focal lesions consistent with obstruction or a mass effect observed.

SPECIES

Feline

Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.

BREED

Domestic Longhair

Pancreas

The base and limbs of the pancreas were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour and parenchyma were normal. No overt evidence of active inflammatory or neoplastic disease was noted.

SEX

Spayed female

Lymph Nodes

No clinically significant lymphadenopathy or abnormalities noted.

AGE

9 years

Free Abdomen

No masses or free fluid were noted.

WEIGHT

7.7 lbs

ULTRASONOGRAPHIC FINDINGS

INTERPRETED BY

Dr Brittany Sinclair,
BVSc(hons), DACVECC

1. Normal GI tract, ingesta throughout
2. Degenerative kidney changes

IMAGING PERFORMED BY

Kelly Reshny, RVT

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

There is no ultrasonographically evident cause of reported weight loss in this abdominal study. Pancreas and GI tract are within normal limits. Consideration for dietary indiscretion, food sensitivity/allergy or mild inflammatory bowel disease is reasonable, though non-GI causes remain possible. While not sonographically evident, pancreatitis cannot be completely ruled out. A diet trial with hydrolyzed protein or select protein diet could be considered if food sensitivity is suspected clinically. Additional diagnostics to be considered for weight loss include current chem/CBC, GI panel (TLI/PLI/cobalamin/folate), fecal pathogen panel, thyroid testing, bile acid profile, and thoracic radiographs to rule out occult neoplasia, cardiac disease and esophageal disease as potential causes.

HOSPITAL NAME

Dog and Cat Clinic of
Niagara

REFERRING VET

Dr. Aziz


Renal changes are likely age related degeneration. Correlate clinical significance with blood work/urinalysis findings and clinical signs.

INVOICE

43358

DATE

3/20/23



PATIENT

Mya Hayward

SPECIES

Feline

BREED

Domestic Longhair

SEX

Spayed female

AGE

9 years

WEIGHT

7.7 lbs

INTERPRETED BY

Dr Brittany Sinclair,
BVSc(hons), DACVECC

**IMAGING
PERFORMED BY**

Kelly Reshny, RVT

HOSPITAL NAME

Dog and Cat Clinic of
Niagara

REFERRING VET



Dr. Aziz

INVOICE

43358

DATE

3/20/23



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Dr Brittany Sinclair, BVSc(hons), DACVECC
info@SonoPath.com