

PATIENT

Parker Labie

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

6 Years 6 Months

WEIGHT

11.5

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Dr. Ukachi Ugorji DVM

HOSPITAL NAME

Craig Road Animal
Hospital

REFERRING VET

Dr. Ukachi Ugorji DVM

INVOICE

13443

DATE

01/28/26

PRESENTING CLINICAL SIGNS

- Owners brought Parker back in because he is still not doing well at home. He has been very lethargic and laying in different locations. O picked him up last night and he was limp. He is eating the new renal diet and still drinking water. They have seen him urinate, but not as much as usual - no straining. He had a good bowel movement after starting lactulose, but none since. They are having a hard time giving lactulose and did not give it today. He has not been crying out in pain. He has not been talking to the owners and usually he is a very vocal cat. They have not seen any vomiting or diarrhea. No coughing or sneezing. Indoor only. They got him through a rescue group called Poppy.
- O asked about diabetic testing and how to give SQ fluids at home. O thought he was much better after the last SQ fluids. We discussed his last blood work. O reported he was never PU/PD. I told them the blood work did not support diabetes yet, just stress -- he did not have sugar in his urine. We will wait on SQ fluid training until after we assess his status today.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized, and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 4.0 cm in length. The right kidney measured 4.3 cm in length.

Adrenal Glands


Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.50 cm width. The right adrenal gland measured 0.40 cm width with slight mineralizations.

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic



PATIENT

Parker Labie

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

6 Years 6 Months

WEIGHT

11.5

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Dr. Ukachi Ugorji DVM

HOSPITAL NAME

Craig Road Animal
Hospital

REFERRING VET

Dr. Ukachi Ugorji DVM

INVOICE

13443

DATE

01/28/26

lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

Gastrointestinal

Some spastic **small intestine** was noted, however, transit of chyme appeared to be occurring normally. The stomach and colon were unremarkable.

Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

Free Abdomen


The mesenteric **lymph nodes** presented normal length to width ratio with slight, swollen contour. There was no loss of parenchymal detail. This is most consistent with reactive lymphadenitis or lymphatic hyperplasia. An example measured 1.0 cm x 0.40 cm.


ULTRASONOGRAPHIC FINDINGS

- Slight enteritis pattern.
- Mesenteric lymph nodes.
- No evidence of pathology otherwise.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Other causes of the clinical signs such as orthopedic pain should be considered in this patient, as a cause of the lethargy. CNS or thoracic disease should also be considered.





PATIENT

Parker Labie

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

6 Years 6 Months

WEIGHT

11.5

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Dr. Ukachi Ugorji DVM

HOSPITAL NAME

Craig Road Animal
Hospital

REFERRING VET


Dr. Ukachi Ugorji DVM

INVOICE

13443

DATE

01/28/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS,

CEO, Owner, Founder -- SonoPath.com

info@SonoPath.com