

**DATE PRESENTING CLINICAL SIGNS**

11/16/21

History: Presented at Animal Emergency Hospital 11/05/21 for vomiting, weight loss, hiding. P was noted to be febrile, anemic, and an abnormal soft tissue opacity was noted caudal to stomach on x-rays.

PATIENT

Tigger Cornman

P then seen here on 11/08 for recheck. O reported P was not vomiting and was eating and acting normally. PCV was 17.7 (stable from ER). Firm mass palpated in cranial abdomen. P seen 11/12 for inappetence. PCV 15%.

SPECIES

Feline

Current Medications: Baytril 68mg tabs #5 - 1/2 tab PO SID started 11/8. Elura single doses #4 - 0.71 mL PO SID started 11/12

BREED

DSH

Buprenorphine (0.3mg/mL) - 0.48 mL TM BID.

Lab Results: 11/08: CBC: Moderate decrease in RBCs, HCT 17.7% with reticulocytosis. Moderate leukocytosis characterized by a moderate neutrophilia, mild monocytosis, mild thrombocytosis. 11/05: Chemistry from AEH revealed: Hypercalcemia.

SEX

Neutered Male

Radiographs: abnormal soft tissue opacity was noted caudal to stomach on x-rays.

Date of Previous IntraPet Ultrasound: No previous IntraPet scans.

Sedation: Not required to complete full diagnostic ultrasound.

Stat Report: Not requested.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**AGE**

3/24/15

Urinary System

The **urinary bladder** revealed sand accumulation of 2.0 cm, non-obstructive.

WEIGHT

15.8 Pounds

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The right kidney measured 4.94 cm. The left kidney measured 4.5 cm.

INTERPRETED BYEric Lindquist, DMV
DABVP, Cert. IVUSS**Adrenal Glands**

The regions of the **adrenal glands** were unremarkable.

IMAGING PERFORMED BY

Andi Parkinson RDMS

Spleen

The **spleen** in this patient was uniform, yet volume contracted. Hydration status should be assessed.

HOSPITAL NAME

Churchville Vet Clinic

Liver

The **liver** presented heterogeneous parenchymal changes with irregular swelling. The gallbladder was unremarkable.

REFERRING VET

Dr. Kauffman

Gastrointestinal

The **stomach** revealed a concentric, hypoechoic, undifferentiated mass. Ultrasound guided FNA indicated. Localized wall thickness measured up to 1.37 cm. The mass itself measured approximately 5.0 cm. An epigastric lymph node was slightly enlarged. Slight regional free fluid noted around the mass as well as reactive mesentery.

INVOICE

29832

Pancreas


The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.


ULTRASONOGRAPHIC FINDINGS

- Infiltrative gastric mass with slight regional lymphadenopathy and potential hepatic involvement
- Urinary bladder sand
- Volume contracted spleen

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Prognosis long-term is poor. FNA spleen and liver indicated for staging purposes. Gastric +/- hepatic lymphoma suspected.





The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com
Eric.Lindquist@SonoPath.com