**DATE**

11/18/22

PRESENTING CLINICAL SIGNS

Incidental finding with bloodwork. Has had 2 doses of Novox in last month. Eating and drinking normally. Normal energy. No vomiting/diarrhea. Tx for cranial cruciate rupture LH. Episode of diarrhea last night.

PATIENT

Nelly Baroch

Current Medications: novox 100mg- 1/2 BID 11/11-11/15

SPECIES

Canine

Lab Results: Increased Agt 950, Increased ALT 2143, Increased ALK Phos 275, Increased total bilirubin 1.8, Increased cholesterol 430, Increased Hgb 20.7, Increased HCT 61%, Increased platelets, est 424, Increased Neutrophils 10902

Date of Previous IntraPet Ultrasound: No previous.

Sedation: Not required to complete full diagnostic ultrasound.

Stat Report: Not requested.

BREED

Staffordshire Terrier

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**SEX**

Spayed Female

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

AGE

7/9/17

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The right kidney measured 6.61 cm. The left kidney measured 6.22 cm.

WEIGHT

55 Pounds

INTERPRETED BYEric Lindquist, DMV
DABVP, Cert. IVUSS**Adrenal Glands**

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 3.14 cm x 0.82 cm at the caudal pole and 0.71 cm at the cranial pole. The left adrenal gland measured 3.08 cm x 0.54 cm at the caudal pole and 0.58 cm at the cranial pole.

IMAGING PERFORMED BY

Rachel Brilhart RDMS

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

HOSPITAL NAMEJacksonville Vet
Hospital**REFERRING VET**

Dr. Larsson

Liver

The **liver** presented slight coarse architecture and minor undulating capsular contour. The gallbladder and common bile duct were unremarkable.

INVOICE

42867

Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

Pancreas


The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

ULTRASONOGRAPHIC FINDINGS

- Non-specific inflammatory hepatopathy

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Inciting causes such as Leptospirosis and toxin exposure should be considered. Coagulation panel and FNA to assess inflammatory cell type, and Leptospirosis titers indicated. Ampicillin/Metronidazole, nutraceuticals, fluid support all indicated. The changes were subtle and minor, indicative of a recent acute insult.



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com
info@SonoPath.com