



## PATIENT

Dash Conn

## SPECIES

Canine

## BREED

German Shepherd

## SEX

Male

## AGE

3 years

## WEIGHT

30 kg

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Dr. Huntington

## HOSPITAL NAME

Wilvet South

## REFERRING VET

Dr. Huntington

## INVOICE

69175

## DATE

11/29/25

## PRESENTING CLINICAL SIGNS

History: pt presented as a transfer from rdvm 11/28. pt was seen 11/28 at rdvm for vomiting for 1 week. Pt will randomly vomit for around a week. hx of eating socks. passes all of them no fb sx needed. at rdvm pt was has induction of emesis vomited around 75% of stomach content, rdvm sent to wilvet south for hosp on fluids and endoscopy. no vomiting since leaving rdvm. 8 ml ondansetron given iv. 150 ml barium po @ 11 am per records. 1 mL apomorphine IV for emesis, at 2:30 pm  
Abnormal PE/Chem/CBC/UA Results: PE: Musculoskeletal: Thin BCS, all other WNL. Blood gas, electrolytes, metabolic: WNL

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The pelvic urethra was imaged 2.0 cm beyond the cystourethral junction and appeared normal. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 8.6 cm.

### Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.4 cm.

### Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

### Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with



## PATIENT

Dash Conn

## SPECIES

Canine

## BREED

German Shepherd

## SEX

Male

## AGE

3 years

## WEIGHT

30 kg

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Dr. Huntington

## HOSPITAL NAME

Wilvet South

## REFERRING VET

Dr. Huntington

## INVOICE

69175

## DATE

11/29/25

primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

## Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

## Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

## ULTRASONOGRAPHIC FINDINGS

- Structurally unremarkable abdomen.
- There was no evidence of structural or functional disease.

## INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Endoscopy to obtain mucosal biopsies would be warranted if clinical signs persist. Screening for Addison's is indicated.

Dietary indiscretion, food intolerance, structurally significant inflammatory bowel or occult parasitism and occult Addison's are all potentials.





**PATIENT**

Dash Conn

**SPECIES**

Canine

**BREED**

German Shepherd

**SEX**

Male

**AGE**

3 years

**WEIGHT**

30 kg

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Dr. Huntington

**HOSPITAL NAME**

Wilvet South

**REFERRING VET**


Dr. Huntington

**INVOICE**

69175

**DATE**

11/29/25



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP (CFM), Cert. IVUSS, CEO of SonoPath.com

[info@SonoPath.com](mailto:info@SonoPath.com)