



## PATIENT

Ginger Adams

## SPECIES

Canine

## BREED

Maltipoo

## SEX

Spayed Female

## AGE

2 Years

## WEIGHT

10 Pounds

## INTERPRETED BY

Eric Lindquist, DMV,  
DABVP (CFM), Cert.  
IVUSS

## IMAGING PERFORMED BY

Tiffany Boomer

## HOSPITAL NAME

Moyock AH

## REFERRING VET

Dr. Tracy Eure

## INVOICE

35022

## DATE

12/22/25

## PRESENTING CLINICAL SIGNS

History: Presented on 12/17/25 for on/off vomiting x 1 week. Lethargy and inappropriate defecation in house with soft stool. Gave cerenia and sent cerenia tabs home. Rads declined that day but o was willing to come back this week for rads and u/s. Not vomiting any more right now, but new issue of anorexia on/off this weekend and refused breakfast this am. Urine/poop ok now. Lethargic over the weekend.

Abnormal pe/chem/cbc/ua results: chem/cbc/cpl All normal on 12/17. Rads today= Small piece of what appears to be metal (looks like a staple) in small intestines?!

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### *Urinary System*

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex, and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 3.5 cm. The right kidney measured 3.5 cm.

### *Adrenal Glands*

The **left adrenal gland** was visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.3 cm.

The region of the **right adrenal gland** was imaged and revealed no evident pathology.

### *Spleen*

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

### *Liver*

The **liver** was slightly subnormal in size without macroscopic shunting. The gallbladder and common bile duct were unremarkable.

### *Gastrointestinal*

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small intestine demonstrated



**PATIENT**

Ginger Adams

**SPECIES**

Canine

**BREED**

Multipoo

**SEX**

Spayed Female

**AGE**

2 Years

**WEIGHT**

10 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV,  
DABVP (CFM), Cert.  
IVUSS

**IMAGING PERFORMED BY**

Tiffany Boomer

**HOSPITAL NAME**

Moyock AH

**REFERRING VET**

Dr. Tracy Eure

**INVOICE**

35022

**DATE**

12/22/25

normal luminal chyme. Soft stool was noted in the colon. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

**Pancreas**


The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

**ULTRASONOGRAPHIC FINDINGS**

- Subnormal liver size
- Soft stool in the colon
- Structurally unremarkable abdomen otherwise

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

Bile acid profile is indicated to assess for portal hypoplasia/microvascular dysplasia. Dietary indiscretion, food intolerance, structurally insignificant inflammatory bowel or occult parasitism and occult Addison's are all potentials.





**PATIENT**

Ginger Adams

**SPECIES**

Canine

**BREED**

Multipoo

**SEX**

Spayed Female

**AGE**

2 Years

**WEIGHT**

10 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV,  
DABVP (CFM), Cert.  
IVUSS

**IMAGING PERFORMED BY**

Tiffany Boomer

**HOSPITAL NAME**

Moyock AH

**REFERRING VET**


Dr. Tracy Eure

**INVOICE**


35022

**DATE**

12/22/25



The information and recommendations provided are based on the images presented by the referring



## PATIENT

Ginger Adams

## SPECIES

Canine

## BREED

Maltipoo

## SEX

Spayed Female

## AGE

2 Years

## WEIGHT

10 Pounds

## INTERPRETED BY

Eric Lindquist, DMV,  
DABVP (CFM), Cert.  
IVUSS

## IMAGING PERFORMED BY

Tiffany Boomer

## HOSPITAL NAME

Moyock AH

## REFERRING VET

Dr. Tracy Eure

## INVOICE

35022

## DATE

12/22/25

veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Eric Lindquist**, DMV, DABVP(CFM), Cert. IVUSS,  
CEO, Owner, Founder -- SonoPath.com  
[info@SonoPath.com](mailto:info@SonoPath.com)