

PATIENT	PRESENTING CLINICAL SIGNS
Tilly Mendez-Sheridan	Within the last 6 weeks patient has had 2 seizure like episodes. P is still e/d/ur/def normally no v/d/c/s abd palp wnl; h/l clear; hair/skin good; BAR; EENT good; oral good, worn teeth, pink mm; clear under tail r/o seizures, cushings, hepatic disease, neoplasia
SPECIES	Abnormal PE/Chem/CBC/UA Results: labs- ALKP 2081, ALT 171 u/s liver, GB- small liver, empty GB, suspicious mass right cranial abd?
Canine	
BREED	ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN
	Urinary System
SEX	The urinary bladder , trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal. The pelvic urethra was imaged 2.0 cm beyond the cystourethral junction.
Spayed Female	The kidneys revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for his age patient. Medullary structure differed distinctly from that of the cortex and no evidence of pelvic dilation was present. The left kidney measured 4.36 cm. The right kidney measured 4.94 cm.
AGE	
10 Years	
WEIGHT	Adrenal Glands
19.75 Pounds	The right adrenal gland was visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 2.38 cm x 0.37 cm at the cranial pole and 0.75 cm at the caudal pole.
INTERPRETED BY	The left adrenal gland was slightly swollen at the caudal pole measuring 0.78 cm. Cranial pole measured 0.32 cm. Length measured 1.9 cm.
Eric Lindquist, DMV, DABVP, Cert. IVUSS	
IMAGING PERFORMED BY	Spleen
Jenna Walsh, CVT	The spleen presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.
HOSPITAL NAME	Liver
Liberty AH	The left medial liver revealed a fairly uniform, expansive, 6.0 cm x 8.0 cm swelling, creating a mass effect. The mass impinges upon the cranial pole of the spleen, yet is clearly separate. The mass is pedunculated. The gallbladder and common bile duct were unremarkable. Portal vein, vena cana and common bile duct were all free of impingement by the mass.
REFERRING VET	Gastrointestinal
Dr. Paoletti	Some retention of ingesta or soft shadowing material noted in the stomach , non-obstructive, measuring approximately 2.0 cm. Likely medications. The small intestine and colon were unremarkable.
DATE	
12/30/21	
INVOICE	
33848	



PATIENT *Pancreas*

Tilly Mendez-Sheridan

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Some parenchymal remodeling, however, with mild deviation from curvilinear normalcy was observed. Pancreatic duct and capsular irregularities were present consistent with age related changes. If pain upon imaging (+ Murphy sign) was present or if the patient is focally painful in subxyphoid palpation then low-grade smoldering chronic pancreatitis should be suspected.

SPECIES

Canine

ULTRASONOGRAPHIC FINDINGS

BREED

- Left-sided liver mass – suspect hepatoma, appears resectable

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

SEX

Spayed Female

Surgical removal is recommended, as this is at risk for torsion. Likely benign or low-grade neoplasia suspected such as vacuolar hepatopathy/hepatoma. Assessment of the obtained cytology with surgical consultation recommended.

AGE


10 Years

WEIGHT

19.75 Pounds

INTERPRETED BY

Eric Lindquist, DMV,
 DABVP, Cert. IVUS



IMAGING PERFORMED BY


Jenna Walsh, CVT

HOSPITAL NAME

Liberty AH

REFERRING VET

Dr. Paoletti



DATE

12/30/21

INVOICE

33848



PATIENT

Tilly Mendez-Sheridan

SPECIES

Canine

BREED

SEX

Spayed Female

AGE

10 Years

WEIGHT

19.75 Pounds

INTERPRETED BY

Eric Lindquist, DMV,
DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Jenna Walsh, CVT

HOSPITAL NAME

Liberty AH

REFERRING VET





Dr. Paoletti

DATE

12/30/21

INVOICE

33848





PATIENT

Tilly Mendez-Sheridan

SPECIES

Canine

BREED

SEX

Spayed Female

AGE

10 Years

WEIGHT

19.75 Pounds



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

INTERPRETED BY

Eric Lindquist, DMV,
DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Jenna Walsh, CVT

HOSPITAL NAME

Liberty AH

REFERRING VET

Dr. Paoletti

DATE

12/30/21

INVOICE

33848

Eric Lindquist, DMV, DABVP, Cert. IVUSS

CEO of SonoPath.com

Eric.Lindquist@SonoPath.com