

PATIENT

Kito Pardini

SPECIES

Canine

BREED

German Shepherd

SEX

Male

AGE

10 months

WEIGHT

61.9 lbs

INTERPRETED BY

Eric Lindquist, DMV DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Kathleen Laux

HOSPITAL NAME

Rondout Valley VA

REFERRING VET

Dr. Laux

INVOICE

69755

DATE

12/31/25

PRESENTING CLINICAL SIGNS

History: Had foreign body removal surgery 10 days ago. o is missing a sock now. Was seen 4 days ago at the ER for vomiting and diarrhea. Has not vomited in 4 days and is eating fine. o is concerned about the socks where abouts.
Abnormal PE/Chem/CBC/UA Results: NSF

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 6.6 cm. The right kidney measured 6.0 cm.

The prostate was uniform and measured 2.0 cm.

Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 1.94 x 0.44 cm at the cranial pole and 0.38 cm at the caudal pole. The right adrenal gland measured 1.92 x 0.57 cm at the cranial pole and 0.46 cm at the caudal pole.

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with

PATIENT
Kito Pardini

SPECIES
Canine

BREED
German Shepherd

SEX
Male

AGE
10 months

WEIGHT
61.9 lbs

INTERPRETED BY
Eric Lindquist, DMV DABVP, Cert. IVUSS

IMAGING PERFORMED BY
Kathleen Laux

HOSPITAL NAME
Rondout Valley VA

REFERRING VET
Dr. Laux

INVOICE
69755

DATE
12/31/25

primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. The stomach revealed a mild amount of retained ingesta. The pylorus was patent. Transit of chyme into the duodenum appeared to occurring normally. There was no overt obstructive pattern; however, delayed outflow may be an issue. The small intestines and colon were unremarkable with normal curvilinear mural patterns and content.

Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

ULTRASONOGRAPHIC FINDINGS

Retention of gastric ingesta, slight delayed outflow pattern without overt foreign body present.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

I recommend 24-hour n.p.o. and recheck sonogram if clinical signs persist to ensure that the transiting of chyme has occurred normally.



SonoPath
FOSTERING THE ART OF VETERINARY MEDICINE™



Clinical Sonography & Telecytology
Educational Teleconsultation Services™

SonoPath.com | info@sonopath.com | 1.800.838.4268

PATIENT

Kito Pardini

SPECIES

Canine

BREED

German Shepherd

SEX

Male

AGE

10 months

WEIGHT

61.9 lbs

INTERPRETED BY

Eric Lindquist, DMV DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Kathleen Laux

HOSPITAL NAME

Rondout Valley VA

REFERRING VET

Dr. Laux

INVOICE

69755

DATE

12/31/25





The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP (CFM), Cert. IVUSS, CEO of SonoPath.com

info@SonoPath.com