



**PATIENT**

Penny Shearer

**SPECIES**

Canine

**BREED**

French Bulldog

**SEX**

Female

**AGE**

8 Months

**WEIGHT**

20.5 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV

DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Harold Mike Beard

**HOSPITAL NAME**

West Prince AH

**REFERRING VET**

Dr. Greg Hartman

**INVOICE**

35579

**DATE**

2/10/22

**PRESENTING CLINICAL SIGNS**

48 hours of vomiting and diarrhea. Such frequent diarrhea that owner put a diaper on her. Just started treatment with cerenia and fluids.

Abnormal PE/Chem/CBC/UA Results: CBC normal. Chemistry mild inc ALT (455). RDVM radiographs full stomach in a patient that has been vomiting. also small intestinal ileus.

**ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**

**Urinary System**

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney 3.0 cm. The right kidney measured 4.0 cm.

**Adrenal Glands**

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 0.60 cm at the cranial pole and 0.40 cm at the caudal pole.

**Spleen**

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

**Liver**

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

**Gastrointestinal**

The **stomach** was overdistended with chyme. Shadowing pyloric material noted, measuring approximately 2.5 cm. The pyloric material was fluid absorbing, yet partially obstructive. Some transit of chyme noted in the small intestine.



**PATIENT**

Penny Shearer

**SPECIES**

Canine

**BREED**

French Bulldog

**SEX**

Female

**AGE**

8 Months

**WEIGHT**

20.5 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV

DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Harold Mike Beard

**HOSPITAL NAME**

West Prince AH

**REFERRING VET**

Dr. Greg Hartman

**INVOICE**

35579

**DATE**

2/10/22

**Pancreas**

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

**Other**



The uterus was uniform at 6.0 mm.

**ULTRASONOGRAPHIC FINDINGS**

- Partially obstructive pyloric pattern with minimal chyme transit in the small intestine

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

Recommend exploratory gastrotomy and evacuation of the stomach. Significant gastric overdistention is present.





**PATIENT**

Penny Shearer

**SPECIES**

Canine

**BREED**

French Bulldog

**SEX**

Female

**AGE**

8 Months

**WEIGHT**

20.5 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Harold Mike Beard

**HOSPITAL NAME**

West Prince AH

**REFERRING VET**




Dr. Greg Hartman

**INVOICE**

35579

**DATE**

2/10/22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com

[info@SonoPath.com](mailto:info@SonoPath.com)