



## PATIENT

Fetch Furman

## SPECIES

Canine

## BREED

Havanese

## SEX

Neutered male

## AGE

11 years

## WEIGHT

10.4 lbs

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Dr. Hollway

## HOSPITAL NAME

Seven Valleys VH

## REFERRING VET

Dr. Hollway

## INVOICE

71631

## DATE

2/17/26

## PRESENTING CLINICAL SIGNS

- History seizures -- well controlled on Zonisamide
- No C/S/V/D. E/D/U/D all WNL.
- Not on FTP or HWP
- NEW 3/6HM
- CXR to IDX 1/20/2026
- CONCLUSIONS: Normal thorax. Definitive cause for the reported heart murmur is not identified but atrioventricular valve disease is considered most likely. There are no findings compatible with cardiogenic pulmonary edema or neurogenic pulmonary edema. There are no pulmonary metastasis.
- BAR. No obvious masses on ABD palp. NEW 3/6 murmur loudest on the left. Lungs clear bilaterally. Hx seizures but neuro normal today. Weight stable. L lateral cranial flank small ~1/4 inch diameter dermal mass free from deeper structures -- stable. Nonreducible umbilical hernia vs SQ mass ventral midline, < 1cm--STABLE. Grade 2 ddz. BW from 1/20/2026 CBC: HCT = 40% NEW mild non-regenerative anemia (41-60%) --> this is down ~8% from last year WBC = 5.4 -- LOW PLTS = 597 HIGH CHEMISTRY: NSF Lytes: NSF T4 = 1.4 normal 4Dx = (-)x4 Fecal/Giardia = (-)x2 UA shows good concentrating ability but moderate crystalluria. No evidence of UTI.

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

The **kidneys** revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for this age patient. Medullary structure differed distinctly from that of the cortex and no evidence of pelvic dilation was present. Minor mineralization was noted in the kidneys. The left kidney measured 3.78 cm. The right kidney measured 3.92 cm.

### Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.5 cm.

### Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen



## PATIENT

Fetch Furman

or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

## SPECIES

Canine

### Liver

## BREED

Havanese

The **liver** images from right and left intercostal as well as subcostal views revealed subjectively normal liver size, contour, and structure. Some age-related parenchymal remodeling was noted but likely not clinically significant at this time. Hyperechoic lipid plaques were noted and measured 0.66 cm. Vascular and biliary tracts were of normal volume and no evidence of congestion was noted. The gallbladder presented some dependent debris with essentially normal contour. Minor gallbladder polyps were noted, yet not pathological. The cystic and common bile ducts were normal.

## SEX

Neutered male

## AGE

11 years

### Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

## WEIGHT

10.4 lbs

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

### Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

## IMAGING PERFORMED BY

Dr. Hollway

## ULTRASONOGRAPHIC EXAMINATION OF THE HEART

## HOSPITAL NAME

Seven Valleys VH

The echocardiogram in this patient demonstrated normal **left atrial** size based on 3 different LA measurement methods. Chamber volumes and echogenicity were normal. The cranial and caudal **mitral** valve leaflets presented vegetative thickening consistent with endocardiosis. Doppler indicated mild and eccentric insufficiency. The **left ventricle** presented thicknesses with linear contour and was not dilated nor restricted. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted or chamber overload. Trivial **tricuspid** insufficiency was noted at 1.5 m/sec. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonic** tract assessment revealed normal valve structure, laminar flow, and diameter (approx. 1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted. No echographically detectable evidence of infiltrative disease was visible. The cranial **mediastinum and pericardial regions** were free of masses in the visible window.

## REFERRING VET

Dr. Hollway

## INVOICE

71631

## DATE

2/17/26



## PATIENT

Fetch Furman

## SPECIES

Canine

## BREED

Havanese

## SEX

Neutered male

## AGE

11 years

## WEIGHT

10.4 lbs

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Dr. Hollway

## HOSPITAL NAME

Seven Valleys VH

## REFERRING VET

Dr. Hollway

## INVOICE

71631

## DATE

2/17/26

CANINE CARDIAC PARAMETERS	MR VMAX (m/s)	TR VMAX (m/s)	LA/AO	LA/AO (Heart Base)	FS (%)	EF (%)	EPSS (cm)
NORMAL PARAMETER	4.5-5.5	<2.7	1.3	<1.6	28-40	40-100	<0.6
PATIENT	>5.0	1.5	1.0	1.2	45	90	0.2
CANINE CARDIAC PARAMETERS	HR (BPM)	AV VMAX (m/s)	PV MAX (m/s)	BODY WEIGHT	LA 2D short axis Base view (cm)	LVIDd Avg; 2D and m-mode short axis (cm)	LVIDs Avg; 2D and m-mode short axis (cm)
NORMAL PARAMETER	50-100	0.7-1.7	0.7-1.6	BELOW	BELOW	BELOW	BELOW
PATIENT	90	-	0.6	10.4 lbs	2.3	2.1	

## ULTRASONOGRAPHIC FINDINGS

Stage B1 valvular disease.


Age related renal changes with slight pinpoint mineralization, non-obstructive.

Minor gallbladder polyps were noted, yet not pathological.

Structurally unremarkable abdomen, no evidence of clinical pathology.

## INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The heart is stable without clinical disease. No overt contraindication for anesthesia of brief to moderate duration. I suggest Torbutrol premed, Propofol induction, Isoflo maintenance or similar protocol if anesthesia is desired. Blood pressure recommended if not already performed and target white coat negative systolic pressure of < 160 mmHg. If higher than this ACE-inhibitor is suggested to reach this level. Recheck echocardiogram is recommended in 6 months, earlier if murmur grade increases or clinical signs initiate.





**PATIENT**

Fetch Furman

**SPECIES**

Canine

**BREED**

Havanese

**SEX**

Neutered male

**AGE**

11 years

**WEIGHT**

10.4 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Dr. Hollway

**HOSPITAL NAME**

Seven Valleys VH

**REFERRING VET**





Dr. Hollway


**INVOICE**

71631

**DATE**

2/17/26





**PATIENT**

Fetch Furman

**SPECIES**

Canine

**BREED**

Havanese

**SEX**

Neutered male

**AGE**

11 years

**WEIGHT**

10.4 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Dr. Hollway

**HOSPITAL NAME**

Seven Valleys VH

**REFERRING VET**



Dr. Hollway


**INVOICE**

71631

**DATE**

2/17/26





## PATIENT

Fetch Furman

## SPECIES

Canine

## BREED

Havanese

## SEX

Neutered male

## AGE

11 years

## WEIGHT

10.4 lbs

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Dr. Hollway

## HOSPITAL NAME

Seven Valleys VH

## REFERRING VET

Dr. Hollway

## INVOICE

71631

## DATE

2/17/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP (CFM), Cert. IVUSS, CEO of SonoPath.com

[info@SonoPath.com](mailto:info@SonoPath.com)