

PATIENT

Sebastian Wanko

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

5

WEIGHT

14.4 pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS

IMAGING PERFORMED BY

Dr. Stephanie Chlebowski

HOSPITAL NAME

Walker Valley Veterinary Hospital

REFERRING VET

Dr. Stephanie Chlebowski

INVOICE

14436

DATE

03/18/26

PRESENTING CLINICAL SIGNS

- Intermittent vomiting, particularly in AM after breakfast, for years
- Recently began having episodes of constipation (first episode in 10/2025, has had two episodes since)
- Change of diet (other OTC foods wet/dry, as well as RC fiber response) have not changed/helped intermittent vomiting
- CBC/Chem/UA in 10/2025 and 03/13/2026 unremarkable
- Concern for IBD vs other as cause for chronic intermittent vomiting

Abnormal PE/Chem/CBC/UA Results: PE unremarkable CBC/Chem/UA unremarkable

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The **urinary bladder**, trigone, and pelvic urethra to a depth of 2.0 cm presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths were visualized, and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Slight polyp was noted at the level of the ureteral papilla measuring 0.36 cm. Minor bladder debris was noted otherwise.

The **iliac trifurcation** was unremarkable.

The **kidneys** revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some mild age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for his age patient. Medullary structure differed distinctly from that of the cortex and no evidence of pelvic dilation was present. The left kidney measured 3.7 cm in length. The right kidney measured 4.2 cm in length.

Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.33 cm width. The right adrenal gland measured 0.26 cm width.

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented duplicated

PATIENT

Sebastian Wanko

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

5

WEIGHT

14.4 pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS

IMAGING PERFORMED BY

Dr. Stephanie Chlebowski

HOSPITAL NAME

Walker Valley Veterinary Hospital

REFERRING VET

Dr. Stephanie Chlebowski

INVOICE

14436

DATE

03/18/26

yet not pathological. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

Free Abdomen

A large amount of abdominal fat was noted in this patient.

ULTRASONOGRAPHIC FINDINGS

- Slight ureteral papilla polyp.
- Duplicated gallbladder- normal variant.
- Age-related renal changes.
- Large amount of abdominal fat.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No evidence of pathology.

SonoPath
FOSTERING THE ART OF VETERINARY MEDICINE™



Clinical Sonography & Telecytology
Educational Teleconsultation Services™

SonoPath.com info@sonopath.com 1.800.838.4268

PATIENT

Sebastian Wanko

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

5

WEIGHT

14.4 pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS

IMAGING PERFORMED BY

Dr. Stephanie Chlebowski

HOSPITAL NAME

Walker Valley Veterinary Hospital

REFERRING VET

Dr. Stephanie Chlebowski

INVOICE

14436

DATE

03/18/26



PATIENT

Sebastian Wanko

SPECIES

Feline

BREED

DSH

SEX

Neutered Male

AGE

5

WEIGHT

14.4 pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS

IMAGING PERFORMED BY

Dr. Stephanie Chlebowski

HOSPITAL NAME

Walker Valley Veterinary Hospital

REFERRING VET

Dr. Stephanie Chlebowski

INVOICE

14436

DATE

03/18/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS,

CEO, Owner, Founder -- SonoPath.com

info@SonoPath.com