



## PATIENT

Mina Tkac

## SPECIES

Feline

## BREED

Domestic Shorthair

## SEX

Female

## AGE

4 years

## WEIGHT

7 lbs

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Jessica

## HOSPITAL NAME

Montville AH

## REFERRING VET

Dr. Schubert

## INVOICE

72205

## DATE

3/4/26

## PRESENTING CLINICAL SIGNS

- Routine wellness exam showed hypercalcemia - patient is losing weight and has reduced appetite for weeks to months - awaiting PTH results, iCa was elevated
- BCS 4/9 with mild muscle wasting; CBC (PLT 92K) with platelet clumping noted; Mild neutropenia (1,380/ $\mu$ L) and elevated RBC count (10.7) Chemistry panel mild ALT elevation (115 IU/L) and marked hypercalcemia (total Ca 12.5 mg/dL) with elevated ionized calcium (1.45 mmol/L). Urinalysis showed alkaline urine (pH 8.0), 2+ protein, and struvite crystals (4-10/HPF); , UPC WNL. T4 WNL. Renal markers WNL

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 3.2 cm. The right kidney measured 4.0 cm.

### Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.4 cm. The right adrenal gland measured 0.4 cm.

### Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

### Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with



**PATIENT**

Mina Tkac

**SPECIES**

Feline

**BREED**

Domestic Shorthair

**SEX**

Female

**AGE**

4 years

**WEIGHT**

7 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Jessica

**HOSPITAL NAME**

Montville AH

**REFERRING VET**

Dr. Schubert

**INVOICE**

72205

**DATE**

3/4/26

primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

**Gastrointestinal**

There was some residual chyme and gas was noted in the **stomach**, yet not pathological. This is consistent with post prandial presentation. Transit of chyme into the small intestine was normal. Curvilinear patterns were maintained throughout the GI tract. No evidence of pathology. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

**Pancreas**

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.


**ULTRASONOGRAPHIC FINDINGS**

Structurally normal abdomen.

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

There was no evidence of visceral pathology that would be responsible for the clinical signs.

Maldigestion panel, three view chest radiographs and full CNS examination is recommended to examine for occult disease that could be responsible for the weight loss. Evaluation for competitive eating environments should also be considered.





**PATIENT**

Mina Tkac

**SPECIES**

Feline

**BREED**

Domestic Shorthair

**SEX**

Female

**AGE**

4 years

**WEIGHT**

7 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING  
PERFORMED BY**

Jessica

**HOSPITAL NAME**

Montville AH

**REFERRING VET**





Dr. Schubert

**INVOICE**

72205

**DATE**

3/4/26





## PATIENT

Mina Tkac

## SPECIES

Feline

## BREED

Domestic Shorthair

## SEX

Female

## AGE

4 years

## WEIGHT

7 lbs



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP (CFM), Cert. IVUSS, CEO of SonoPath.com

[info@SonoPath.com](mailto:info@SonoPath.com)

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Jessica

## HOSPITAL NAME

Montville AH

## REFERRING VET

Dr. Schubert

## INVOICE

72205

## DATE

3/4/26