

PATIENT

Trixie Weinles

SPECIES

Canine

BREED

Terrier Mix

SEX

Spayed Female

AGE

12 Years

WEIGHT

22.2 Pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP (Canine & Feline), Cert. IVUSS

IMAGING PERFORMED BY

Ginny Dodd DVM, D, ABVP-CFP

HOSPITAL NAME

Monroe Road AH

REFERRING VET

Dr. Marjorie Widay

INVOICE

36681

DATE

4/21/26

PRESENTING CLINICAL SIGNS

History: H/O microscopic hematuria, aggressive, sedated with Dexdomitor and Butorphanol and reversal with Antisedan IM, CBC- ^plt, CHEM no abnormalities, UA- 1.042, pH 5.0, prot +1; blood +2 (free catch); abc 0-2; abc 30- 50; rare epithelial cell vaginal exam- external urethral oeidice sl swollen but no nodules or masses seen or palpated on rectal exam. Abnormal PE/Chem/CBC/UA Results: see history.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal. The pelvic urethra was imaged 2.0 cm beyond the cystourethral junction.

The **kidneys** revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some mild age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for this age patient. Medullary structure differed distinctly from that of the cortex, and no evidence of pelvic dilation was present. Slight mineralizations were noted in the kidneys. The left kidney measured 4.03 cm. The right kidney measured 4.11 cm.

Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 1.58 cm x 0.63 cm at the cranial pole and 0.72 cm at the caudal pole. The left adrenal gland measured 1.54 cm x 0.54 cm at the caudal pole and 0.47 cm at the cranial pole.

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

Liver

The **liver** images from right and left intercostal as well as subcostal views revealed subjectively normal liver size, contour, and structure. Some minor age-related parenchymal remodeling was noted but likely not clinically significant at this time. Vascular and biliary tracts were of normal volume and no evidence of congestion was noted. The gallbladder presented some dependent debris with essentially normal contour. The cystic and common bile ducts were normal. No overt evidence of active inflammatory, infiltrative or regenerative pathology was noted but should be paired with current or

PATIENT

Trixie Weinles

SPECIES

Canine

BREED

Terrier Mix

SEX

Spayed Female

AGE

12 Years

WEIGHT

22.2 Pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP (Canine & Feline), Cert. IVUSS

IMAGING PERFORMED BY

Ginny Dodd DVM, D, ABVP-CFP

HOSPITAL NAME

Monroe Road AH

REFERRING VET

Dr. Marjorie Widay

INVOICE

36681

DATE

4/21/26

past LE elevations regarding any clinical significance to this presentation. The hepatic lymph nodes were unremarkable.

Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

ULTRASONOGRAPHIC FINDINGS

- Structurally unremarkable age-related abdominal changes
- Slight renal mineralizations

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No evidence of specific disease. The cause of hematuria is unclear. No evidence of structural disease, unless patients passing calculi periodically.



PATIENT

Trixie Weinles

SPECIES

Canine

BREED

Terrier Mix

SEX

Spayed Female

AGE

12 Years

WEIGHT

22.2 Pounds

INTERPRETED BY

Eric Lindquist, DMV, DABVP (Canine & Feline), Cert. IVUSS

IMAGING PERFORMED BY

Ginny Dodd DVM, D, ABVP-CFP

HOSPITAL NAME

Monroe Road AH

REFERRING VET

Dr. Marjorie Widay

INVOICE

36681

DATE

4/21/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com

info@SonoPath.com