

PATIENT

Buns Franck

SPECIES

Canine

BREED

Pitbull

SEX

Neutered Male

AGE

11 Years 6 Months

WEIGHT

80.1 pounds

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Legacy Animal Hospital

REFERRING VET

Dr. Potenzone

INVOICE

15509

DATE

04/27/26

PRESENTING CLINICAL SIGNS

Hx Splenic Mass, Hepatopathy, MCT (SQ). Last Abd U/S 4/11/25. Pre Sx for mass removal. Recheck splenic mass/Liver. Current medication - Denamarin Advanced.

Abnormal PE/Chem/CBC/UA Results: ALT 224, 328. BNP 1125

ULTRASONOGRAPHIC EXAMINATION OF THE HEART & ABDOMEN

CANINE CARDIAC PARAMETERS	MR VMAX (m/s)	TR VMAX (m/s)	LA/AO (M-Mode)	LA/AO (Heart Base; Swe)	FS (%)	EF (%)	EPSS (cm)
NORMAL PARAMETER	4.5-5.5	<2.7	1.3	Up to 1.6	28-40	40-100	<0.6
PATIENT	--	--	1.2	1.13	50	90	NM
CANINE CARDIAC PARAMETERS	HR (BPM)	AV VMAX (m/s)	PV MAX (m/s)	BODY WEIGHT (lbs)	LAD LA MAX 4 Chamber	LVIDd Avg; 2D and m-mode short axis (cm)	LVIDs Avg; 2D and m-mode short axis (cm)
NORMAL PARAMETER	50-100	0.7-1.7	0.7-1.6				
PATIENT	115	--	0.7	80.1	3.7	3.7	--

Cardiac Presentation

The echocardiogram in this patient demonstrated normal **left atrial** size based on 3 separate methods of LA evaluation. The cranial and caudal **mitral** valve leaflets presented normal linear structure, extension in systole, and union in diastole with normal kinesis. The **left ventricle** presented normal thicknesses with linear contour and was not dilated nor restricted. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted. **Tricuspid** valvular assessment demonstrated adequate linear morphology and kinesis. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonary outflow** tract assessment revealed normal valve structure, laminar flow, and diameter (approx.1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted. The cranial **mediastinum** and **pericardial** and **extra-cardiac** regions were free of masses in the visible window.

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized, and anechoic urine



PATIENT

was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

Buns Franck

SPECIES

The **kidneys** revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some mild age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for his age patient. Medullary structure differed distinctly from that of the cortex and no evidence of pelvic dilation was present. The left kidney measured 6.4 cm in length. The right kidney measured 6.3 cm in length.

BREED

Pitbull

Adrenal Glands

SEX

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 2.46 cm x 0.39 cm width at the cranial pole and 0.52 cm width at the caudal pole. The right adrenal gland measured 3.18 cm x 1.05 cm width at the cranial pole and 0.74 cm width at the caudal pole.

Neutered Male

AGE

11 Years 6 Months

Spleen

WEIGHT

The **spleen** revealed a focal hypoechoic expansive nodule measuring 2.25 cm x 1.55 cm with capsular expansion. The spleen was folded upon itself cranially.

80.1 pounds

INTERPRETED BY

Liver

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

The **liver** images from right and left intercostal as well as subcostal views revealed subjectively normal liver size, contour, and structure. Some mild age-related parenchymal remodeling was noted but likely not clinically significant at this time. Vascular and biliary tracts were of normal volume and no evidence of congestion was noted. The gallbladder presented some dependent debris with essentially normal contour. The cystic and common bile ducts were normal. No overt evidence of active inflammatory, infiltrative or regenerative pathology was noted but should be paired with current or past LE elevations regarding any clinical significance to this presentation. The hepatic lymph nodes were unremarkable.

IMAGING PERFORMED BY

Vincent Ravancho CVT

Gastrointestinal

HOSPITAL NAME

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

Legacy Animal Hospital

REFERRING VET

Dr. Potenzzone

Pancreas

INVOICE

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.


15509

DATE

04/27/26

ULTRASONOGRAPHIC FINDINGS

- Normal echocardiogram.
- Folded spleen with focal splenic nodule- nodular hyperplasia, emerging round cell neoplasia, hemangiosarcoma, abscessation less likely.



PATIENT

- Geriatric abdomen.

Buns Franck

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

SPECIES

FNA is warranted or proactive splenectomy. Chest radiographs are a personal preference in this type of patient.

Canine

BREED

Pitbull

SEX

Neutered Male

AGE

11 Years 6 Months

WEIGHT

80.1 pounds

INTERPRETED BY

Eric Lindquist, DMV,
 DABVP(CFM), Cert.
 IVUSS

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Legacy Animal Hospital

REFERRING VET


Dr. Potenzone

INVOICE

15509

DATE

04/27/26





PATIENT

Buns Franck

SPECIES

Canine

BREED

Pitbull

SEX

Neutered Male

AGE

11 Years 6 Months

WEIGHT

80.1 pounds

INTERPRETED BY

Eric Lindquist, DMV,
 DABVP(CFM), Cert.
 IVUSS

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Legacy Animal Hospital

REFERRING VET


Dr. Potenzzone


INVOICE

15509

DATE

04/27/26





PATIENT

Buns Franck

SPECIES

Canine

BREED

Pitbull

SEX

Neutered Male

AGE

11 Years 6 Months

WEIGHT

80.1 pounds

INTERPRETED BY

Eric Lindquist, DMV,
 DABVP(CFM), Cert.
 IVUSS

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Legacy Animal Hospital

REFERRING VET

Dr. Potenzzone

INVOICE

15509

DATE

04/27/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS,

CEO, Owner, Founder -- SonoPath.com

info@SonoPath.com