



PATIENT

Sunny Hilty

SPECIES

Canine

BREED

Goldendoodle

SEX

Spayed Female

AGE

6 Years

WEIGHT

19.8 pounds

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Dr. Lauren Hardy

HOSPITAL NAME

Panhandle Veterinary
Services

REFERRING VET

Dr. Lauren Hardy

INVOICE

15575

DATE

04/29/26

PRESENTING CLINICAL SIGNS

P has been ADR for 2 days. Inappetent and not drinking. No V/D that O knows of.

Abnormal PE/Chem/CBC/UA Results: P markedly painful on cranial abdominal palpation. No other abnormalities on PE. CBC- mild hemoconcentration at 54% Chem- mild hypophosphatemia (2.4) CPL-WNL HWT- neg UA- NSF

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The **urinary bladder**, trigone, and pelvic urethra to a depth of 3.0 cm presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized, and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 3.7 cm in length. The right kidney measured 4.0 cm in length.

Adrenal Glands

The **left adrenal gland** was visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.46 cm width.

The **right adrenal gland** was not visualized.

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted. The spleen was folded upon itself caudally.

Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with primarily anechoic content. A trace amount of gallbladder sand was present. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

Gastrointestinal

There was some residual chyme and gas was noted in the **stomach**, yet not pathological. This is consistent with end post prandial presentation. Transit of chyme into the small intestine was normal.



PATIENT

Sunny Hilty

SPECIES

Canine

BREED

Goldendoodle

SEX

Spayed Female

AGE

6 Years

WEIGHT

19.8 pounds

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Dr. Lauren Hardy

HOSPITAL NAME

Panhandle Veterinary
Services

REFERRING VET

Dr. Lauren Hardy

INVOICE

15575

DATE

04/29/26

Curvilinear patterns were maintained throughout the GI tract. No evidence of pathology. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

Pancreas


The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

ULTRASONOGRAPHIC FINDINGS

- Structurally unremarkable abdomen.
- Gallbladder sand.
- Folded spleen.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No evidence of visceral pathology. The cause of inappetence is unclear. Orthopedic pai, CNS or thoracic disease should all be considered. Given the age and the vague clinical signs, screening for occult Addison's would be a warranted with baseline cortisol or ACTH stimulation.





PATIENT

Sunny Hilty

SPECIES

Canine

BREED

Goldendoodle

SEX

Spayed Female

AGE

6 Years

WEIGHT

19.8 pounds

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IUUSS

IMAGING PERFORMED BY

Dr. Lauren Hardy

HOSPITAL NAME

Panhandle Veterinary
Services

REFERRING VET


Dr. Lauren Hardy

INVOICE

15575

DATE

04/29/26





PATIENT

Sunny Hilty

SPECIES

Canine

BREED

Goldendoodle

SEX

Spayed Female

AGE

6 Years

WEIGHT

19.8 pounds

INTERPRETED BY

Eric Lindquist, DMV,
DABVP(CFM), Cert.
IVUSS

IMAGING PERFORMED BY

Dr. Lauren Hardy

HOSPITAL NAME

Panhandle Veterinary
Services

REFERRING VET

Dr. Lauren Hardy

INVOICE

15575

DATE

04/29/26

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Eric Lindquist, DMV, DABVP(CFM), Cert. IVUSS,

CEO, Owner, Founder -- SonoPath.com

info@SonoPath.com