SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™
1-800-838-4268 info@sonopath.com SonoPath.com



imagine SOUND LLC.
IMAGING PERFORMED BY
dbimaginesound@gmail.com 917-647-4318

PATIENT

Reuben Nishiyama

SPECIES

Feline

BREED

DSH

SEX

MN

AGE

2013

WEIGHT

15 lb

INTERPRETED BY

Eric Lindquist, DMV DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Denise Bruno, LVT, RDMS

HOSPITAL NAME

Brooklyn Heights Veterinary Hospital

REFERRING VET

Dr. Thomson

INVOICE

10587ag

DATE

05/12/2022

PRESENTING CLINICAL SIGNS

History: Anorexia, hepatitis, pancreatitis - stable on pred but weaning pred dose. Evaluate for Immune Mediated vs neoplasia vs inflammatory vs chronic dz. Labs and previous AUS attached.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

The kidneys revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some minor age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for his age patient. Medullary structure differed distinctly from that of the cortex and no evidence of pelvic dilation was present.

The left kidney measured 3.93 cm in length. The right kidney measured 4.3 cm in length.

Adrenal Glands

Both adrenal glands were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 0.4 cm. The right adrenal gland measured 0.49 cm.

Spleen

The spleen presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

Liver

The liver images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

Gastrointestinal

The gastrointestinal tract revealed minor variable thickening and echogenic submucosal changes most consistent with low grade end result of chronic GI disease such as IBD and may be related to malassimilation of nutrients if any weight loss is present. A focal intestinal thickening noted in the jejunum measuring 0.6 cm x 1.0 cm.

SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™
1-800-838-4268 info@sonopath.com SonoPath.com



imagine SOUND LLC.
IMAGING PERFORMED BY
dbimaginesound@gmail.com 917-647-4318

PATIENT

Reuben Nishiyama

SPECIES

Feline

BREED

DSH

SEX

MN

AGE

2013

WEIGHT

15 lb

INTERPRETED BY

Eric Lindquist, DMV DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Denise Bruno, LVT, RDMS

HOSPITAL NAME

Brooklyn Heights Veterinary Hospital

REFERRING VET

Dr. Thomson

INVOICE

10587ag

DATE

05/12/2022

Pancreas

The base and limbs of the pancreas were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

ULTRASONOGRAPHIC FINDINGS

- Mild chronic GI changes with a focal nodule-strong concern for focal lymphoma

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Surgical resection strongly recommended as neoplastic criteria is met in this focal region. An unremarkable abdomen otherwise.



SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™
1-800-838-4268 info@sonopath.com SonoPath.com



imagine SOUND LLC.
IMAGING PERFORMED BY
dbimaginesound@gmail.com 917-647-4318

PATIENT

Reuben Nishiyama

SPECIES

Feline

BREED

DSH

SEX

MN

AGE

2013

WEIGHT

15 lb

INTERPRETED BY

Eric Lindquist, DMV DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Denise Bruno, LVT, RDMS

HOSPITAL NAME

Brooklyn Heights Veterinary Hospital

REFERRING VET

Dr. Thomson

INVOICE

10587ag

DATE

05/12/2022



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com
Eric.Lindquist@SonoPath.com