



DATE PRESENTING CLINICAL SIGNS

5/24/26

Patient History: Presenting Complaint on 05-23-2026: Not Eating. ADR. Other. Urinating More.
Current Medications: Pantoprazole (Protonix) 40mg/vial Injection (Per mL) 8.6 Ondansetron 2mg/mL Injection (Per mL) 5.25 Buprenorphine 0.6mg/mL 1.1

PATIENT

Finley Delpi

Lab Results: Attached. PCV result, it was 45 at 9:20pm 5/23
Date of Previous IntraPet Ultrasound: No previous.

Sedation: Not required to complete full diagnostic ultrasound.
Stat Report: STAT requested.

SPECIES

Canine

Imaging Performed by: Rachel Brillhart, RDMS.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

BREED

Poodle

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

SEX

Neutered male

The **kidneys** revealed swollen, irregular contour. Medullary structure differed distinctly from that of the cortex and no evidence of pelvic dilation was present. Multiple, cortical target nodules were noted. This is strongly suggestive for infiltrative disease.

AGE

2017

The **prostate** was enlarged at 3.0 cm. This is likely related to the round cell neoplastic event.

WEIGHT

76.4 lbs

Adrenal Glands

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 2.0 x 0.5 cm. The right adrenal gland measured 2.5 x 0.72 cm at the caudal pole and 0.76 cm at the cranial pole.

INTERPRETED BY

Eric Lindquist, DMV,
DABVP (CFM), Cert.
IVUSS, CEO of
SonoPath.com

Spleen

The **spleen** revealed a focal, hypoechoic 3.4 cm parenchymal mass and generalized enlargement. Mild scalloping contour was noted.

HOSPITAL NAME

Animal Emergency
Hospital

Liver

The **liver** was swollen with increased portal markings and irregular contour. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident.

REFERRING VET

Dr. Seeberger

Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

INVOICE

77893

Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

Heart


Rapid view of the heart revealed no evidence of pathology in the right auricle or pericardium.


ULTRASONOGRAPHIC FINDINGS

Multi-centric infiltrative round cell pattern involving the spleen, kidneys, likely liver and likely prostate.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

FNA of all four organs are indicated. Immediate chemotherapeutic intervention is recommended.





The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP (CFM), Cert. IVUSS, CEO of SonoPath.com

info@SonoPath.com