



PATIENT PRESENTING CLINICAL SIGNS

Buddy Blum
History: few days of abdominal distension noted and not eating as well, soft stool golden color
Abnormal PE/Chem/CBC/UA Results: low albumin, globs, TP, calcium, cholesterol elevated
WBC/neuts, no shift, elevated platelets no fever BAR, PLN wnl

SPECIES

Canine

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

BREED

Morkie

Urinary System

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The pelvic urethra was imaged 2.0 cm beyond the cystourethral junction and appeared normal. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

SEX

Neutered male

AGE

2 years

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The left kidney measured 3.2 cm. The right kidney measured 3.2 cm.

WEIGHT

9.8 lbs

Adrenal Glands

The right **adrenal gland** was visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 0.67 cm at the cranial pole and 0.4 cm at the caudal pole. The region of the left adrenal gland was unremarkable.

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUS

IMAGING PERFORMED BY

Dr. Rosen

Spleen

The **spleen** in this patient was uniform, yet volume contracted. Hydration status should be assessed.

HOSPITAL NAME

South Bellmore VG

Liver

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. There was no evidence of passive congestion. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

REFERRING VET

Dr. Rosen

INVOICE

47879

Gastrointestinal

The **gastrointestinal tract** revealed diffuse, hyperechoic fogging or overlay throughout the small intestine as well as areas of mucosal striations and speckling. This striation + fogging effect appeared to

DATE

6/20/23



PATIENT	exclusively affect the mucosal layer with the submucosa, muscularis and serosa left in-tact. Retention of ingesta was noted in the stomach. Soft stool was noted in the colon. Reactive mesentery was present associated with the serosa indicative of active inflammation. This is most consistent with protein losing enteropathy/lymphangectasia. Full thickness biopsies or endoscopy guided biopsies would be ideal to confirm. No obstructive disease or obvious suspicion of neoplasia.
Buddy Blum	
SPECIES	
Canine	Pancreas
BREED	The base and limbs of the pancreas were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.
Morkie	
SEX	Free Abdomen
Neutered male	A minor amount of free fluid was noted in the abdomen. Enhanced mesentery was noted throughout the midabdomen.
AGE	
2 years	ULTRASONOGRAPHIC FINDINGS
WEIGHT	Lymphangectasia GI pattern.
9.8 lbs	
INTERPRETED BY	INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS
Eric Lindquist, DMV DABVP, Cert. IVUSS	Some level of pancreatitis may be present, yet was obscured by hyperechoic omentum. There was no evidence of foreign bodies or neoplasia.
IMAGING PERFORMED BY	Part or all of this protocol may be considered based on your clinical impression of the patient:
Dr. Rosen	OBJECTIVE: keep albumin levels > 2 g/dl, avoid thromboembolism and cavitory effusions, monitor concurrent PLN (Wheaton Terrier PLE/PLN) and liver disease:
HOSPITAL NAME	Plasma 10 mL / kilogram IV over 4 hours
South Bellmore VG	Or Human albumin 2 ml/kg/h over 10 hours. Total daily volume 20.l/kg/day
REFERRING VET	And Colloids/Hetastarch
Dr. Rosen	10 to 20 mL per kilogram per day and dogs
INVOICE	10 to 15 mL per kilogram per day cats
47879	(Can bolus first 1/3 of dose over 15 minutes)
DATE	& maintain on LRS maintenance otherwise.
6/20/23	Metronidazole (10-20 mg/kg po bid)
	Famotidine 1 mg/kg Iv Im po dc Sid /bid
	Sucralfate 0.5-1 g po tid dogs, 0.5 g bid cats in slurry Or Misoprostol 1-5 ug/kg po tid
	Diet: Highly digestible high quality protein, low fiber, low fat diet (< 15% of dry matter). Hydrolyzed protein or novel protein. Purina HA or Royal Canine HP or similar.
	Prednisone or prednisolone 2 mg/kg bid x 3-5 days then 2 mg/kg sid. Chlorambucil in refractive severe IBD/alimentary lymphoma cases (monitor cbc for rare bone marrow suppression) 4 mg/m ² Q 24-48 hours.
	Cobalamine (B12) 250-1500 ug/dog weekly x 6 weeks.
	Calcium supplementation if necessary.
	Aspirin 0.5-1 mg/kg/day or Clopidrel (Plavix) 1-5 mg/kg/day.



PATIENT

Buddy Blum

SPECIES

Canine

BREED

Morkie

SEX

Neutered male

AGE

2 years

WEIGHT

9.8 lbs

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUS

IMAGING PERFORMED BY

Dr. Rosen

HOSPITAL NAME

South Bellmore VG

REFERRING VET


Dr. Rosen

INVOICE

47879

DATE

6/20/23





PATIENT

Buddy Blum

SPECIES

Canine

BREED

Morkie

SEX

Neutered male

AGE

2 years

WEIGHT

9.8 lbs

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUSS

**IMAGING
PERFORMED BY**

Dr. Rosen

HOSPITAL NAME

South Bellmore VG

REFERRING VET

Dr. Rosen

INVOICE

47879

DATE

6/20/23



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com
info@SonoPath.com