




SonoPath.com
1-800-838-4268 info@sonopath.com

PATIENT

Max Muhs

SPECIES

Canine

BREED

Mix

SEX

Neutered male

AGE

11 ½ years

WEIGHT

39.6 lbs

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Diane McFadden, RVT

HOSPITAL NAME

Andover AH

INVOICE

91320

DATE

8/18/21

PRESENTING CLINICAL SIGNS

History: recurrent significant UTIs, cultured E coli on 8/7/21 and strep 7/10/21. On welactin sid. MHCH incr 32, SDMA incr 20, K 5.5, Na:k 27, alb decr 2.5, decr alb:glob 0.6, chol 397, amylase and lipase increased. UA: pH 5.0, protein 1+. rbcs 50/hpf; wbcs 50/hpf; rods present. USPG 1.018

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The **urinary bladder** and visible pelvic urethra were unremarkable for the level of repletion presented. The urine, however, did present some mildly echogenic debris consistent with mucous, exfoliated cells from renal or bladder origin, and/or blood clots as these echogenic changes can all present similarly. This is often related to urinary tract infection but may represent simple evidence of exfoliated debris or sterile inflammation. Cystocentesis, urinalysis, +/- culture would be recommended to rule out and define any UTI.

The residual prostate was slightly heterogenous at 1.4 cm. The pre and post prostatic urethra were unremarkable. There was no evidence of prostatic masses.

The **kidneys** revealed largely normal size and structure, corticomedullary definition and ratio (cortex 1/3 of medulla) were essentially maintained with some age-related loss of curvilinear patterns regarding the capsule and C/M junction. The cortices presented largely uniform texture with some increased echogenicity expected for this age patient. Medullary structure differed distinctly from that of the cortex. The left kidney measured 7.4 cm with slight pyelectasia. The right kidney was riddled with multiple infarcts and remodeling as well as pyelectasia and pelvic calculus. The right kidney measured 5.49 cm with pyelectasia and loss of corticomedullary definition. Blood flow to the right kidney was minimal.

Adrenal Glands

Both **adrenal glands** were visualized and recognized as having largely normal shape, size, position and acceptable echogenicity for this age group and breed. Some heterogeneity was noted within the adrenal parenchyma without concerning capsular distortion. These changes are likely age related but should be monitored by sonogram should the patient be suspected of having adrenal disease. The right adrenal gland measured 2.31 x 1.1 cm at the cranial pole and 0.62 cm at the caudal pole. The left adrenal gland measured 2.21 x 0.71 cm at the caudal pole and 0.68 cm at the cranial pole.

Spleen

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

Liver

The **liver** images from right and left intercostal as well as subcostal views revealed subjectively normal liver size, contour, and structure. Some age-related parenchymal remodeling was noted but likely not



SonoPath.com
1-800-838-4268 info@sonopath.com

PATIENT

Max Muhs

SPECIES

Canine

BREED

Mix

SEX

Neutered male

AGE

11 ½ years

WEIGHT

39.6 lbs

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Diane McFadden, RVT

HOSPITAL NAME

Andover AH

INVOICE

91320

DATE

8/18/21

clinically significant at this time. Vascular and biliary tracts were of normal volume and no evidence of congestion was noted. The gallbladder presented some dependent debris with essentially normal contour. The cystic and common bile ducts were normal. No overt evidence of active inflammatory, infiltrative or regenerative pathology was noted but should be paired with current or past LE elevations regarding any clinical significance to this presentation. The hepatic lymph nodes were unremarkable.

Gastrointestinal

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

Pancreas

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

ULTRASONOGRAPHIC FINDINGS

Moderate, chronic degenerative renal changes with bilateral pyelectasia. Right kidney appears near end stage, left kidney presents moderate degenerative changes.

Bladder debris.

Age related hepatic and adrenal changes.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Embedded infection within the upper urinary tract is likely a problematic issue in this patient given the recurrent of urinary tract infections. 4-6 week antibiotic therapy may be necessary for potential clearance or potential pulse therapy may be necessary.

Canine Chronic UTI Protocol
I recommend **Enrofloxacin** (5-10 mg/kg SID PO) (In patients > 1 year of age) in late pm after urination to maximize urinary concentrations overnight. This assumes that culture supports this use. Repeat **culture** at 3-4 weeks and continue treatment at least 7-10 days post negative urinary sediment and negative culture. *Note: Negative culture does not necessarily mean lack of UTI.* Other favorite antibiotics for chronic UTI include third generation Cefa (Ceftiafur or similar s.i.d. injectable) or Clavamox. If suspicion of occult urinary incontinence is present then **phenylpropanolamine (PPA)** (1-2 mg/kg BID) can be employed long term to enhance urethral tone.

SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™






SonoPath.com
1-800-838-4268 info@sonopath.com

PATIENT

Max Muhs

SPECIES

Canine

BREED

Mix

SEX

Neutered male

AGE

11 ½ years

WEIGHT

39.6 lbs

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Diane McFadden, RVT

HOSPITAL NAME

Andover AH

INVOICE

91320

DATE

8/18/21













SonoPath
Clinical Sonography & Telecytology
EDUCATIONAL TELECONSULTATION SERVICES™



SonoPath.com
1-800-838-4268 info@sonopath.com

PATIENT

Max Muhs

SPECIES

Canine

BREED

Mix

SEX

Neutered male

AGE

11 ½ years

WEIGHT

39.6 lbs

INTERPRETED BY

Eric Lindquist, DMV
DABVP, Cert. IVUSS

IMAGING PERFORMED BY

Diane McFadden, RVT

HOSPITAL NAME

Andover AH

INVOICE

91320

DATE

8/18/21





The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com
Info@SonoPath.com