

**DATE**

8/2/23

**PRESENTING CLINICAL SIGNS**

O reports weight loss after returning from vacation. Reports that pt vomited 1x containing only food material. Pt is indoor/outdoor.

**PATIENT**

Bunny Cohen

Current Medications: None listed.

Radiographs: ground glass appearance of abd w/ only feces filled colon visible; unable to discern individual organs; no feti visible

**SPECIES**

Feline

Date of Previous IntraPet Ultrasound: No previous.

Sedation: Not required to complete full diagnostic ultrasound.

Stat Report: Declined.

Imaging Performed By: Rachel Brillhart, RDMS.

**BREED**

Sphynx

**ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN****SEX**

Intact Female

**Urinary System**

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal.

**AGE**

7/21/19

An 11.5 cm x 7.5 cm mixed echogenic cystic and parenchymal mass was noted occupying the majority of the abdomen. The **right kidney** was displaced dorsally. The mass appeared to derive potentially from the ventral medial aspect of the right renal cortex. Pyelectasia noted on the right kidney. The mass is severely undifferentiated and extends to the medial aspect of the **left kidney**. The exact origin of the mass is unclear yet appears to involve peripherally both kidneys. Portions of the mass appeared cavitated.

**WEIGHT**

5.5 Pounds

**Adrenal Glands**

The **adrenal glands** were not visualized.

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**Spleen**

The **spleen** was volume contracted and displaced dorsally.

**HOSPITAL NAME**

Eldersburg VH

**Liver**

The right dorsal **liver** revealed a 2.5 cm x 2.5 cm mixed hyperechoic mass with diaphragmatic expansion.

**REFERRING VET**

Dr. James

**Gastrointestinal**

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

**INVOICE**

44589

**Pancreas**


The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.


## ULTRASONOGRAPHIC FINDINGS

- Undifferentiated abdominal mass extending throughout the mid abdomen and impinging upon or deriving from one or both kidneys, not resectable.
- Concurrent metastatic type lesion on the liver
- Volume contracted spleen

## INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

FNA of the mass recommended to assess ability for chemoreduction. Prognosis is poor depending upon the ability to reduce the mass with chemotherapeutic intervention.





The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com**  
[info@SonoPath.com](mailto:info@SonoPath.com)