



**PATIENT**

Joey Yannuzzi

**PRESENTING CLINICAL SIGNS**

History: re check possible FB

Abnormal PE/Chem/CBC/UA Results:

**SPECIES**

Canine

**ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**

*Urinary System*

**BREED**

Dachshund

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. No uroliths or sediment were visualized and anechoic urine was present. No evidence of inflammatory or neoplastic changes were noted. Ureteral papillae were normal. The pelvic urethra was imaged 2.0 cm beyond the cystourethral junction. The prostate was uniform, measuring 1.5 cm.

**SEX**

Male

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen.

**AGE**

3 Years

Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. Slight pinpoint mineralization noted. The right kidney measured 4.79 cm. The left kidney measured 4.09 cm.

*Adrenal Glands*

**WEIGHT**

15.8 Pounds

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 1.81 cm x 0.51 cm at the caudal pole and 0.7 cm at the cranial pole. The left adrenal gland measured 1.75 cm x 0.35 cm at the caudal pole and 0.44 cm at the cranial pole.

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

*Spleen*

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes were noted.

**IMAGING PERFORMED BY**

Jenn

*Liver*

**HOSPITAL NAME**

Rockaway AH

The **liver** images submitted revealed subjectively normal liver size, contour, and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Vascular and biliary tracts were of normal volume with no evidence of congestion. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

**REFERRING VET**

Dr. Maniar

*Gastrointestinal*

**INVOICE**

13185

A non-obstructive shadowing structure was present, measuring approximately 2.0 cm in the **pylorus**. No stasis noted prior to the structure, however, it is persistent. I recommend to ensure this patient was NPO at the time of the sonogram, including no oral medications. The structure was similar to the prior structure noted in 9/17/21, however, appears to have diminished in size- may be corn cob or similar material that is in the midst of digestion. The small intestine and colon were unremarkable.

**DATE**

9/20/21

*Pancreas*



**PATIENT**

Joey Yannuzzi

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

**SPECIES**

Canine

**ULTRASONOGRAPHIC FINDINGS**

- Shadowing structure in the pylorus

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**


**BREED**

Dachshund

The structure was similar to the prior structure noted in 9/17/21, however, appears to have diminished in size- may be corn cob or similar material that is in the midst of digestion. Endoscopy should prove fruitful in retrieving the structure, if not, direct gastrotomy.

**SEX**

Male



**AGE**


3 Years

**WEIGHT**

15.8 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS




**IMAGING PERFORMED BY**

Jenn

**HOSPITAL NAME**

Rockway AH



**REFERRING VET**

Dr. Maniar

**INVOICE**

13185

**DATE**

9/20/21



**PATIENT**

Joey Yannuzzi

**SPECIES**

Canine

**BREED**

Dachshund



**SEX**

Male

**AGE**

3 Years

**WEIGHT**

15.8 Pounds

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING  
PERFORMED BY**

Jenn

**HOSPITAL NAME**

Rockaway AH

**REFERRING VET**

Dr. Maniar

**INVOICE**

13185

**DATE**

9/20/21

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com  
info@SonoPath.com