



**PATIENT**

Edith Canter

**SPECIES**

Canine

**BREED**

Pug

**SEX**

Spayed Female

**AGE**

2007

**WEIGHT**

20.4 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert IVUSS

**IMAGING  
PERFORMED BY**

Denise Bruno, LVT,  
RDMS

**HOSPITAL NAME**

Brooklyn Heights VH

**REFERRING VET**

Dr. Thomson

**INVOICE**

91704

**DATE**

09/07/21

**PRESENTING CLINICAL SIGNS**

History: Bloody diarrhea – hematochezia

Anemia 36% Borderline

Lipase ^ 2500

Evaluate for Pancreatitis, IBD, mass

Labs + Radiograph attached

**ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**

**Urinary System**

The **urinary bladder**, trigone, and pelvic urethra presented normal thicknesses and normal tone. The ureters were not visible which is normal. The bladder revealed a trace amount of sand that was non-obstructive and measured up to 0.1 cm. No evidence of inflammatory or neoplastic changes was noted. Ureteral papillae were normal.

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. Slight pinpoint mineralization was noted. The right kidney measured 4.44 cm. The left kidney measured 3.88 cm.

**Adrenal Glands**

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The right adrenal gland measured 1.26 x 0.5 cm at the caudal pole and 0.5 cm at the cranial pole. The left adrenal gland measured 1.95 x 0.4 cm at the caudal pole and 0.36 cm at the cranial pole.

**Spleen**

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

**Liver**

The **liver** was uniformly swollen with minor, excessive gallbladder debris and over distension with dependent and suspended bile without evidence of overt mucocele formation. However, excessive sludge was present. The liver presented coarse architecture with mildly increased portal markings and



**PATIENT**

subtle, mixed echogenic changes. This is consistent with vacuolar hepatopathy and some level of remodeling and history of inflammatory component. There was no overt suspicion of neoplasia.

Edith Canter

**SPECIES**

**Gastrointestinal**

Canine

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

**BREED**

Pug

**Pancreas**

**SEX**

Spayed Female

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

**AGE**

2007

**ULTRASONOGRAPHIC FINDINGS**

Minor bladder sand.

**WEIGHT**

20.4 lbs

Otherwise, geriatric abdomen.

Non-obstructive, pinpoint renal mineralization.

Structurally unremarkable GI tract.

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert IVUSS

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**


There is no evidence of significant disease; however, the patient is likely passing small calculi periodically from the kidneys to the bladder and lower urinary tract.

**IMAGING PERFORMED BY**

Denise Bruno, LVT,  
RDMS

**HOSPITAL NAME**

Brooklyn Heights VH



**REFERRING VET**

Dr. Thomson

**INVOICE**

91704

**DATE**

09/07/21



**PATIENT**

Edith Canter

**SPECIES**

Canine

**BREED**

Pug

**SEX**

Spayed Female

**AGE**

2007

**WEIGHT**

20.4 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert IVUSS

**IMAGING  
PERFORMED BY**

Denise Bruno, LVT,  
RDMS

**HOSPITAL NAME**

Brooklyn Heights VH

**REFERRING VET**


Dr. Thomson

**INVOICE**


91704

**DATE**

09/07/21



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.



**PATIENT**

Edith Canter

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**SPECIES**

Canine

**Eric Lindquist**, DMV, DABVP, Cert. IVUSS, CEO of SonoPath.com  
Eric.Lindquist@SonoPath.com

**BREED**

Pug

**SEX**

Spayed Female

**AGE**

2007

**WEIGHT**

20.4 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert IVUSS

**IMAGING  
PERFORMED BY**

Denise Bruno, LVT,  
RDMS

**HOSPITAL NAME**

Brooklyn Heights VH

**REFERRING VET**

Dr. Thomson

**INVOICE**

91704

**DATE**

09/07/21