



## PATIENT

## PRESENTING CLINICAL SIGNS

Gio Tomayo

History: L atrial enlargement, mitral valve insufficiency - liver shunt vs hypoglycemia  
Abnormal PE/Chem/CBC/UA Results: Phos 2.1

## SPECIES

Canine

## ULTRASONOGRAPHIC EXAMINATION OF THE HEART

## BREED

Yorkshire Terrier

## SEX

Male

## AGE

1 year

## WEIGHT

4.9 lbs

The echocardiogram in this patient demonstrated normal **left atrial** size based on 3 separate methods of LA evaluation. The cranial and caudal **mitral** valve leaflets presented normal linear structure, extension in systole, and union in diastole with normal kinesis. The **left ventricle** presented thicknesses with linear contour and was not dilated nor restricted. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted. Minor **tricuspid** insufficiency was noted at 1.5 m/sec. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonary outflow** tract assessment revealed normal valve structure, laminar flow, and diameter (approx. 1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted. The cranial **mediastinum** and **pericardial and extra-cardiac regions** were free of masses in the visible window.

## INTERPRETED BY

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

## IMAGING PERFORMED BY

Valeryia Shumskaya

## HOSPITAL NAME

Animal Paradise  
Hospital

## REFERRING VET

Dr. Bravo

## INVOICE

46547

## DATE

8/10/23

CANINE CARDIAC PARAMETERS	MR VMAX (m/s)	TR VMAX (m/s)	LA/AO (Boon method)	LA/AO (Heart Base:)	FS (%)	EF (%)	EPSS (cm)
NORMAL PARAMETER	4.5-5.5	<2.7	1.3	Up to 1.6	28-40	40-100	<0.6
PATIENT			1.0	1.4	31	63	NM
CANINE CARDIAC PARAMETERS	HR (BPM)	AV VMAX (m/s)	PV MAX (m/s)	BODY WEIGHT	LA 2D short axis Base view (cm)	LVIDd Avg; 2D and m- mode short axis (cm)	LVIDs Avg; 2D and m- mode short axis (cm)
NORMAL PARAMETER	50-100	0.7-1.7	0.7-1.6	BELOW	BELOW	BELOW	BELOW
PATIENT	90	1.04	0.95	4.9 lbs	1.5	1.4	



**PATIENT**

**ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**

Gio Tomayo

**Urinary System**

**SPECIES**

The **urinary bladder** was empty in this patient with no evidence of pathology.

Canine

The prostate was uniform and measured 2.0 cm. The testicles were imaged and found to be uniform with no evidence of pathology.

**BREED**

Yorkshire Terrier

The **kidneys** revealed normal size and structure, corticomedullary definition and ratio for this age. The cortices presented largely uniform texture with normal echogenic relationship to liver and spleen. Medullary structure differed distinctly from the cortex and no evidence of pelvic dilation was present. The capsules were acceptably uniform without significant irregularities. The right kidney measured 3.15 cm. The left kidney measured 2.95 cm.

**SEX**

Male

**Adrenal Glands**

**AGE**

1 year

Both **adrenal glands** were visualized and recognized as having normal shape, size, position and echogenicity for this breed. The phrenic vasculature, glandular echogenicity and detail were unremarkable. Capsule, cortex, and medullary definition were normal for this age patient. The left adrenal gland measured 1.0 x 0.38 cm at the cranial pole and 0.3 cm at the caudal pole.

**WEIGHT**

4.9 lbs

**Spleen**

The **spleen** presented a smooth homogeneous parenchyma hyperechoic to liver and renal cortical parenchyma. The capsule was smooth without noticeable expansion or deviation from within the spleen or adjacent pathology. The splenic vasculature demonstrated normal volume without signs of congestion or thrombosis. No sonographic evidence of acute or chronic inflammatory, neoplastic, or infarctual changes was noted.

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Valeryia Shumskaya

**Liver**

The **liver** was subnormal in size with normal contour and structure. Parenchymal echogenicity was naturally coarse and hypoechoic to the spleen. Slightly increased portal markings were noted. The portal vein measured 0.5 cm. The gallbladder presented acceptably thin walls with primarily anechoic content. The cystic and common bile ducts were normal. No pathological hepatic lymphadenopathy was evident. No overt structural evidence of inflammatory, infiltrative or regenerative pathology was evident.

**HOSPITAL NAME**

Animal Paradise  
Hospital

**REFERRING VET**

Dr. Bravo

**Gastrointestinal**

Examination of the **gastrointestinal tract** revealed a stomach and intestine free of stasis, of normal wall thickness, acceptable curvilinear mural detail, and peristaltic activity. Small and large intestine demonstrated normal luminal chyme and stool consistency respectively. No obstructive or overt infiltrative disease was noted. No associated abnormal lymphatic activity was noted.

**INVOICE**

46547

**DATE**

8/10/23



**PATIENT**

**Pancreas**

Gio Tomayo

The base and limbs of the **pancreas** were observed to be largely isoechoic to surrounding omental fat. Pancreatic duct and capsular contour were acceptably normal and parenchyma respected normal curvilinear patterns. No overt evidence of active inflammatory or neoplastic disease was noted.

**SPECIES**

Canine

**ULTRASONOGRAPHIC FINDINGS**

**BREED**

Normal echocardiogram, no evidence of pathology.

Yorkshire Terrier

Subnormal liver size, yet no obvious portosystemic shunting. Portal hypoplasia/microvascular dysplasia is a strong potential.

**SEX**

Male

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**


**AGE**

1 year

Bile acid profile is warranted. If the bile acids are significantly elevated then surgical liver biopsy is indicated or CT with contrast to completely rule out the evidence of portosystemic shunting, yet given the normal portal vein volume, extrahepatic shunt is unlikely. Intrahepatic shunting was not evident. There is no evidence of cardiac disease.

**WEIGHT**

4.9 lbs



**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Valeryia Shumskaya

**HOSPITAL NAME**

Animal Paradise  
Hospital

**REFERRING VET**


Dr. Bravo

**INVOICE**

46547

**DATE**

8/10/23





**PATIENT**

Gio Tomayo

**SPECIES**

Canine

**BREED**

Yorkshire Terrier

**SEX**

Male

**AGE**

1 year

**WEIGHT**

4.9 lbs

**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUS

**IMAGING PERFORMED BY**

Valeryia Shumskaya

**HOSPITAL NAME**

Animal Paradise  
Hospital

**REFERRING VET**





Dr. Bravo


**INVOICE**

46547

**DATE**

8/10/23





**PATIENT**

Gio Tomayo

**SPECIES**

Canine

**BREED**

Yorkshire Terrier

**SEX**


Male

**AGE**

1 year

**WEIGHT**

4.9 lbs



**SEX**


Male

**AGE**

1 year

**WEIGHT**

4.9 lbs



**INTERPRETED BY**

Eric Lindquist, DMV  
DABVP, Cert. IVUSS

**IMAGING PERFORMED BY**

Valeryia Shumskaya

**HOSPITAL NAME**

Animal Paradise  
Hospital

**REFERRING VET**


Dr. Bravo

**INVOICE**

46547

**DATE**

8/10/23



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Eric Lindquist, DMV, DABVP, Cert. IVUSS  
info@SonoPath.com