



PATIENT

Raven Leonard

SPECIES

Feline

BREED

DSH

SEX

Spayed Female

AGE

3 Years

WEIGHT

7.6 lbs

INTERPRETED BY

Karen Ebersole, DVM,
 DABVP (Canine and
 Feline)

IMAGING PERFORMED BY

Kelly Reschny

HOSPITAL NAME

Animal Hospital of
 Stoney Creek

REFERRING VET

Dr. Ozimok

INVOICE

72623

DATE

1/30/26

PRESENTING CLINICAL SIGNS

New patient to the clinic ~ 7d Hx of anorexia and general malaise. No v/d. Obtained from hoarding house/friend. No previous medical Hx or documentation.

Distended abdomen ? fluid wave. Non-painful. Blood = m3 monocytosis, FeLV/FIV Neg/Neg. Abdominal x-rays => severe loss of detail ? etiology of dz

Current Medications: Mirataz transdermal (1/29/26 ~ 11am)

Abnormal PE/Chem/CBC/UA Results: Blood = m3 monocytosis = 2.63 (0.05 - 0.67 x10⁹/L) FeLV/FIV Neg/Neg. rads attached

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The bladder was normal in size and shape. The bladder wall was normal in thickness for the volume of urine present. The trigone and visible urethra were normal in appearance. The urine was anechoic with no visible sediment or uroliths. The pelvic urethra was visualized to a depth of X cm past the cystourethral junction.

The iliac trifurcation was largely obscured by hyperechoic fat in the retroperitoneal space.

Both kidneys are subnormal in size with a mildly irregular capsule contour. The cortex is hypoechoic. The corticomedullary junction is mildly indistinct. There is no visible pelvic dilation. The left kidney measured 2.8 cm. The right kidney measured 3.0 cm.

Adrenal Glands

Both adrenal glands were normal in size and shape. The parenchyma was homogeneous. Right measures 0.30 cm. Left measures 0.31 cm.

Spleen

The spleen was subnormal in size, possibly due to volume contraction. The capsule contour is mildly irregular. The parenchyma is hypoechoic with no overt nodules. The spleen measures 0.60 cm in width at the hilus.

Liver

The liver was normal in size and shape, with a smooth capsule contour. The hepatic parenchyma displayed normal echotexture and portal markings. The hepatic vasculature was normal in volume and structure.

The gallbladder in this cat was bi-lobed, which is a normal variant in cats. Both gallbladders were normal in size and shape, with anechoic contents. The cystic duct and common bile duct were normal in size with no evidence of inflammation or obstruction.

Gastrointestinal

The stomach and small intestines are largely obscured by the diffuse hyperechoic mesentery. The visible loops of bowel appear normal in thickness and layering.



PATIENT

Raven Leonard

SPECIES

Feline

BREED

DSH

SEX

Spayed Female

AGE

3 Years

WEIGHT

7.6 lbs

INTERPRETED BY

Karen Ebersole, DVM,
 DABVP (Canine and
 Feline)

**IMAGING
 PERFORMED BY**

Kelly Reschny

HOSPITAL NAME

Animal Hospital of
 Stoney Creek

REFERRING VET

Dr. Ozimok

INVOICE

72623

DATE

1/30/26

Pancreas

The visible pancreas appears normal in size with rounded capsule contour and hyperechoic parenchyma.

Free Abdomen


A moderate volume, cellular peritoneal effusion was present. The mesentery was hyperechoic and irregular with a diffuse nodular pattern.

ULTRASONOGRAPHIC FINDINGS

- Marked peritoneal effusion with nodular mesentery.
- Interstitial nephritis pattern both kidneys.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

This clinical and sonographic presentation could be consistent with wet form FIP. Abdominocentesis with fluid analysis and FIP PCR is recommended. A cytospin of a freshly collected abdominal fluid sample is also recommended. Lymphoma could also present this way. FNA of the spleen could be considered if the fluid is non-diagnostic. Prognosis is guarded pending further diagnostics.





PATIENT

Raven Leonard

SPECIES

Feline

BREED

DSH

SEX

Spayed Female

AGE

3 Years

WEIGHT

7.6 lbs

INTERPRETED BY

Karen Ebersole, DVM,
 DABVP (Canine and
 Feline)

**IMAGING
 PERFORMED BY**

Kelly Reschny

HOSPITAL NAME

Animal Hospital of
 Stoney Creek

REFERRING VET


Dr. Ozimok

INVOICE

72623

DATE

1/30/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Karen Ebersole, DVM, DABVP (Canine and Feline practice)
 info@SonoPath.com