PATIENT

Zephyr Tschirky

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

3 years 3 months

WEIGHT

53.4 lbs

INTERPRETED BY

Kathleen Sennello DVM, MS, Diplomate ACVIM (Small Animal Internal Medicine)

IMAGING PERFORMED BY

Loetitia Saint-Jacques, LVT

HOSPITAL NAME

MountainView Animal Hospital

REFERRING VET

Dr. Hill

INVOICE

11126

DATE

1/15/2026

PRESENTING CLINICAL SIGNS

Chief Concern / Reason for Ultrasound: thrombocytopenia 30k on 1/6; 64k on 1/7, uveitis (OD 6mmHg, OS 4mmHg). leukocytosis (mild monocytosis - slide sent for path confirmation.) Today Platelets 103k Relevant Medical History and Physical Exam Findings: ocular changes consistent w/ uveitis. otherwise, unremarkable PE.

Meds- doxycycline 5mg/kg BID.

Abnormal PE/Chem/CBC/UA Results: LABS and RAD report attached.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder is moderately distended with anechoic urine. The Bladder wall, trigone, ureteral papillae and visible urethra (to a depth of 2cm) appear normal with no evidence of wall thickening, mucosal irregularities, masses or cystic calculi.

The prostate is normal in size (0.8cm) and shape for this neutered male dog. The parenchyma is homogenous and the external margins are smooth. The prostatic urethra appears normal with no evidence of irregularity, invasion, mass effect or calculi.

The left kidney has a normal shape and size (6.35 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of focal perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

The right kidney has a normal shape and size (6.79 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of focal perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

Adrenal Glands

The left adrenal gland is normal/borderline flat in size measuring 0.41 cm at the cranial pole and 0.49 cm at the caudal pole. It is observed in its normal position cranial to the left renal artery. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

The right adrenal gland is normal/borderline flat in size measuring 0.52 cm at the caudal pole. It is observed in its normal position between the cranial aspect of the right kidney and the caudal vena cava. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

Spleen

The spleen is subjectively normal in size (3.02 cm) and the echotexture is homogenous. The splenic capsule is smooth with no visible irregularities. The blood flow through the hilus and splenic parenchyma appears normal. No focal parenchymal abnormalities are visualized.

Liver






PATIENT

Zephyr Tschirky

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

3 years 3 months

WEIGHT

53.4 lbs

INTERPRETED BY

Kathleen Sennello DVM, MS, Diplomate ACVIM (Small Animal Internal Medicine)

IMAGING PERFORMED BY

Loetitia Saint-Jacques, LVT

HOSPITAL NAME

MountainView Animal Hospital

REFERRING VET

Dr. Hill

INVOICE

11126

DATE

1/15/2026

The liver is subjectively normal in size, and echogenicity with smooth peripheral margins. The parenchyma is homogenous echotexture. The visible portions of the vasculature and biliary tract appear normal. No focal nodules or cystic lesions are observed.

The gall bladder lumen is moderately distended. The wall of the gall bladder is not thickened and has a smooth mucosal surface. Luminal contents are mild and likely incidental at this time. The cystic and common bile ducts are normal/not visible.

Gastrointestinal

The stomach is moderately dilated with fluid and irregular shadowing material most consistent with normal ingesta and gas. It measures at a normal thickness of <0.7cm with some variability due to the presence of rugal folds. The distinction of the gastric wall layering is adequate and there is no impression of reduced peristaltic activity. Shadowing ingesta interferes with full evaluation of the stomach and some areas of the cranial abdomen.

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with minimal to moderate fluid/ingesta distension. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering maintaining the typical 1:3 muscularis:mucosa layer ratio. The duodenum measured as normal (0.47 cm in wall thickness) and the jejunum measured as normal (0.32 cm.) Visualized peristalsis appears appropriate. There were no focal lesions consistent with obstruction or a mass effect observed.

Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.

Pancreas

The area of the pancreas is normal and isoechoic to surrounding mesentery. There is no evidence of nodules or cystic lesions. There is no evidence of regional mesenteric inflammation or fluid.

Free Abdomen

Evaluation of the peritoneal cavity did not reveal any evidence of effusion. There is no Significant lymphadenopathy. Occasional mesenteric lymph nodes are visualized. Example measures 0.66 cm x 1.19 cm, and 0.81 cm x 1.21 The omentum is of normal uniform echogenicity.

ULTRASONOGRAPHIC FINDINGS

- Borderline flat adrenals. Consider a base line cortisol to screen for Addison's.
- Shadowing ingesta visualized within the gastric lumen. Findings are most consistent with a non-fasted patient. If the patient was adequately fasted, consider such differentials as delayed gastric emptying or partial outflow obstruction (none visualized.)

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The changes observed on today's scan are mild and could be within normal limits with this individual. No obvious source of inflammation, underlying neoplastic, etc. are visualized to explain the uveitis and thrombocytopenia reported.

If not already done, recommend consultation with veterinary ophthalmologist regarding further diagnostic and treatment options.

PATIENT

Zephyr Tschirky

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

3 years 3 months

WEIGHT

53.4 lbs

INTERPRETED BY

Kathleen Sennello DVM, MS, Diplomate ACVIM (Small Animal Internal Medicine)

IMAGING PERFORMED BY

Loetitia Saint-Jacques, LVT

HOSPITAL NAME

MountainView Animal Hospital

REFERRING VET

Dr. Hill

INVOICE

11126

DATE

1/15/2026

PATIENT

Zephyr Tschirky

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

3 years 3 months

WEIGHT

53.4 lbs

INTERPRETED BY

Kathleen Sennello DVM, MS, Diplomate ACVIM (Small Animal Internal Medicine)

IMAGING PERFORMED BY

Loetitia Saint-Jacques, LVT

HOSPITAL NAME

MountainView Animal Hospital

REFERRING VET

Dr. Hill

INVOICE

11126

DATE

1/15/2026

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Kathleen Sennello DVM,MS, Diplomate ACVIM (Small animal Internal Medicine)

info@sonopath.com