



## PATIENT

Duke Cash

## SPECIES

Canine

## BREED

Rottweiler

## SEX

Neutered Male

## AGE

8 Years 5 Months

## WEIGHT

115 lbs

## INTERPRETED BY

Kathleen Sennello DVM,  
MS, Diplomate ACVIM  
(Small Animal Internal  
Medicine)

## IMAGING PERFORMED BY

Katelyn Mazzochette,  
DVM

## HOSPITAL NAME

Airpark Animal  
Hospital

## REFERRING VET

Elizabeth  
Hawkesworth-Heft,  
DVM

## INVOICE

72569

## DATE

1/28/26

## PRESENTING CLINICAL SIGNS

Sedated with butorphanol and dexdomitor for scan\*

Hx of suspected IMTP diagnosed Dec 2025 at another practice, now on prednisone, doxycycline, and mycophenolate.

Liver values are now severely elevated after prednisone (were previously normal except for an ALKP of 183), platelet count still low (approx 60k)

Abnormal PE/Chem/CBC/UA Results: Chest rads NSF BW 1/17/26: CBC: WBC 45.2k, Platelets 62k with giant platelets present and minimal clumping. Chem: ALT 321, ALKP 8310, globulins 3.8

## ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

### Urinary System

The urinary bladder is moderately distended with anechoic urine. The Bladder wall, trigone, ureteral papillae and visible urethra (to a depth of 2cm) appear normal with no evidence of wall thickening, mucosal irregularities, masses or cystic calculi.

The prostate is normal in size (0.84 cm) and shape for this neutered male dog. The parenchyma is homogenous and the external margins are smooth. The prostatic urethra appears normal with no evidence of irregularity, invasion, mass effect or calculi.

The left kidney has a normal shape and size (8.6 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of focal perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydronephrosis. Renal vasculature is normal.

The right kidney has a normal shape and size (7.9 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of focal perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydronephrosis. Renal vasculature is normal.

### Adrenal Glands

The left adrenal gland is normal in size measuring 0.54 cm at the cranial pole and 0.58 cm at the caudal pole. It is observed in its normal position cranial to the left renal artery. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

The region of the right adrenal (between right cranial kidney and vena cava) is unremarkable, but the adrenal is not distinctly visualized. No evidence of a mass effect is visualized.

### Spleen

The spleen is subjectively normal in size (3.18 cm), echotexture is homogenous, and the splenic capsule is smooth with no irregularities. The blood flow through the hilus and splenic parenchyma appears normal. No focal parenchymal abnormalities are visualized.



## PATIENT

Duke Cash

## SPECIES

Canine

## BREED

Rottweiler

## SEX

Neutered Male

## AGE

8 Years 5 Months

## WEIGHT

115 lbs

## INTERPRETED BY

Kathleen Sennello DVM,  
MS, Diplomate ACVIM  
(Small Animal Internal  
Medicine)

## IMAGING PERFORMED BY

Katelyn Mazzochette,  
DVM

## HOSPITAL NAME

Airpark Animal  
Hospital

## REFERRING VET

Elizabeth  
Hawkesworth-Heft,  
DVM

## INVOICE

72569

## DATE

1/28/26

## Liver

The liver is subjectively normal in size, and echogenicity with smooth peripheral margins. The parenchyma is homogenous echotexture. The visible portions of the vasculature and biliary tract appear normal. There is a small hyperechoic nodule visualized in the left side measuring 1.77 cm in diameter.

The gall bladder lumen is moderately distended. The wall of the gall bladder is not thickened and has a smooth mucosal surface. Luminal contents are mild and likely incidental at this time. The cystic and common bile ducts are normal/not visible.

## Gastrointestinal

The stomach contains mild fluid and ingesta. It measures at a normal thickness of <0.7cm with some variability due to the presence of rugal folds. The distinction of the gastric wall layers is adequate and there is no impression of reduced peristaltic activity. No masses or focal lesions were observed.

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with minimal fluid distension. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering maintaining the typical 1:3 muscularis:mucosa layer ratio. Duodenum wall measures 0.34 cm. Jejunum wall measures 0.32 cm. Visualized peristalsis appears appropriate. There were no focal lesions consistent with obstruction or a mass effect observed.

Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.

## Pancreas

The area of the pancreas is normal and isoechoic to surrounding mesentery. There is no evidence of nodules or cystic lesions. There is no evidence of regional mesenteric inflammation or fluid.

## Free Abdomen

Evaluation of the peritoneal cavity did not reveal any evidence of effusion, or subjective lymphadenomegaly. The Medial iliac nodes appear normal and there was no evidence of a caudal aortic thrombus at the bifurcation. The omentum is of normal uniform echogenicity.

## ULTRASONOGRAPHIC FINDINGS

- Small, hyperechoic nodule on the liver – This has the appearance most consistent with benign lesion. Recommend continued monitoring.

## INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No large mass lesions or significant lymphadenopathy are noted on today's exam. The cause for the lymphadenopathy reported is not readily identified.

If not already done, recommend vector borne disease testing. The presence of giant platelets indicates at least a partial response to therapy.



**PATIENT**

Duke Cash

**SPECIES**

Canine

**BREED**

Rottweiler

**SEX**

Neutered Male

**AGE**

8 Years 5 Months

**WEIGHT**

115 lbs

**INTERPRETED BY**

Kathleen Sennello DVM,  
MS, Diplomate ACVIM  
(Small Animal Internal  
Medicine)

**IMAGING  
PERFORMED BY**

Katelyn Mazzochette,  
DVM

**HOSPITAL NAME**

Airpark Animal  
Hospital

**REFERRING VET**

Elizabeth  
Hawkesworth-Heft,  
DVM

**INVOICE**

72569

**DATE**

1/28/26





## PATIENT

Duke Cash

## SPECIES

Canine

## BREED

Rottweiler

## SEX

Neutered Male

## AGE

8 Years 5 Months

## WEIGHT

115 lbs

## INTERPRETED BY

Kathleen Sennello DVM,  
MS, Diplomate ACVIM  
(Small Animal Internal  
Medicine)

## IMAGING PERFORMED BY

Katelyn Mazzochette,  
DVM

## HOSPITAL NAME

Airpark Animal  
Hospital

## REFERRING VET

Elizabeth  
Hawkesworth-Heft,  
DVM

## INVOICE

72569

## DATE

1/28/26

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Kathleen Sennello DVM,MS, Diplomate ACVIM (Small animal Internal Medicine)

info@sonopath.com