

PATIENT

Lulu Minno **PRESENTING CLINICAL SIGNS**

SPECIES

Canine

BREED

Terrier X

History: PAWS Request Form: Chief Concern / Provisional Diagnosis: ~ hyposthenuria intermittent pu/pd symptoms last 6 months Relevant Medical History and Physical Exam findings: ~ did have a history of hospitalization for treatment for leptosporosis when about 3 1/2 years old also had long exposure to black mold 1 1/2- 3 1/2 years old grain free diet whole life, currently primal raw for the last 7 years Recent Diagnostics: Relevant Laboratory Results / Abnormalities: ~ 3/2/2022 cpl abnormal (had gi upset in November 2021~ urine specific gravity 1.006 renal and liver values very normal slt low neutrophil count Current medications (include full name, dosage and frequency): ~ none~
Abnormal PE/Chem/CBC/UA Results: lightly sedated but tense abdomen

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

SEX

Spayed female

AGE

10 years 2 months

WEIGHT

15.7 pounds

Urinary System

The urinary bladder is moderately distended with anechoic urine. The Bladder wall, trigone, ureteral papillae and visible urethra (to a depth of 2cm) appear normal with no evidence of wall thickening, mucosal irregularities, masses or cystic calculi.

The left kidney has a normal shape and size (3.43 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

The right kidney has a normal shape and size (3.3 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

INTERPRETED BY

Kathleen Sennello DVM,
MS, Diplomate ACVIM
(Small Animal Internal
Medicine)

Adrenal Glands

The left adrenal gland is normal in size measuring 0.5cm at the caudal pole. It is observed in its normal position cranial to the left renal artery. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

IMAGING BY

Loetitia Saint-Jacques,
LVT

The right adrenal gland is normal in size measuring 0.6 cm at the caudal pole. It is observed in its normal position between the cranial aspect of the right kidney and the caudal vena cava. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

HOSPITAL NAME

Mountain View Animal
Hospital

Spleen

The spleen is subjectively normal in size, echotexture is homogenous, and the splenic capsule is smooth with no irregularities. The blood flow through the hilus and splenic parenchyma appears normal. No focal parenchymal abnormalities are visualized.

REFERRING VET

Dr. Bridget Landon

Liver

The liver is subjectively normal in size, and echogenicity with smooth peripheral margins. The parenchyma is homogenous echotexture. The visible portions of the vasculature and biliary tract appear normal. No focal nodules or cystic lesions are observed.

INVOICE

10153ag

DATE

03/10/2022



PATIENT

Lulu Minno The gallbladder lumen is moderately distended. The wall of the gall bladder is not thickened and has a smooth mucosal surface. Luminal contents are primarily anechoic. The cystic and common bile ducts are normal/not visible.

SPECIES

Canine *Gastrointestinal*

Canine The stomach contains minimal luminal contents. It measures at a normal thickness of <0.7cm with some variability due to the presence of rugal folds. The distinction of the gastric wall layers is adequate and there is no impression of reduced peristaltic activity. No masses or focal lesions were observed.

BREED

Terrier X The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with minimal fluid distension. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering maintaining the typical 1:3 muscularis:mucosa layer ratio. The duodenum measured as normal (between 0.3-0.5cm in wall thickness) and the jejunum measured as normal (between 0.2-0.47cm.) Visualized peristalsis appears appropriate. There were no focal lesions consistent with obstruction or a mass effect observed.

SEX

Spayed female

AGE

10 years 2 months

The ileocecal junction was visualized and exhibited normal intact wall layering and is subjectively of normal thickness. Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.

WEIGHT

15.7 pounds

Pancreas

The pancreas is normal and isoechoic to surrounding mesentery. There is no evidence of nodules or cystic lesions. There is no evidence of regional mesenteric inflammation or fluid.

Free Abdomen

Evaluation of the peritoneal cavity did not reveal any evidence of effusion, or subjective lymphadenomegaly. The Medial iliac nodes appear normal and there was no evidence of a caudal aortic thrombus at the bifurcation. The omentum is of normal uniform echogenicity.

INTERPRETED BY

Kathleen Sennello DVM,
MS, Diplomate ACVIM
(Small Animal Internal
Medicine)

ULTRASONOGRAPHIC FINDINGS

IMAGING BY

Loetitia Saint-Jacques,
LVT

- Borderline small liver. The liver parenchyma appears relatively normal but considering the presenting signs, liver function test to evaluate further is recommended.

HOSPITAL NAME

Moutain View Animal
Hospital

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

An obvious cause for the PU/PD reported is not visualized. There are many causes of increased thirst and urination which cannot be diagnosed by ultrasound alone. The most common causes can be ruled out based on history and routine bloodwork. A UA with C/S and confirmation of a normal calcium level is recommended. As the differentials become less common, they are more difficult to definitively diagnose. Considering the history of leptospirosis, there could be some persistent tubular abnormalities. Consider a PCR to look for active organisms.

REFERRING VET


Dr. Bridget Landon

INVOICE

10153ag

DATE

03/10/2022



PATIENT

Lulu Minno

SPECIES

Canine

BREED

Terrier X

SEX

Spayed female

AGE

10 years 2 months

WEIGHT

15.7 pounds

INTERPRETED BY

Kathleen Sennello DVM,
MS, Diplomate ACVIM
(Small Animal Internal
Medicine)

IMAGING BY

Loetitia Saint-Jacques,
LVT

HOSPITAL NAME

Moutain View Animal
Hospital

REFERRING VET


Dr. Bridget Landon

INVOICE

10153ag

DATE

03/10/2022



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Kathleen Sennello DVM,MS, Diplomate ACVIM (Small animal Internal Medicine)
kathleen.sennello@sonopath.com