



PATIENT PRESENTING CLINICAL SIGNS

Woody Clarkson

History: Chief Concern / Provisional Diagnosis: ~ Suspected anal gland adenocarcinoma arising from left anal gland. Ultrasound recommended to evaluate for metastasis prior to anal sacculotomy with mass removal. Relevant Medical History and Physical Exam findings: ~ 3mm nodule on left anal gland found during routine exam Recent Diagnostics: Relevant Laboratory Results / Abnormalities: ~ CBC/chem27/UA/T4 unremarkable Calcium 10 (8.4-11.8) Current medications (include full name, dosage and frequency): ~ Heartgard monthly Cytopoint as needed

SPECIES

Canine

BREED

Rat Terrier

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

SEX

Neutered Male

The urinary bladder is moderately distended with anechoic urine. The Bladder wall, trigone, ureteral papillae and visible urethra (to a depth of 2cm) appear normal with no evidence of wall thickening, mucosal irregularities, masses or cystic calculi.

AGE

8 years

The prostate is normal in size (0.61 cm) and shape for this neutered male dog. The parenchyma is homogenous and the external margins are smooth. The prostatic urethra appears normal with no evidence of irregularity, invasion, mass effect or calculi.

WEIGHT

21 Pounds

The left kidney has a normal shape and size (4.6 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

The right kidney has a normal shape and size (4.6 cm). Overall echogenicity is normal with adequate corticomedullary distinction and a typical 1:3 cortex:medulla ratio. There is no evidence of perinephric inflammation or effusion. There is no evidence of pyelectasia, nephroliths, infarcts or hydroureter. Renal vasculature is normal.

INTERPRETED BY

Kathleen Sennello DVM,
MS, Diplomate ACVIM
(Small Animal Internal
Medicine)

Adrenal Glands

IMAGING PERFORMED BY

Loetitia Saint-Jacques, RVT

The left adrenal gland is normal in size measuring 0.54 cm at the caudal pole It is observed in its normal position cranial to the left renal artery. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

HOSPITAL NAME

MountainView AH

The right adrenal gland is normal in size measuring 0.52 cm at the caudal pole It is observed in its normal position between the cranial aspect of the right kidney and the caudal vena cava. It is normal in appearance (uniformly hypoechoic) and shape with no evidence of a mass effect.

REFERRING VET

Dr. Kalivoda

Spleen

The spleen is subjectively normal in size, echotexture is homogenous, and the splenic capsule is smooth with no irregularities. The blood flow through the hilus and splenic parenchyma appears normal. No focal parenchymal abnormalities are visualized.

INVOICE

91377

DATE

8/20/21



PATIENT *Liver*

Woody Clarkson The liver is subjectively normal in size, and echogenicity with smooth peripheral margins. The parenchyma is homogenous echotexture. The visible portions of the vasculature and biliary tract appear normal. No focal nodules or cystic lesions are observed. The gallbladder lumen is moderately distended. The wall of the gall bladder is not thickened and has a smooth mucosal surface. Luminal contents are primarily anechoic. The cystic and common bile ducts are normal/not visible.

SPECIES

Canine

BREED

Gastrointestinal

Rat Terrier

The stomach contains minimal luminal contents. It measures at a normal thickness of <0.7cm with some variability due to the presence of rugal folds. The distinction of the gastric wall layers is adequate and there is no impression of reduced peristaltic activity. No masses or focal lesions were observed.

SEX

Neutered Male

The visualized areas of duodenum, jejunum and ileum have a relatively uniform diameter with minimal fluid distension. Wall thickness is normal. Bowel loops follow a curvilinear path with distinct wall layering maintaining the typical 1:3 muscularis:mucosa layer ratio. The duodenum measured as normal (between 0.3-0.5cm in wall thickness) and the jejunum measured as normal (between 0.2-0.47cm.) Visualized peristalsis appears appropriate. There were no focal lesions consistent with obstruction or a mass effect observed.

AGE

8 years

The ileocecal junction was visualized and exhibited normal intact wall layering and is subjectively of normal thickness. Sections of colon are visualized with formed fecal material and gas shadowing distally. There is no observed focal or generalized colon wall thickening or loss of layering.

WEIGHT

21 Pounds

INTERPRETED BY

Pancreas

Kathleen Sennello DVM,
MS, Diplomate ACVIM
(Small Animal Internal
Medicine)

The pancreas is normal and isoechoic to surrounding mesentery. There is no evidence of nodules or cystic lesions. There is no evidence of regional mesenteric inflammation or fluid.

IMAGING PERFORMED BY

Free Abdomen

Loetitia Saint-Jacques, RVT

Evaluation of the peritoneal cavity did not reveal any evidence of effusion, or subjective lymphadenomegaly (the left sublumbar lymph node is prominent at 0.5 cm, the right sublumbar lymph node measured 0.37 cm). The Medial iliac nodes appear normal and there was no evidence of a caudal aortic thrombus at the bifurcation. The omentum is of normal uniform echogenicity.

HOSPITAL NAME

MountainView AH

REFERRING VET

Dr. Kalivoda

ULTRASONOGRAPHIC FINDINGS

PRIMARY FINDINGS:

Prominent, left sublumbar lymph node. This lymph node is not overtly enlarged and is most consistent with a reactive lymph node. Metastasis cannot be excluded.

INVOICE


91377

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

DATE

8/20/21

The scan is normal for an 8 year old terrier. The left sublumbar lymph node is slightly prominent. This is most consistent with a reactive lymph node, but should be monitored as metastatic change cannot be



PATIENT

excluded as a possibility.

Woody Clarkson

SPECIES

Canine

BREED

Rat Terrier

SEX

Neutered Male

AGE

8 years

WEIGHT

21 Pounds

INTERPRETED BY

Kathleen Sennello DVM,
 MS, Diplomate ACVIM
 (Small Animal Internal
 Medicine)

IMAGING PERFORMED BY

Loetitia Saint-Jacques, RVT

HOSPITAL NAME

MountainView AH

REFERRING VET






Dr. Kalivoda


INVOICE

91377

DATE

8/20/21





PATIENT

Woody Clarkson

SPECIES

Canine

BREED

Rat Terrier

SEX

Neutered Male

AGE

8 years

WEIGHT

21 Pounds

INTERPRETED BY

Kathleen Sennello DVM,
MS, Diplomate ACVIM
(Small Animal Internal
Medicine)

IMAGING PERFORMED BY

Loetitia Saint-Jacques, RVT

HOSPITAL NAME

MountainView AH

REFERRING VET

Dr. Kalivoda

INVOICE

91377

DATE

8/20/21



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Kathleen Sennello DVM,MS, Diplomate ACVIM (Small animal Internal Medicine)

kathleen.sennello@sonopath.com