



PATIENT

Sansa Harlow

SPECIES

Feline

BREED

DSH

SEX

Spayed Female

AGE

1 Year

WEIGHT

8.8 Pounds

PRESENTING CLINICAL SIGNS

History: Episode of ADR, vomiting, diarrhea and not eating 12/21. Started IV fluids, and developed 2-3/6 systolic heart murmur after 4 hours on fluids. Residual 1/6 systolic murmur. Abnormal PE/Chem/CBC/UA Results: PE: Enucleation OS as a kitten.

ULTRASONOGRAPHIC EXAMINATION OF THE HEART & ABDOMEN

FELINE CARDIAC PARAMETERS	BODY WEIGHT (kg)	HR (BPM)	IVSd (cm)	LVIDd (cm)	LVWd (cm)	FS (%)	EF (%)
NORMAL PARAMETER	-----	150-240	0.3-0.6	1.0-2.1	0.25-0.6	35-67	80-100
PATIENT	--	NM	0.39	1.6	0.40	50	85
FELINE CARDIAC PARAMETERS	LA/AO (Boon)	LA/AO HEART BASE (Sisson)	LA 2D 4-chamber long axis AS to FW (Sisson) (cm)	LVOT VEL. (m/s)	RVOT VEL. (m/s)	IVRT (m/)	
NORMAL PARAMETER	<1.5	0.88-1.79	0.7-1.7	<1.6	<1.3	40-60	
PATIENT	--	1.4	1.2	1.45	1.0	NM	
Adapted from June Boon, Veterinary Echocardiography, 1998							
Sisson D et al. JVIM 1991; 5: 232, Jacobs et al. Am J Vet Res 1985; 46:1705							

INTERPRETED BY

R. McKenzie Daniel, DVM, DABVP (Canine and Feline)

IMAGING PERFORMED BY

Karen Ebersole, DVM, DABVP (Canine/Feline Practice)

HOSPITAL NAME

Scanvet

REFERRING VET

Dr. Golden

INVOICE

20373

DATE

1/4/23

Cardiac Presentation

The echocardiogram in this patient demonstrated normal **left atrial** size based on 3 separate LA measurements. The cranial and caudal **mitral** valve leaflets presented normal linear structure and kinetics. No overt MR on doppler. The **left ventricle** presented normal thicknesses with linear contour and was not dilated nor restricted. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions and angles of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. Normal measured LVOT velocity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted or chamber overload. **Tricuspid** valvular assessment demonstrated adequate linear morphology and kinetics. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonic** tract assessment revealed normal valve structure, laminar flow, and diameter (approx.1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted or extra cardiac pathology in the visible planes. The cranial **mediastinum and pericardial regions** were free of masses in the visible window. No evidence of arrhythmia. Superimposed mildly hyperechoic pericardial fat was present in several views, associated with the right atrioventricular groove, superimposing in several videos within the area of the LVOT.

Urinary System

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of 2.0 cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or



PATIENT

sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes were noted. Aortic trifurcation was normal.

Sansa Harlow

SPECIES

Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio and normal corticomedullary definition were maintained. The echogenicity of the cortex was similar to or slightly less than normal liver parenchyma while the medulla echogenicity was hypoechoic to the cortex with no evidence of pelvic dilation. The left kidney measured 3.6 cm in length. The right kidney measured 4.2 cm in length.

Feline

BREED

Adrenal Glands

DSH

The left adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 0.31cm.

SEX

No overt pathology in the area of the right adrenal gland.

Spayed Female

Spleen

AGE

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

1 Year

WEIGHT

Liver

8.8 Pounds

The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

INTERPRETED BY

Gastrointestinal

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

The visualized gastric walls were sonographically normal without evidence of mechanical pyloric outflow obstruction. The lumen of the stomach contained mild to moderate, mildly hyperechoic ingesta, exhibiting subtle progressive distal acoustic shadowing.

IMAGING PERFORMED BY

Karen Ebersole, DVM,
DABVP
(Canine/Feline Practice)

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. Minor segmental nonshadowing ingesta chyme was noted.

Normal visible colon wall layers were present with apparent formed feces in lumen.

HOSPITAL NAME

Pancreas

Scanvet

The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.

REFERRING VET

Free Abdomen

Dr. Golden

No overt lymphadenopathy or peritoneal effusion was present.

INVOICE

ULTRASONOGRAPHIC FINDINGS

20373

- Normal cardiac structure and function – benign/physiologic flow murmur

DATE

1/4/23



PATIENT

- Sonographically unremarkable gastrointestinal tract/colon with gastric and minor segmental intestinal ingesta

Sansa Harlow

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

SPECIES

No evidence of structural or functional cardiomyopathy without evidence of significant valvular insufficiency, stenotic disease, or left/right chamber enlargement. Conservative monitoring of the persistent low-grade murmur is recommended. No indication for cardiac medications.

Feline

BREED

Potential resolving inflammatory bowel episode is possible. Dietary indiscretion, food allergy, occult parasitism, resolved low-grade to chronic pancreatitis possible. Continued as needed gastrointestinal support is suggested. Empirical hairball therapy may be considered if clinically indicated.

DSH

SEX

Spayed Female

AGE

1 Year

WEIGHT

8.8 Pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Karen Ebersole, DVM,
DABVP
(Canine/Feline
Practice)

HOSPITAL NAME

Scanvet

REFERRING VET


Dr. Golden

INVOICE

20373

DATE

1/4/23





PATIENT

Sansa Harlow

SPECIES

Feline

BREED

DSH

SEX

Spayed Female

AGE

1 Year

WEIGHT

8.8 Pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Karen Ebersole, DVM,
DABVP
(Canine/Feline
Practice)

HOSPITAL NAME

Scanvet

REFERRING VET


Dr. Golden

INVOICE

20373

DATE

1/4/23



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)
info@SonoPath.com