


PATIENT

Darla Gotfredson

SPECIES

Canine

BREED

French Bulldog

SEX

Spayed Female

AGE

5 Years

WEIGHT

25 Pounds

PRESENTING CLINICAL SIGNS

Patient was resting in her bed when she started shaking and then appeared to have a seizure or syncopal episode. She was then ataxic at the walk. Entire episode lasted 5 minutes. Patient has not had any other episodes prior and after.

Abnormal PE/Chem/CBC/UA Results: CBC/CHEM pending

ULTRASONOGRAPHIC EXAMINATION OF THE HEART & ABDOMEN

CANINE CARDIAC PARAMETERS	MR VMAX (m/s)	TR VMAX (m/s)	LA/AO (Boon method)	LA/AO (Heart Base; Swe)	FS (%)	EF (%)	EPSS (cm)
NORMAL PARAMETER	4.5-5.5	<2.7	1.3	<1.6	28-40	40-100	<0.6
PATIENT		<1.0	NM	1.37	48.2	83.2	0.25
CANINE CARDIAC PARAMETERS	HR (BPM)	AV VMAX (m/s)	PV MAX (m/s)	BODY WEIGHT (kg)	LA 2D short axis Base view (cm)	LVIDd Avg; 2D and m-mode short axis (cm)	LVIDs Avg; 2D and m-mode short axis (cm)
NORMAL PARAMETER	50-100	0.7-1.7	0.7-1.6				
PATIENT	NM	1.0	NM		2.69	2.8	

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Garry Gotfredson

HOSPITAL NAME

Red Hills VH

REFERRING VET

Dr. Garry Gotfredson

INVOICE

26360

DATE

10/19/21

Cardiac Presentation

The echocardiogram in this patient demonstrated normal **left atrial** size based on 3 separate methods of LA evaluation. The cranial and caudal **mitral valve** leaflets presented normal linear structure, extension in systole, and union in diastole with normal kinesis. The **left ventricle** presented thicknesses with linear contour and was not dilated nor restricted. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted. **Tricuspid** valvular assessment demonstrated adequate linear morphology and kinesis. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonary outflow** tract assessment revealed normal valve structure, laminar flow, and diameter (approx. 1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted. The cranial **mediastinum and pericardial and extra-cardiac regions** were free of masses in the visible window. No overt evidence of arrhythmogenic disease.

Urinary System

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of 3.0 cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes were noted.



PATIENT

Darla Gotfredson

Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio and normal corticomedullary definition were maintained. The echogenicity of the cortex was similar to or slightly less than normal liver parenchyma while the medulla echogenicity was hypoechoic to the cortex with no evidence of pelvic dilation. Pinpoint medullary mineral was present in both kidneys. The left kidney measured 4.2 cm. The right kidney measured 4.3 cm.

SPECIES

Canine

The area of the aortic trifurcation was free of pathology.

Adrenal Glands

BREED

French Bulldog

The left adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 0.63 cm at the cranial pole and 0.57 cm at the caudal pole. The right adrenal gland was not definitively visualized.

SEX

Spayed Female

Spleen

The spleen exhibited subjective mild generalized enlargement, yet not overtly consistent with inflammatory or neoplastic criteria, and potentially owing to sedation. It exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

AGE

5 Years

Liver

WEIGHT

25 Pounds

The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

Gastrointestinal

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach was empty with no signs of ileus, obstruction or foreign material.

IMAGING PERFORMED BY

Dr. Garry Gotfredson

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction or foreign material.

Normal visible colon wall layers were present with apparent formed feces in lumen.

HOSPITAL NAME

Red Hills VH

Pancreas

The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.

REFERRING VET

Dr. Garry Gotfredson

Free Abdomen

No omental masses, lymphadenopathy or peritoneal effusion.

INVOICE

26360

ULTRASONOGRAPHIC FINDINGS

- Normal echocardiogram
- Pinpoint renal medullary mineralization
- Mild splenomegaly – subjectively benign

DATE

10/19/21



PATIENT

Darla Gotfredson

SPECIES

Canine

BREED

French Bulldog

SEX

Spayed Female

AGE

5 Years

WEIGHT

25 Pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Garry Gotfredson

HOSPITAL NAME

Red Hills VH

REFERRING VET

Dr. Garry Gotfredson

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No overt evidence of structural/functional cardiomyopathy or abdominal visceral pathology as an obvious cause of the patient's potential syncopal versus seizure episode. Possible previous paroxysmal arrhythmia cannot be excluded. ECG assessment or holter monitor may be considered if seizure versus syncopal episode is noted again. Correlation with pending CBC/Chem panel and urinalysis suggested.



INVOICE

26360

DATE

10/19/21



PATIENT

Darla Gotfredson

SPECIES

Canine

BREED

French Bulldog

SEX


Spayed Female

AGE

5 Years

WEIGHT

25 Pounds



INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Garry Gotfredson

HOSPITAL NAME

Red Hills VH

REFERRING VET

Dr. Garry Gotfredson

INVOICE

26360

DATE

10/19/21

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)
info@SonoPath.com