



PATIENT

Missy Piersol

SPECIES

Canine

BREED

Miniature Pinscher

SEX

Spayed Female

AGE

5 Years

WEIGHT

13.6 pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP

IMAGING PERFORMED BY

Dr. A. Rodriguez DVM

HOSPITAL NAME

Foxfield Veterinary
Services

REFERRING VET

Dr. A. Rodriguez DVM

INVOICE

12337

DATE

11/19/25

PRESENTING CLINICAL SIGNS

Anorexia. Lethargic. Intermittent cough

Abnormal PE/Chem/CBC/UA Results: ALT: 1579, SDMA: 18, ALK: 1261, GGT:10

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra exhibited normal thickness and tone. Primarily anechoic urine was present in the lumen. Nondependent particulate mild sediment was present without evidence of mineral or calculus formation. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic mural changes were noted.

Normal size and margination was present in the kidneys. A normal 1:3 cortex / medulla ratio and normal corticomedullary definition were maintained. The echogenicity of the cortex was similar to or slightly less than normal liver parenchyma while the medulla echogenicity was hypoechoic to the cortex with no evidence of pelvic dilation. The left kidney measured 4.9 cm in length. The right kidney measured 5.1 cm in length.

Adrenal Glands

The left adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 0.60 cm width at the caudal pole. The right adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The right adrenal gland measured 0.55 cm width at the caudal pole.

Spleen

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

Liver

The liver presented enlarged in size. The parenchyma of the liver was subjectively normal in echogenicity compared to the spleen and renal cortices. The liver parenchyma was uniform with a mildly coarse echotexture. The capsule of the liver was symmetrically rounded to mildly swollen in margination. The hepatic and portal vasculature were normal in appearance without signs of congestion.

The gallbladder was non-distended in size with primarily anechoic luminal content. The cystic and common bile ducts were normal.

Gastrointestinal

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach contained variably echogenic, nonshadowing ingesta without evidence of mechanical pyloric outflow obstruction. Pylorus wall measured 0.36 cm width.



PATIENT

Missy Piersol

SPECIES

Canine

BREED

Miniature Pinscher

SEX

Spayed Female

AGE

5 Years

WEIGHT

13.6 pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP

IMAGING PERFORMED BY

Dr. A. Rodriguez DVM

HOSPITAL NAME

Foxfield Veterinary
Services

REFERRING VET

Dr. A. Rodriguez DVM

INVOICE

12337

DATE

11/19/25

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction or foreign material. The duodenum wall measured 0.40 cm width. The jejunum wall measured 0.34 cm width.

Normal visible colon wall layers were present with soft fecal matter in lumen.

Pancreas

The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.

Free Abdomen

No evidence of significant omental lymphadenopathy or peritoneal effusion was present.

ULTRASONOGRAPHIC FINDINGS

- Hepatopathy.
- Normal gallbladder.
- Sonographically normal gastrointestinal tract with mild nonshadowing gastric ingesta-consistent with food/chyme echogenicity.
- Normal area of pancreas.
- Urinary bladder sediment.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The appearance of the liver was nonspecific but most consistent with benign hepatopathy. Considerations for the liver may include benign vacuolar hepatopathy, inflammatory/infectious/immune mediated disease, hyperplasia, hematopoiesis, toxic hepatopathy (i.e. copper), other with neoplasia thought less likely. Ultrasound guided FNA of the liver using a 25-gauge needle and assuming normal coagulation parameters would be warranted for screening cytology. Hepatosupportive medications such as Denamarin or Vitamin E as well as Ursodiol due to its antioxidant and immunomodulatory effects within the liver would be warranted, although these medications may not result in decreased hepatic enzyme levels. Leptospirosis titers / PCR may be considered if clinically indicated. Core or surgical biopsy likely required for definitive diagnosis.

Correlation with three view chest radiographs and consideration for a GI panel to include PLI, TLI, cobalamin and folate to assess for occult intestinal or pancreatic disease as a contributing factor is recommended. Hepatogastrointestinal support is indicated with clinical and as needed sonographic reassessment if progressive hepatopathy or clinical signs.



PATIENT

Missy Piersol

SPECIES

Canine

BREED

Miniature Pinscher

SEX

Spayed Female

AGE

5 Years

WEIGHT

13.6 pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP

IMAGING PERFORMED BY

Dr. A. Rodriguez DVM

HOSPITAL NAME

Foxfield Veterinary
Services

REFERRING VET


Dr. A. Rodriguez DVM

INVOICE

12337

DATE

11/19/25





PATIENT

Missy Piersol

SPECIES

Canine

BREED

Miniature Pinscher

SEX

Spayed Female

AGE

5 Years

WEIGHT

13.6 pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP

IMAGING PERFORMED BY

Dr. A. Rodriguez DVM

HOSPITAL NAME

Foxfield Veterinary
Services

REFERRING VET


Dr. A. Rodriguez DVM

INVOICE

12337

DATE

11/19/25



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)

info@SonoPath.com