

PATIENT

Iggy Hrebin

SPECIES

Canine

BREED

Australian Cattle Dog

SEX

MN

AGE

12y, 9m

WEIGHT

51.8 lbs.

INTERPRETED BY

R. McKenzie Daniel, DVM, DABVP (Canine and Feline)

IMAGING PERFORMED BY

Shari Reffi, CVT

HOSPITAL NAME

Magnolia Vet

REFERRING VET

Dr. Goldstein

INVOICE

10448

DATE

12/11/25

PRESENTING CLINICAL SIGNS

Progressive non-regenerative anemia. Needs TPLO plate removed (draining tract LH - previous TPLO site.

Abnormal PE/Chem/CBC/UA Results: Non regen anemia since October. Ana (+), chem/T4 wnl. Fecal-Hooks (now resolved). USG 1.032

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and cystourethral junction exhibited normal thickness and tone. Anechoic urine was present in the lumen with no evidence of urine or lumen sediment, mineral, or calculi. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes was noted.

The residual prostate was sonographically normal.

No evidence of pathology in the area of the aortic trifurcation.

Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio was maintained. The medulla and cortices were uniform in texture with some increased echogenicity and mild loss of corticomedullary symmetry and definition expected for the age of the patient. No evidence of pelvic dilation was present. The left kidney measured 6.5 cm in length. The right kidney measured 7.0 cm in length.

Adrenal Glands

The left adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 0.66 cm width at the caudal pole. The right adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The right adrenal gland measured 0.64 cm width at the caudal pole.

Spleen

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

Liver/ Gallbladder

The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

PATIENT

Iggy Hrebin

SPECIES

Canine

BREED

Australian Cattle Dog

SEX

MN

AGE

12y, 9m

WEIGHT

51.8 lbs.

INTERPRETED BY

R. McKenzie Daniel, DVM, DABVP (Canine and Feline)

IMAGING PERFORMED BY

Shari Reffi, CVT

HOSPITAL NAME

Magnolia Vet

REFERRING VET

Dr. Goldstein

INVOICE

10448

DATE

12/11/25

Gastrointestinal

The stomach presented intact wall layering with a normal wall layer ratio. Minor nonshadowing gastric ingesta / chyme was present without signs of obstruction or foreign material.

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction, or foreign material.

Normal visible colon wall layers were present with apparent formed feces in lumen.

Pancreas

The parenchyma of the left limb, body, and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease were evident.

Free Abdomen

No omental masses, significant lymphadenopathy, or evidence of peritoneal effusion was noted. Intrabdominal lipoma was noted in the midabdomen, caudomedial to the right kidney, measuring ~6.0 cm in diameter.

ULTRASONOGRAPHIC FINDINGS

- Mild age-related renal changes
- Sonographically normal spleen
- Intrabdominal lipoma

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

There is no evidence of significant visceral pathology as a definitive cause of the patient's non-regenerative anemia. Correlation with CBC pathology review and three-view chest radiographs is recommended.



New Jersey Mobile
FUELED BY SONOPATH VETERINARY ULTRASOUND



Clinical Sonography & Telecytology
Educational Teleconsultation Services™

SonoPath
FOSTERING THE ART OF VETERINARY MEDICINE™
www.SonoPath.com
info@sonopath.com
800.838.4268

PATIENT

Iggy Hrebin

SPECIES

Canine

BREED

Australian Cattle Dog

SEX

MN

AGE

12y, 9m

WEIGHT

51.8 lbs.

INTERPRETED BY

R. McKenzie Daniel, DVM, DABVP (Canine and Feline)

IMAGING PERFORMED BY

Shari Reffi, CVT

HOSPITAL NAME

Magnolia Vet

REFERRING VET

Dr. Goldstein

INVOICE

10448

DATE

12/11/25





PATIENT

Iggy Hrebin

SPECIES

Canine

BREED

Australian Cattle Dog

SEX

MN

AGE

12y, 9m

WEIGHT

51.8 lbs.

INTERPRETED BY

R. McKenzie Daniel, DVM, DABVP (Canine and Feline)

IMAGING PERFORMED BY

Shari Reffi, CVT

HOSPITAL NAME

Magnolia Vet

REFERRING VET

Dr. Goldstein

INVOICE

10448

DATE

12/11/25

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine/Feline Practice)
info@sonopath.com