



PATIENT	PRESENTING CLINICAL SIGNS
Ismerelda Castellano	Semi-acute history of vomiting. Particularly after drinking water. Losing a mild amount of weight and not eating as much
SPECIES	Abnormal PE/Chem/CBC/UA Results: Pending
Feline	ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN
BREED	Urinary System
DMH	The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of 2.0 cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with very minor particulate, non-dependent sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes were noted.
SEX	Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio and normal corticomedullary definition were maintained. The echogenicity of the cortex was similar to or slightly less than normal liver parenchyma while the medulla echogenicity was hypoechoic to the cortex with no evidence of pelvic dilation. The left kidney measured 3.6 cm. The right kidney measured 3.8 cm.
Spayed Female	Adrenal Glands
AGE	No overt pathology in the area of the left and right adrenal glands.
10 Years	Spleen
WEIGHT	The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.
8 Pounds	Liver
INTERPRETED BY	The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.
R. McKenzie Daniel, DVM, DABVP (Canine and Feline)	Gastrointestinal
IMAGING PERFORMED BY	The stomach presented intact, sonographically unremarkable wall layering. Mild amount of ingesta present, exhibiting mild progressive dirty acoustic shadow. No evidence of gastric distention with significant retained ingesta or fluid.
Hope Brossman	The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction or foreign material.
HOSPITAL NAME	Normal visible colon wall layers were present with apparent formed feces in lumen.
Animal Mansion VH	Pancreas
REFERRING VET	The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.
Dr. Shelley Parker	
INVOICE	
43162	
DATE	
12/2/22	



PATIENT

Free Abdomen

Ismerelda Castellano

No omental masses, lymphadenopathy, or peritoneal free fluid.

SPECIES

Feline

ULTRASONOGRAPHIC FINDINGS

- Mild retained gastric ingesta, possible non-obstructive hairball type density
- Sonographically unremarkable small intestine
- Minor urinary bladder sediment
- Sonographically unremarkable pancreas

BREED

DMH

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

SEX

Spayed Female

Hairball therapy recommended if clinical history of hairballs. Technically the possibility of hairball type density such as stuffing or fabric within the gastric lumen cannot be definitively excluded. Correlation with most recent meal ingestion is recommended. Sonographic monitoring for evidence of gastric emptying may be considered if clinically indicated. Urine culture and sensitivity suggested if evidence of inflammatory urinary bladder debris. Correlate with pending lab work.

AGE

10 Years


A GI panel to include PLI/TLI/Cobalamin/Folate as well as three view chest radiographs and neurological examination are recommended to assess for or rule out occult disease which may cause weight loss.

WEIGHT

8 Pounds

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)



IMAGING PERFORMED BY

Hope Brossman

HOSPITAL NAME

Animal Mansion VH

REFERRING VET

Dr. Shelley Parker

INVOICE

43162

DATE

12/2/22



PATIENT

Ismerelda Castellano

SPECIES

Feline

BREED

DMH

SEX


Spayed Female

AGE

10 Years

WEIGHT

8 Pounds



INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Hope Brossman

HOSPITAL NAME

Animal Mansion VH

REFERRING VET

Dr. Shelley Parker

INVOICE

43162

DATE

12/2/22

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)

info@SonoPath.com